

Michigan ADULT TREATMENT STROKE OR SUSPECTED STROKE

Initial Date: 5/31/2012 Revised Date: 10/25/2017

Section 3-2

Stroke or Suspected Stroke

- Follow General Pre-hospital Care Protocol.
- 2. Utilize the Cincinnati Pre-hospital Stroke Scale (CPSS). Try to elicit the following signs:
 - A. Facial droop (have patient show teeth or smile)
 - B. Arm drift (have patient close eyes and hold both arms straight out for 10 seconds)
 - C. Abnormal speech (have patient say "the sky is blue in Michigan")

3. If the patient is demonstrating signs of hypoglycemia, measure blood glucose level.

Any deficit in the CPSS is considered positive for stroke.

MCA Approval of Blood Glucose	Testing by specific MFR Agencies
	g agency list to BETP)
₽₩ES	□NO

- b. Treat per Altered Mental Status Protocol.
- 4. If seizure, follow Seizures Protocol.
- 5. Document time last seen normal for patient, if known.
- Minimize scene time, notify destination hospital as soon as possible and begin transport.
- 7. Initiate vascular access. (DO NOT delay scene time for IV.)
- (8. Monitor ECG. (DO NOT delay scene time for ECG monitoring.)

MCA Name: Bay County MCA MCA Board Approval Date: 02/26/2018 MCA Implementation Date: 05/01/2018 Protocol Source/References:



Michigan ADULT TREATMENT STROKE OR SUSPECTED STROKE


Initial Date: 5/31/2012 Revised Date: 10/25/2017


Section 3-2

Follow General Prehospital Care Protocol

Utilize the Cincinnati Pre-hospital Stroke Scale. Try to elicit the following signs:

- Face facial droop present (have patient show teeth or smile)
- Arm arm drift present (have patient close eyes and hold arms straight out for 10 seconds)
- · Abnormal Speech (have the patient say "The sky is blue in Michigan."





If blood glucose is <60 mg/dL, treat per Altered Mental Status Protocol - Adult

- Document time last seen normal for patient, if known.
- Minimize scene time, notify destination hospital as soon as possible and begin transport.



Initiate Vascular Access (Do not delay scene time)



Monitor ECG (Do not delay scene time)