MDwise Medicare
2023 Formulary
(List of Covered Drugs)

MDwise Medicare Inspire (HMO)
MDwise Medicare Inspire Plus (HMO)
MDwise Medicare Inspire Flex (HMO-POS)

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN

Formulary ID: 23374, Version Number 18

This formulary was updated on 11/21/2023.

For more recent information or other questions, please contact MDwise Medicare Member Services at 833-358-2140 or, for TTY users, 711. Our hours of operation are: April 1st through September 30th Monday through Friday, 8 a.m. to 8 p.m. and October 1st through March 31st seven days a week (except Thanksgiving and Christmas days), 8 a.m. to 8 p.m. or visit www.mdwise.org/medicare for additional information.

- **Important Message About What You Pay for Vaccines** - Our plan covers most Part D vaccines at no cost to you. Call Member Services for more information.
- **Important Message About What You Pay for Insulin** - You won't pay more than $10 for a one-month supply of each insulin product covered by our plan on Tier 2 and no more than $35 for a one-month supply of each insulin product covered by our plan on Tier 3.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to "we," "us," or "our," it means MDwise Medicare. When it refers to "plan" or "our plan," it means MDwise Medicare Inspire, MDwise Medicare Inspire Plus, and MDwise Medicare Inspire Flex.

This document includes a list of the drugs (formulary) for our plan, which is current as of 11/21/2023. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit.

Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2023 and from time to time during the year.

What is the MDwise Medicare Formulary?

A formulary is a list of covered drugs selected by MDwise Medicare in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. MDwise Medicare will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a MDwise Medicare network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
    - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the MDwise Medicare's Formulary?"

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to the market to replace a brand-name drug currently on the formulary, or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
    - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the MDwise Medicare's Formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2023 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2023 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 11/21/2023. To get updated information about the drugs covered by MDwise Medicare please contact us. Our contact information appears on the front and back cover pages. Updates to this formulary will be posted on our website: www.mdwise.org/medicare. Copies of the latest print formularies with changes are available on our website every month as a downloadable PDF file or you can request a current copy with the changes at any time using our contact information on the front or back cover.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular Agents.". If you know what your drug is used for, look for the category name in the list that begins on 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

MDwise Medicare covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** MDwise Medicare requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from MDwise Medicare before you fill your prescriptions. If you don't get approval, MDwise Medicare may not cover the drug.

- **Quantity Limits:** For certain drugs, MDwise Medicare limits the amount of the drug that MDwise Medicare will cover. For example, MDwise Medicare provides 60 tablets per prescription for Entresto oral tablets. This may be in addition to a standard one-month or three-month supply.

- **Step Therapy:** In some cases, MDwise Medicare requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, MDwise Medicare may not cover Drug B unless you try Drug A first. If Drug A does not work for you, MDwise Medicare will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask MDwise Medicare to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the MDwise Medicare's formulary?" on page v for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that MDwise Medicare does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by MDwise Medicare. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by MDwise Medicare.

- You can ask MDwise Medicare to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the MDwise Medicare's Formulary?

You can ask MDwise Medicare to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.

- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, MDwise Medicare limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, MDwise Medicare will only approve your request for an exception if the alternative drug is included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Members who have a change in level of care (setting) will be allowed up to a one-time 31-day transition supply per drug. For example, members who:

- Enter long-term care (LTC) facilities from hospitals are sometimes accompanied by a discharge list of medications from the hospital formulary, with very short term planning taken into account (often under 8 hours).
- Are discharged from a hospital to a home.
- End their skilled nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who need to revert to their Part D plan formulary.

- End a long-term care facility stay and return to the community. If a member has more than one change in level of care in a month, the pharmacy will have to call us to request an extension of the transition policy.

For more information

For more detailed information about your MDwise Medicare prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about MDwise Medicare, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or visit http://www.medicare.gov.

Drug Tier Copay Levels

This 2023 Comprehensive Formulary is a listing of brand-name and generic drugs. MDwise Medicare's Formulary covers drugs identified by Medicare as Part D drugs and your copay may differ depending upon the tier at which the drug resides.

The copay tiers for covered prescription medications are listed below. Consult your Evidence of Coverage for your applicable copays and coinsurance amounts.

Copay Tier	Type of Drug
Tier 1	Preferred Generic
Tier 2	Generic
Tier 3	Preferred Brand
Tier 4	Non-Preferred Brand
Tier 5	Specialty Tier
Tier 6	Select Care Drugs

MDwise Medicare Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by MDwise Medicare. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., COUMADIN) and generic drugs are listed in lower-case italics (e.g., warfarin).

The information in the Requirements/Limits column tells you if MDwise Medicare has any special requirements for coverage of your drug.

List of Abbreviations:

- **PA BvD:** Prior Authorization Restriction for Part B vs Part D Determination. This prescription drug has a Part B versus D administrative prior authorization requirement. This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

- **QL: Quantity Limit:** For certain drugs, MDwise Medicare limits the amount of the drug that we will cover. For example, MDwise Medicare provides twelve tablets per prescription for Sumatriptan Succinate. This may be in addition to a standard one-month or three-month supply.

- **ST: Step Therapy:** In some cases, MDwise Medicare requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

- **PA: Prior Authorization:** MDwise Medicare requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.

- **PA- HRM:** Prior Authorization Restriction for High-Risk Medications. This drug has been deemed to be potentially harmful and therefore, a High-Risk Medication for individuals 65 years or older. Members aged 65 years or older are required to get prior authorization from our plan before you fill your prescription for this drug.

- **PA NSO:** Prior Authorization Restriction for New Starts Only. If there is no evidence that you have taken this drug before, you (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.

- **NDS: Non-Extended Days' Supply:** Drugs not available for an extended days' supply (i.e. more than a one-month supply) are noted with "NDS" in the Requirements/Limits column of your formulary.

- **GC: Gap Coverage:** We provide additional coverage of this prescription drug in the coverage gap, if your plan provides gap coverage. Please refer to our Evidence of Coverage for more information about this coverage.

- **HI: Home Infusion Coverage:** This prescription drug may be covered under our medical benefit. For more information, call Member Services at 833-358-2140, April 1st through September 30th Monday through Friday, 8 a.m. to 8 p.m. and October 1st through March 31st seven days a week (except Thanksgiving and Christmas days), 8 a.m. to 8 p.m. TTY users should call 711 or you can visit our website at www.mdwise.org/medicare.

- **LA: Limited Availability:** This prescription may be available only at certain pharmacies. For more information, consult your Provider/Pharmacy Directory or call Member Services at 1-833-358-2140,

April 1st through September 30th Monday through Friday, 8 a.m. to 8 p.m. and October 1st through March 31st seven days a week (except Thanksgiving and Christmas days), 8 a.m. to 8 p.m. TTY users should call 711.

- **EX;CB: Excluded Part D Capped Benefit:** Drugs covered by the plan that are excluded by Medicare law that are covered by your plan as a supplemental or bonus drug but do not count toward TrOOP.

- **NM: Not Available by Mail Order:** These are typically mediations that need to be ordered from a specialty pharmacy and are listed as TIER 5 medications and are restricted to a 30-day supply.

- **SI: Select Insulin:** These are the insulins that are offered by MDwise Medicare with the same cost-share, $10 - $35, through all stages of coverage until you reach the Catastrophic Coverage Stage. If you receive Extra Help, this does not apply to you and your low-income subsidy copay level will apply. Please see your Evidence of Coverage for more information.

Table of Contents

Analgesics 3
Anesthetics 8
Anti-Addiction/Substance Abuse Treatment Agents 9
Antianxiety Agents 10
Antibacterials 11
Anticancer Agents 19
Anticonvulsants 34
Antidementia Agents 39
Antidepressants 40
Antidiabetic Agents 43
Antifungals 48
Antigout Agents 50
Antihistamines 51
Anti-Infectives (Skin And Mucous Membrane) 51
Antimigraine Agents 51
Antimycobacterials 53
Antinausea Agents 54
Antiparasite Agents 56
Antiparkinsonian Agents 56
Antipsychotic Agents 58
Antivirals (Systemic) 65
Blood Products/Modifiers/Volume Expanders 72
Caloric Agents 76
Cardiovascular Agents 79
Central Nervous System Agents 91
Contraceptives 96
Dental And Oral Agents 106
Dermatological Agents 106
Devices 112
Enzyme Replacement/Modifiers 157
Eye, Ear, Nose, Throat Agents 158
Gastrointestinal Agents 163
Genitourinary Agents 167
Heavy Metal Antagonists 168
Hormonal Agents, Stimulant/Replacement/Modifying 168
Immunological Agents 175

Inflammatory Bowel Disease Agents 187
Metabolic Bone Disease Agents 188
Miscellaneous Therapeutic Agents 189
Ophthalmic Agents 191
Replacement Preparations 193
Respiratory Tract Agents 195
Skeletal Muscle Relaxants 200
Sleep Disorder Agents 200
Vasodilating Agents 201
Vitamins And Minerals 202

Drug Name		Drug Tier	Requirements/Limits
Analgesics			
Analgesics, Miscellaneous			
acetaminophen-codeine 120-12 mg/5 ml cup outer 120 mg-12 mg /5 ml (5 ml)		1	NM; GC; NDS; QL (4500 per 30 days)
acetaminophen-codeine oral solution 120-12 mg/5 ml		1	NM; GC; NDS; QL (4500 per 30 days)
acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg		1	NM; GC; NDS; QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-60 mg		1	NM; GC; NDS; QL (180 per 30 days)
ascomp with codeine oral capsule 30-50-325-40 mg	(codeine-butalbital-asa-caff)	2	PA-HRM; NM; NDS; QL (180 per 30 days); AGE (Max 64 Years)
buprenorphine hcl injection solution 0.3 mg/ml	(Buprenex)	2	
buprenorphine hcl injection syringe 0.3 mg/ml		2	
butalbital-acetaminophen-caff oral tablet 50-325-40 mg	(Esgic)	1	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
butalbital-aspirin-caffeine oral capsule 50-325-40 mg		2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
butalbital-aspirin-caffeine oral tablet 50-325-40 mg		1	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
codeine sulfate oral tablet 30 mg, 60 mg		2	NM; NDS; QL (180 per 30 days)
codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg	(Ascomp with Codeine)	2	PA-HRM; NM; NDS; QL (180 per 30 days); AGE (Max 64 Years)
endocet oral tablet 10-325 mg	(oxycodone-acetaminophen)	1	NM; GC; NDS; QL (180 per 30 days)
endocet oral tablet 2.5-325 mg, 5-325 mg	(oxycodone-acetaminophen)	1	NM; GC; NDS; QL (360 per 30 days)
endocet oral tablet 7.5-325 mg	(oxycodone-acetaminophen)	1	NM; GC; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg	5	PA; NM; NDS; QL (120 per 30 days)
fentanyl citrate buccal lozenge on a handle 200 mcg	2	PA; NM; NDS; QL (120 per 30 days)
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 50 mcg/hr, 75 mcg/hr	2	NM; NDS; QL (10 per 30 days)
fentanyl transdermal patch 72 hour 25 mcg/hr	1	NM; GC; NDS; QL (10 per 30 days)
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	2	NM; NDS; QL (2700 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg	1	NM; GC; NDS; QL (180 per 30 days)
hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg	1	NM; GC; NDS; QL (240 per 30 days)
hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg	1	NM; GC; NDS; QL (150 per 30 days)
hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml	2	
hydromorphone oral liquid 1 mg/ml (Dilaudid)	1	NM; GC; NDS; QL (1200 per 30 days)
hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)	1	NM; GC; NDS; QL (180 per 30 days)
methadone injection solution 10 mg/ml	1	GC; QL (120 per 30 days)
methadone oral solution 10 mg/5 ml	1	NM; GC; NDS; QL (600 per 30 days)
methadone oral solution 5 mg/5 ml	1	NM; GC; NDS; QL (1200 per 30 days)
methadone oral tablet 10 mg	1	NM; GC; NDS; QL (120 per 30 days)
methadone oral tablet 5 mg	1	NM; GC; NDS; QL (180 per 30 days)
methadose oral tablet,soluble 40 mg (methadone)	1	NM; GC; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)		1	PA; NM; GC; NDS; QL (180 per 30 days)
morphine oral solution 10 mg/5 ml		1	NM; GC; NDS; QL (700 per 30 days)
morphine oral solution 20 mg/5 ml (4 mg/ml)		1	NM; GC; NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG		4	NM; NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG		4	NM; NDS; QL (120 per 30 days)
morphine oral tablet extended release 100 mg, 200 mg, 60 mg	(MS Contin)	1	NM; GC; NDS; QL (60 per 30 days)
morphine oral tablet extended release 15 mg, 30 mg	(MS Contin)	1	NM; GC; NDS; QL (90 per 30 days)
oxycodone oral capsule 5 mg		2	NM; NDS; QL (180 per 30 days)
oxycodone oral solution 5 mg/5 ml		2	NM; NDS; QL (1300 per 30 days)
oxycodone oral tablet 10 mg, 5 mg		1	NM; GC; NDS; QL (180 per 30 days)
oxycodone oral tablet 15 mg, 30 mg	(Roxicodone)	1	NM; GC; NDS; QL (120 per 30 days)
oxycodone oral tablet 20 mg		1	NM; GC; NDS; QL (120 per 30 days)
oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg	(OxyContin)	3	NM; NDS; QL (60 per 30 days)
oxycodone-acetaminophen oral tablet 10-325 mg	(Endocet)	1	NM; GC; NDS; QL (180 per 30 days)
oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg	(Endocet)	1	NM; GC; NDS; QL (360 per 30 days)
oxycodone-acetaminophen oral tablet 7.5-325 mg	(Endocet)	1	NM; GC; NDS; QL (240 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	(oxycodone)	3	NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
oxymorphone oral tablet 10 mg	2	NM; NDS; QL (120 per 30 days)
oxymorphone oral tablet 5 mg	2	NM; NDS; QL (180 per 30 days)
oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg	2	NM; NDS; QL (60 per 30 days)
tramadol oral tablet 50 mg	1	NM; GC; NDS; QL (240 per 30 days)
tramadol-acetaminophen oral tablet 37.5-325 mg	1	NM; GC; NDS; QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	NM; NDS; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	NM; NDS; QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	NM; NDS; QL (240 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg (Celebrex)	1	GC; QL (60 per 30 days)
diclofenac potassium oral tablet 50 mg	1	GC; QL (120 per 30 days)
diclofenac sodium oral tablet extended release 24 hr 100 mg	1	GC; QL (60 per 30 days)
diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg	1	GC; QL (150 per 30 days)
diclofenac sodium oral tablet,delayed release (dr/ec) 50 mg	1	GC; QL (120 per 30 days)
diclofenac sodium oral tablet,delayed release (dr/ec) 75 mg	1	GC; QL (60 per 30 days)
diclofenac sodium topical drops 1.5 %	2	QL (300 per 30 days)
diclofenac sodium topical gel 1 % (Aleve (diclofenac))	1	GC; QL (1000 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
diclofenac sodium topical gel 3 %		1	PA; GC; QL (100 per 28 days)
diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)	(Pennsaid)	5	PA; NM; NDS; QL (224 per 28 days)
diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg	(Arthrotec 50)	2	
diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg	(Arthrotec 75)	2	
ec-naproxen dr 500 mg tablet	(naproxen)	2	
etodolac oral capsule 200 mg, 300 mg		2	
etodolac oral tablet 400 mg	(Lodine)	1	GC
etodolac oral tablet 500 mg		1	GC
flurbiprofen oral tablet 100 mg		1	GC
ibu oral tablet 400 mg, 600 mg, 800 mg	(ibuprofen)	1	GC
ibuprofen oral suspension 100 mg/5 ml	(Children's Advil)	1	GC
ibuprofen oral tablet 400 mg, 600 mg, 800 mg	(IBU)	1	GC
ibuprofen-famotidine oral tablet 800-26.6 mg	(Duexis)	2	PA; QL (90 per 30 days)
indomethacin oral capsule 25 mg		1	PA-HRM; GC; QL (240 per 30 days); AGE (Max 64 Years)
indomethacin oral capsule 50 mg		1	PA-HRM; GC; QL (120 per 30 days); AGE (Max 64 Years)
indomethacin oral capsule, extended release 75 mg		1	PA-HRM; GC; QL (60 per 30 days); AGE (Max 64 Years)
ketorolac oral tablet 10 mg		2	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
mefenamic acid oral capsule 250 mg		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
meloxicam oral tablet 15 mg, 7.5 mg		1	GC
nabumetone oral tablet 500 mg, 750 mg		1	GC
naproxen oral tablet 250 mg, 375 mg		1	GC
naproxen oral tablet 500 mg	(Naprosyn)	1	GC
naproxen oral tablet,delayed release (dr/ec) 375 mg	(EC-Naprosyn)	1	GC
naproxen oral tablet,delayed release (dr/ec) 500 mg	(EC-Naproxen)	2	
piroxicam oral capsule 10 mg, 20 mg	(Feldene)	1	GC
sulindac oral tablet 150 mg, 200 mg		1	GC
Anesthetics			
Local Anesthetics			
glydo mucous membrane jelly in applicator 2 %	(lidocaine hcl)	1	GC; QL (30 per 30 days)
lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)	(Xylocaine-MPF)	1	GC
lidocaine (pf) injection solution 40 mg/ml (4 %)		1	GC
lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)	(Xylocaine)	1	GC
lidocaine hcl mucous membrane jelly in applicator 2 %	(Glydo)	2	QL (30 per 30 days)
lidocaine hcl mucous membrane solution 4 % (40 mg/ml)		2	PA
lidocaine topical adhesive patch,medicated 5 %	(DermacinRx Lidocan)	2	PA; QL (90 per 30 days)
lidocaine topical ointment 5 %		1	PA; GC; QL (90 per 30 days)
lidocaine viscous mucous membrane solution 2 %	(lidocaine hcl)	2	
lidocaine-prilocaine topical cream 2.5-2.5 %		1	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
acamprosate oral tablet,delayed release (dr/ec) 333 mg	2	
buprenorphine hcl sublingual tablet 2 mg, 8 mg	1	GC; QL (90 per 30 days)
buprenorphine-naloxone sublingual film 12-3 mg (Suboxone)	1	GC; QL (60 per 30 days)
buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg (Suboxone)	1	GC; QL (90 per 30 days)
buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg	1	GC; QL (90 per 30 days)
bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg	1	GC
disulfiram oral tablet 250 mg, 500 mg	1	GC
KLOXXADO NASAL SPRAY,NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
naloxone injection solution 0.4 mg/ml	1	GC
naloxone injection syringe 0.4 mg/ml	2	
naloxone injection syringe 1 mg/ml	1	GC
naloxone nasal spray,non-aerosol 4 mg/actuation (Narcan)	1	GC; QL (4 per 30 days)
naltrexone oral tablet 50 mg	1	GC
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (2688 per 365 days)
varenicline oral tablet 0.5 mg	1	GC; QL (336 per 365 days)
varenicline oral tablet 1 mg (Chantix)	1	GC; QL (336 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
varenicline oral tablets,dose pack 0.5 mg (11)- 1 mg (42)	(Chantix Starting Month Box)	2	
Antianxiety Agents			
Benzodiazepines			
alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg	(Xanax)	1	NM; GC; NDS; QL (120 per 30 days)
alprazolam oral tablet 2 mg	(Xanax)	1	NM; GC; NDS; QL (150 per 30 days)
chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg		1	NM; GC; NDS; QL (120 per 30 days)
clonazepam oral tablet 0.5 mg, 1 mg	(Klonopin)	1	GC; QL (90 per 30 days)
clonazepam oral tablet 2 mg	(Klonopin)	1	GC; QL (300 per 30 days)
clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg		1	GC; QL (90 per 30 days)
clonazepam oral tablet,disintegrating 2 mg		1	GC; QL (300 per 30 days)
clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg		2	QL (180 per 30 days)
diazepam injection solution 5 mg/ml		1	GC; QL (10 per 28 days)
diazepam injection syringe 5 mg/ml		2	
diazepam intensol oral concentrate 5 mg/ml	(diazepam)	2	QL (1200 per 30 days)
diazepam oral solution 5 mg/5 ml (1 mg/ml)		1	GC; QL (1200 per 30 days)
diazepam oral tablet 10 mg, 2 mg, 5 mg	(Valium)	1	GC; QL (120 per 30 days)
lorazepam 4 mg/ml vial inner	(Ativan)	1	GC
lorazepam injection solution 2 mg/ml	(Ativan)	1	GC; QL (2 per 30 days)
lorazepam injection solution 4 mg/ml	(Ativan)	4	QL (2 per 30 days)
lorazepam injection syringe 2 mg/ml		1	GC; QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
lorazepam oral tablet 0.5 mg, 1 mg	(Ativan)	1	NM; GC; NDS; QL (90 per 30 days)
lorazepam oral tablet 2 mg	(Ativan)	1	NM; GC; NDS; QL (150 per 30 days)
oxazepam oral capsule 10 mg, 15 mg, 30 mg		2	NM; NDS; QL (120 per 30 days)
temazepam oral capsule 15 mg, 30 mg	(Restoril)	1	NM; GC; NDS; QL (30 per 30 days)
Antibacterials			
Aminoglycosides			
gentamicin injection solution 20 mg/2 ml, 40 mg/ml		1	GC; HI
gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml		1	GC; HI
gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml		1	GC; HI
neomycin oral tablet 500 mg		1	GC
streptomycin intramuscular recon soln 1 gram		5	NM; NDS
tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml	(Tobi)	5	PA BvD; NM; NDS
tobramycin inhalation solution for nebulization 300 mg/4 ml	(Bethkis)	5	PA BvD; NM; NDS
tobramycin sulfate injection solution 40 mg/ml		2	HI
Antibacterials, Miscellaneous			
chloramphenicol sod succinate intravenous recon soln 1 gram		1	GC; HI
clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg	(Cleocin HCl)	1	GC
clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml		2	HI
clindamycin pediatric oral recon soln 75 mg/5 ml	(clindamycin palmitate hcl)	2	
clindamycin phosphate injection solution 150 (mg/ml) (6 ml)		2	HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
clindamycin phosphate injection solution 150 mg/ml	(Cleocin)	2	HI
clindamycin phosphate intravenous solution 600 mg/4 ml		2	HI
colistin (colistimethate na) injection recon soln 150 mg	(Coly-Mycin M Parenteral)	5	NM; HI; NDS
daptomycin intravenous recon soln 500 mg	(Cubicin RF)	5	NM; HI; NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML	(vancomycin)	4	
linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml	(Zyvox)	2	HI
linezolid oral suspension for reconstitution 100 mg/5 ml	(Zyvox)	5	NM; NDS
linezolid oral tablet 600 mg	(Zyvox)	2	
methenamine hippurate oral tablet 1 gram	(Hiprex)	2	
metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml	(Metro I.V.)	2	HI
metronidazole oral tablet 250 mg, 500 mg		1	GC
nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg	(Macrodantin)	1	GC; QL (120 per 30 days)
nitrofurantoin monohyd/m-cryst oral capsule 100 mg	(Macrobid)	1	GC; QL (60 per 30 days)
polymyxin b sulfate injection recon soln 500,000 unit		2	HI
trimethoprim oral tablet 100 mg		1	GC
vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg		2	
vancomycin oral capsule 125 mg	(Vancocin)	2	QL (56 per 14 days)
vancomycin oral capsule 250 mg	(Vancocin)	2	QL (112 per 14 days)
vancomycin oral recon soln 25 mg/ml	(Firvanq)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XIFAXAN ORAL TABLET 200 MG	5	PA; NM; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
Cephalosporins		
cefaclor oral capsule 250 mg, 500 mg	2	
cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml	2	
cefadroxil oral capsule 500 mg	1	GC
cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml	2	
cefadroxil oral tablet 1 gram	2	
cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml	2	HI
cefazolin injection recon soln 1 gram, 10 gram	2	HI
cefazolin injection recon soln 500 mg	1	GC; HI
cefazolin intravenous recon soln 3 gram	4	HI
cefdinir oral capsule 300 mg	1	GC
cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	2	
cefepime injection recon soln 1 gram, 2 gram	2	HI
cefixime oral capsule 400 mg	2	
cefotaxime injection recon soln 1 gram	2	HI
cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram	2	HI
cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
cefpodoxime oral tablet 100 mg, 200 mg	2	
cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	2	
cefprozil oral tablet 250 mg, 500 mg	1	GC
ceftazidime injection recon soln 1 gram, 2 gram, 6 gram (Tazicef)	2	HI
ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg	2	HI
cefuroxime axetil oral tablet 250 mg, 500 mg	1	GC
cefuroxime sodium injection recon soln 750 mg	2	HI
cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram	2	HI
cephalexin oral capsule 250 mg, 500 mg, 750 mg	1	GC
cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	1	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; HI; NDS
Macrolides		
azithromycin intravenous recon soln 500 mg (Zithromax)	2	HI
azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml (Zithromax)	2	
azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg	1	GC
azithromycin oral tablet 250 mg, 500 mg (Zithromax)	1	GC
clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
clarithromycin oral tablet 250 mg, 500 mg	1	GC
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NM; NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml (E.E.S. Granules)	2	
erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml (EryPed 400)	2	
erythromycin oral tablet 250 mg, 500 mg	2	
Miscellaneous B-Lactam Antibiotics		
aztreonam injection recon soln 1 gram, 2 gram (Azactam)	2	HI
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
ertapenem injection recon soln 1 gram	2	HI
imipenem-cilastatin intravenous recon soln 250 mg	2	HI
imipenem-cilastatin intravenous recon soln 500 mg (Primaxin IV)	2	HI
meropenem intravenous recon soln 1 gram, 500 mg	2	HI
Penicillins		
amoxicillin oral capsule 250 mg, 500 mg	1	GC
amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml	1	GC
amoxicillin oral tablet 500 mg, 875 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
amoxicillin oral tablet,chewable 125 mg, 250 mg	1	GC
amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml	2	
amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml (Augmentin)	2	
amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml (Augmentin ES-600)	2	
amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg	1	GC
amoxicillin-pot clavulanate oral tablet 500-125 mg (Augmentin)	1	GC
amoxicillin-pot clavulanate oral tablet,chewable 200-28.5 mg, 400-57 mg	2	
ampicillin oral capsule 500 mg	1	GC
ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg	2	HI
ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram (Unasyn)	2	HI
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
dicloxacillin oral capsule 250 mg, 500 mg	1	GC
nafcillin 1 gm/ 50 ml inj 1 gram/50 ml	2	HI
nafcillin injection recon soln 1 gram	2	HI
nafcillin injection recon soln 10 gram	5	NM; HI; NDS
nafcillin injection recon soln 2 gram	2	HI
penicillin g potassium injection recon soln 20 million unit (Pfizerpen-G)	2	HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml	2	
penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml	1	GC
penicillin v potassium oral tablet 250 mg, 500 mg	1	GC
pfizerpen-g injection recon soln 20 million unit (penicillin g potassium)	2	HI
piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram	2	HI
piperacil-tazobact 3.375 gm vl inner, suv 3.375 gram	2	HI
Quinolones		
ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)	1	GC
ciprofloxacin hcl oral tablet 750 mg	1	GC
ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml	1	GC; HI
ciprofloxacin in 5 % dextrose intravenous piggyback 400 mg/200 ml	2	HI
ciprofloxacin oral suspension,microcapsule recon 250 mg/5 ml (Cipro)	2	
levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml	2	HI
levofloxacin intravenous solution 25 mg/ml	2	HI
levofloxacin oral solution 250 mg/10 ml	2	
levofloxacin oral tablet 250 mg, 500 mg, 750 mg	1	GC
moxifloxacin oral tablet 400 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
Sulfonamides			
sulfadiazine oral tablet 500 mg		2	
sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml		2	HI
sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml	(Sulfatrim)	2	
sulfamethoxazole-trimethoprim oral tablet 400-80 mg	(Bactrim)	1	GC
sulfamethoxazole-trimethoprim oral tablet 800-160 mg	(Bactrim DS)	1	GC
Tetracyclines			
doxy-100 intravenous recon soln 100 mg	(doxycycline hyclate)	2	HI
doxycycline hyclate intravenous recon soln 100 mg	(Doxy-100)	2	HI
doxycycline hyclate oral capsule 100 mg, 50 mg	(Morgidox)	1	GC
doxycycline hyclate oral tablet 100 mg	(LymePak)	1	GC
doxycycline hyclate oral tablet 20 mg		1	GC
doxycycline monohydrate oral capsule 100 mg	(Mondoxyne NL)	1	GC
doxycycline monohydrate oral capsule 50 mg	(Monodox)	1	GC
doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml		2	
doxycycline monohydrate oral tablet 100 mg	(Avidoxy)	1	GC
doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg		1	GC
minocycline oral capsule 100 mg, 50 mg, 75 mg		1	GC
mondoxyne nl oral capsule 100 mg	(doxycycline monohydrate)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
tetracycline oral capsule 250 mg, 500 mg		2	
tigecycline intravenous recon soln 50 mg	(Tygacil)	5	NM; HI; NDS
Anticancer Agents			
Anticancer Agents			
abiraterone oral tablet 250 mg, 500 mg	(Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	(paclitaxel protein-bound)	5	PA BvD; NM; HI; NDS
adrucil intravenous solution 2.5 gram/50 ml, 5 gram/100 ml	(fluorouracil)	2	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG		5	PA NSO; NM; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	(pemetrexed disodium)	5	NM; HI; NDS
ALUNBRIG ORAL TABLET 180 MG, 90 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)		5	PA NSO; NM; NDS
anastrozole oral tablet 1 mg	(Arimidex)	1	GC
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
azacitidine injection recon soln 100 mg	(Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG		5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG		5	PA NSO; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
BALVERSA ORAL TABLET 5 MG		5	PA NSO; NM; NDS; QL (28 per 28 days)
bendamustine intravenous recon soln 100 mg, 25 mg	(Treanda)	5	PA NSO; NM; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML	(Bendeka)	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	(bendamustine)	5	PA NSO; NM; NDS
bexarotene oral capsule 75 mg	(Targretin)	5	PA NSO; NM; NDS
bexarotene topical gel 1 %	(Targretin)	5	PA NSO; NM; NDS
bicalutamide oral tablet 50 mg	(Casodex)	1	GC
bleomycin injection recon soln 15 unit, 30 unit		1	GC
bortezomib injection recon soln 1 mg		4	PA NSO
bortezomib injection recon soln 2.5 mg		5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG		5	PA NSO; NM; HI; NDS
BOSULIF ORAL TABLET 100 MG		5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NM; NDS; QL (30 per 30 days)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg	5	PA BvD; NM; NDS
cyclophosphamide intravenous solution 200 mg/ml, 500 mg/ml	5	PA BvD; NM; NDS
cyclophosphamide oral capsule 25 mg, 50 mg	2	PA BvD; ST
cyclophosphamide oral tablet 25 mg, 50 mg	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
decitabine intravenous recon soln 50 mg (Dacogen)	5	NM; HI; NDS
doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
doxorubicin, peg-liposomal (Doxil) *intravenous suspension 2 mg/ml*	5	PA BvD; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL 40 MG/ML	5	PA NSO; NM; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NM; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; HI; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
erlotinib oral tablet 100 mg, 25 mg (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
erlotinib oral tablet 150 mg (Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
etoposide intravenous solution 20 mg/ml		2	HI
everolimus (antineoplastic) oral tablet 10 mg	(Afinitor)	5	PA NSO; NM; NDS; QL (56 per 28 days)
everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg	(Afinitor)	5	PA NSO; NM; NDS; QL (28 per 28 days)
everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg	(Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
exemestane oral tablet 25 mg	(Aromasin)	2	
EXKIVITY ORAL CAPSULE 40 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG		5	PA NSO; NM; NDS
floxuridine injection recon soln 0.5 gram		1	PA BvD; GC
fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml		2	PA BvD
flutamide oral capsule 125 mg	(Eulexin)	2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG		5	PA NSO; NM; NDS; QL (21 per 28 days)
fulvestrant intramuscular syringe 250 mg/5 ml	(Faslodex)	5	NM; NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG		5	PA NSO; NM; NDS
GAVRETO ORAL CAPSULE 100 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)
gefitinib oral tablet 250 mg	(Iressa)	5	PA NSO; NM; NDS; QL (60 per 30 days)
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG	(lomustine)	4	
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML		5	PA NSO; NM; NDS; QL (5 per 21 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
hydroxyurea oral capsule 500 mg (Hydrea)	1	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ifosfamide intravenous recon soln 1 gram (Ifex)	2	
ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml	2	
imatinib oral tablet 100 mg (Gleevec)	1	PA NSO; GC; QL (180 per 30 days)
imatinib oral tablet 400 mg (Gleevec)	1	PA NSO; GC; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NM; NDS; QL (240 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 560 MG	5	NM; NDS; QL (28 per 28 days)
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
lapatinib oral tablet 250 mg (Tykerb)	5	PA NSO; NM; NDS
lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
letrozole oral tablet 2.5 mg (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg	4	PA NSO
leuprolide subcutaneous kit 1 mg/0.2 ml	5	PA NSO; NM; NDS
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
LYTGOBI ORAL TABLET 4 MG, 4 MG (4X 4 MG TB), 4 MG (5X 4 MG TB)	5	PA NSO; NM; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
megestrol oral tablet 20 mg, 40 mg	1	PA NSO-HRM; GC; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NM; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
mercaptopurine oral tablet 50 mg	2	
methotrexate sodium (pf) injection recon soln 1 gram	1	GC
methotrexate sodium (pf) injection solution 25 mg/ml	1	GC
methotrexate sodium injection solution 25 mg/ml	1	GC
methotrexate sodium oral tablet 2.5 mg	1	PA BvD; ST; GC
mitoxantrone intravenous concentrate 2 mg/ml	1	GC; HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; HI; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
nilutamide oral tablet 150 mg (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
paclitaxel protein-bound intravenous suspension for reconstitution 100 mg (Abraxane)	5	PA BvD; NM; HI; NDS
pazopanib oral tablet 200 mg (Votrient)	5	PA NSO; NM; NDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
pemetrexed disodium 1 gm/40 ml suv, p/f 25 mg/ml	5	NM; HI; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
pemetrexed disodium intravenous recon soln 750 mg	5	NM; HI; NDS
pemetrexed disodium intravenous solution 25 mg/ml	5	NM; NDS
pemetrexed intravenous recon soln 1 gram, 100 mg, 500 mg	5	NM; HI; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; HI; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; HI; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SCEMBLIX ORAL TABLET 20 MG, 40 MG	5	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
sorafenib oral tablet 200 mg (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg (Sutent)	5	PA NSO; NM; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NM; NDS; QL (900 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NM; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
tamoxifen oral tablet 10 mg, 20 mg	1	GC
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
toposar intravenous solution 20 mg/ml (etoposide)	1	GC; HI
toremifene oral tablet 60 mg (Fareston)	5	NM; NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	5	PA NSO; NM; NDS
tretinoin (antineoplastic) oral capsule 10 mg	5	NM; NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NM; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; HI; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NM; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
VELCADE INJECTION RECON (bortezomib) SOLN 3.5 MG	5	PA NSO; NM; HI; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
vinorelbine intravenous solution 10 mg/ml	2	HI
vinorelbine intravenous solution 50 mg/5 ml	1	GC; HI
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VOTRIENT ORAL TABLET 200 MG (pazopanib)	5	PA NSO; NM; NDS; QL (120 per 30 days)
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; HI; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NM; NDS; QL (20 per 28 days)
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg (Carbatrol)	2	
carbamazepine oral suspension 100 mg/5 ml (Tegretol)	2	
carbamazepine oral tablet 200 mg (Epitol)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg	(Tegretol XR)	2	
carbamazepine oral tablet,chewable 100 mg		1	GC
clobazam oral suspension 2.5 mg/ml	(Onfi)	2	QL (480 per 30 days)
clobazam oral tablet 10 mg, 20 mg	(Onfi)	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG		5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG		5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)
diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg	(Diastat AcuDial)	4	
diazepam rectal kit 2.5 mg	(Diastat)	4	
divalproex oral capsule, delayed rel sprinkle 125 mg	(Depakote Sprinkles)	2	
divalproex oral tablet extended release 24 hr 250 mg, 500 mg	(Depakote ER)	2	
divalproex oral tablet,delayed release (dr/ec) 125 mg, 250 mg, 500 mg	(Depakote)	1	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML		5	PA NSO; NM; NDS
epitol oral tablet 200 mg	(carbamazepine)	1	GC
EPRONTIA ORAL SOLUTION 25 MG/ML		4	ST; QL (480 per 30 days)
ethosuximide oral capsule 250 mg	(Zarontin)	2	
ethosuximide oral solution 250 mg/5 ml	(Zarontin)	1	GC
felbamate oral suspension 600 mg/5 ml		5	NM; NDS
felbamate oral tablet 400 mg, 600 mg	(Felbatol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
FINTEPLA ORAL SOLUTION 2.2 MG/ML		5	PA NSO; NM; NDS
fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml	(Cerebyx)	2	HI
FYCOMPA ORAL SUSPENSION 0.5 MG/ML		5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG		5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG		4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG		5	ST; NM; NDS; QL (60 per 30 days)
gabapentin oral capsule 100 mg, 300 mg	(Neurontin)	1	GC; QL (360 per 30 days)
gabapentin oral capsule 400 mg	(Neurontin)	1	GC; QL (270 per 30 days)
gabapentin oral solution 250 mg/5 ml	(Neurontin)	2	QL (2160 per 30 days)
gabapentin oral tablet 600 mg	(Neurontin)	1	GC; QL (180 per 30 days)
gabapentin oral tablet 800 mg	(Neurontin)	1	GC; QL (120 per 30 days)
lacosamide intravenous solution 200 mg/20 ml	(Vimpat)	1	GC; QL (200 per 5 days)
lacosamide oral solution 10 mg/ml	(Vimpat)	1	GC; QL (1200 per 30 days)
lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg	(Vimpat)	1	GC; QL (60 per 30 days)
lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg	(Subvenite)	1	GC
lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg	(Lamictal)	1	GC
lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg	(Lamictal ODT)	2	
levetiracetam intravenous solution 500 mg/5 ml	(Keppra)	2	HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
levetiracetam oral solution 100 mg/ml	(Keppra)	2	
levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg	(Keppra)	1	GC
levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg	(Keppra XR)	1	GC
methsuximide oral capsule 300 mg	(Celontin)	2	
NAYZILAM NASAL SPRAY,NON-AEROSOL 5 MG/SPRAY (0.1 ML)		4	QL (10 per 30 days)
oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)	(Trileptal)	2	
oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg	(Trileptal)	1	GC
phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)		2	PA NSO-HRM; AGE (Max 64 Years)
phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg		1	PA NSO-HRM; GC; AGE (Max 64 Years)
phenytoin oral suspension 125 mg/5 ml	(Dilantin-125)	1	GC
phenytoin oral tablet,chewable 50 mg	(Dilantin Infatabs)	1	GC
phenytoin sodium extended oral capsule 100 mg	(Dilantin Extended)	1	GC
phenytoin sodium extended oral capsule 200 mg, 300 mg	(Phenytek)	1	GC
phenytoin sodium intravenous solution 50 mg/ml		1	GC; HI
phenytoin sodium intravenous syringe 50 mg/ml		1	GC; HI
pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg	(Lyrica)	1	GC; QL (90 per 30 days)
pregabalin oral capsule 225 mg, 300 mg	(Lyrica)	1	GC; QL (60 per 30 days)
pregabalin oral solution 20 mg/ml	(Lyrica)	1	GC; QL (900 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
primidone oral tablet 125 mg		2	
primidone oral tablet 250 mg, 50 mg	(Mysoline)	1	GC
rufinamide oral suspension 40 mg/ml	(Banzel)	5	ST; NM; NDS
rufinamide oral tablet 200 mg	(Banzel)	2	ST
rufinamide oral tablet 400 mg	(Banzel)	5	ST; NM; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG		5	PA BvD; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG		4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG		4	ST; QL (120 per 30 days)
subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg	(lamotrigine)	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG		4	PA NSO; QL (60 per 30 days)
tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg		2	
topiramate oral capsule, sprinkle 15 mg, 25 mg	(Topamax)	1	GC
topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg	(Topamax)	1	GC
valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)		2	HI
valproic acid (as sodium salt) oral solution 250 mg/5 ml		1	GC
valproic acid oral capsule 250 mg		1	GC
VALTOCO NASAL SPRAY,NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML)		4	
VALTOCO NASAL SPRAY,NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2)		5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
vigabatrin oral powder in packet 500 mg (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigabatrin oral tablet 500 mg (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigadrone oral powder in packet 500 mg (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigadrone oral tablet 500 mg (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
zonisamide oral capsule 100 mg, 25 mg (Zonegran)	1	GC
zonisamide oral capsule 50 mg	1	GC
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NM; NDS; QL (1080 per 30 days)
Antidementia Agents		
Antidementia Agents		
donepezil oral tablet 10 mg, 5 mg (Aricept)	1	GC; QL (30 per 30 days)
donepezil oral tablet,disintegrating 10 mg, 5 mg	1	GC; QL (30 per 30 days)
ergoloid oral tablet 1 mg	2	
galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
galantamine oral solution 4 mg/ml		2	QL (200 per 30 days)
galantamine oral tablet 12 mg, 4 mg, 8 mg		2	QL (60 per 30 days)
memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg	(Namenda XR)	2	ST; QL (30 per 30 days)
memantine oral solution 2 mg/ml		2	QL (300 per 30 days)
memantine oral tablet 10 mg, 5 mg	(Namenda)	1	GC; QL (60 per 30 days)
rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg		2	QL (60 per 30 days)
rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour	(Exelon Patch)	2	QL (30 per 30 days)
Antidepressants			
Antidepressants			
amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg		1	GC
amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg		2	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG		5	ST; NM; NDS
bupropion hcl oral tablet 100 mg, 75 mg		1	GC
bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg	(Wellbutrin XL)	1	GC
bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg	(Wellbutrin SR)	1	GC
citalopram oral solution 10 mg/5 ml		2	QL (600 per 30 days)
citalopram oral tablet 10 mg	(Celexa)	1	GC; QL (120 per 30 days)
citalopram oral tablet 20 mg, 40 mg	(Celexa)	1	GC; QL (30 per 30 days)
clomipramine oral capsule 25 mg, 50 mg, 75 mg	(Anafranil)	2	
desipramine oral tablet 10 mg, 25 mg	(Norpramin)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg	2	
desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg (Pristiq)	1	GC; QL (30 per 30 days)
doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	1	GC
doxepin oral concentrate 10 mg/ml	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg, 60 mg (Cymbalta)	1	GC; QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
escitalopram oxalate oral solution 5 mg/5 ml	2	
escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg (Lexapro)	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
fluoxetine oral capsule 10 mg, 20 mg, 40 mg (Prozac)	1	GC
fluoxetine oral solution 20 mg/5 ml (4 mg/ml)	2	
fluvoxamine oral tablet 100 mg, 25 mg, 50 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
imipramine hcl oral tablet 10 mg, 25 mg, 50 mg		1	GC
maprotiline oral tablet 25 mg, 75 mg		2	
MARPLAN ORAL TABLET 10 MG		4	
mirtazapine oral tablet 15 mg, 30 mg	(Remeron)	1	GC
mirtazapine oral tablet 45 mg, 7.5 mg		1	GC
mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg	(Remeron SolTab)	1	GC
nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg		2	
nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg	(Pamelor)	1	GC
nortriptyline oral solution 10 mg/5 ml		2	
paroxetine hcl oral suspension 10 mg/5 ml	(Paxil)	2	PA NSO-HRM; AGE (Max 64 Years)
paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg	(Paxil)	1	PA NSO-HRM; GC; AGE (Max 64 Years)
perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg		2	
phenelzine oral tablet 15 mg	(Nardil)	1	GC
protriptyline oral tablet 10 mg, 5 mg		2	
sertraline oral concentrate 20 mg/ml	(Zoloft)	2	
sertraline oral tablet 100 mg, 25 mg, 50 mg	(Zoloft)	1	GC
SPRAVATO NASAL SPRAY,NON-AEROSOL 28 MG		4	PA NSO
SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)		5	PA NSO; NM; NDS
tranylcypromine oral tablet 10 mg	(Parnate)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg	1	GC
trimipramine oral capsule 100 mg, 25 mg, 50 mg	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
venlafaxine besylate oral tablet extended release 24hr 112.5 mg	4	QL (30 per 30 days)
venlafaxine oral capsule,extended release 24hr 150 mg (Effexor XR)	1	GC; QL (30 per 30 days)
venlafaxine oral capsule,extended release 24hr 37.5 mg, 75 mg (Effexor XR)	1	GC; QL (90 per 30 days)
venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg	1	GC
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)	3	
vilazodone oral tablet 10 mg, 20 mg, 40 mg (Viibryd)	1	GC; QL (30 per 30 days)
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
acarbose oral tablet 100 mg, 25 mg, 50 mg (Precose)	6	QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
metformin oral tablet 1,000 mg	6	QL (75 per 30 days)
metformin oral tablet 500 mg	6	QL (150 per 30 days)
metformin oral tablet 850 mg	6	QL (90 per 30 days)
metformin oral tablet extended release 24 hr 500 mg	6	QL (120 per 30 days)
metformin oral tablet extended release 24 hr 750 mg	6	QL (60 per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	QL (2 per 28 days)
nateglinide oral tablet 120 mg, 60 mg	6	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	QL (3 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	QL (1.5 per 28 days)
pioglitazone oral tablet 15 mg, 30 mg, 45 mg (Actos)	6	QL (30 per 30 days)
pioglitazone-metformin oral tablet 15-500 mg	6	QL (90 per 30 days)
pioglitazone-metformin oral tablet 15-850 mg (Actoplus MET)	6	QL (90 per 30 days)
repaglinide oral tablet 0.5 mg, 1 mg	6	QL (120 per 30 days)
repaglinide oral tablet 2 mg	6	QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	SI; QL (24 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	SI; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	SI; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 (insulin aspart u-100) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	SI; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	(insulin asp prt-insulin aspart)	2	SI; QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	(insulin asp prt-insulin aspart)	2	SI; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	(insulin aspart u-100)	2	SI; QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin aspart u-100)	2	SI; QL (40 per 28 days)
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine-yfgn)	3	SI; QL (40 per 28 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine-yfgn)	3	SI; QL (30 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML		3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)		3	SI; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)		3	SI; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)		3	QL (15 per 28 days)
Sulfonylureas			
glimepiride oral tablet 1 mg, 2 mg		6	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
glimepiride oral tablet 4 mg		6	QL (60 per 30 days)
glipizide oral tablet 10 mg		6	QL (120 per 30 days)
glipizide oral tablet 5 mg		6	QL (60 per 30 days)
glipizide oral tablet extended release 24hr 10 mg	(Glucotrol XL)	6	QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg, 5 mg	(Glucotrol XL)	6	QL (30 per 30 days)
glipizide-metformin oral tablet 2.5-250 mg		6	QL (240 per 30 days)
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg		6	QL (120 per 30 days)
glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg	(Glynase)	6	PA-HRM; AGE (Max 64 Years)
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg		6	PA-HRM; AGE (Max 64 Years)
glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg		6	PA-HRM; AGE (Max 64 Years)
Antifungals			
Antifungals			
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML		4	PA BvD
amphotericin b injection recon soln 50 mg		2	PA BvD
amphotericin b liposome intravenous suspension for reconstitution 50 mg	(AmBisome)	5	PA BvD; NM; NDS
caspofungin intravenous recon soln 50 mg, 70 mg	(Cancidas)	2	HI
ciclopirox topical cream 0.77 %	(Ciclodan)	1	GC; QL (180 per 30 days)
ciclopirox topical solution 8 %	(Ciclodan)	1	GC; QL (19.8 per 30 days)
clotrimazole mucous membrane troche 10 mg		1	GC
clotrimazole topical cream 1 %	(Antifungal (clotrimazole))	1	GC
clotrimazole topical solution 1 %		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
clotrimazole-betamethasone topical cream 1-0.05 %	1	GC; QL (90 per 30 days)
econazole topical cream 1 %	2	QL (170 per 30 days)
fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml	2	HI
fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml (Diflucan)	2	
fluconazole oral tablet 100 mg, 200 mg (Diflucan)	1	GC
fluconazole oral tablet 150 mg, 50 mg	1	GC
flucytosine oral capsule 250 mg, 500 mg (Ancobon)	5	NM; NDS
griseofulvin microsize oral suspension 125 mg/5 ml	2	
griseofulvin microsize oral tablet 500 mg	2	
itraconazole oral capsule 100 mg (Sporanox)	2	
ketoconazole oral tablet 200 mg	1	GC
ketoconazole topical cream 2 %	1	GC; QL (180 per 30 days)
ketoconazole topical foam 2 % (Extina)	2	ST; QL (100 per 30 days)
ketoconazole topical shampoo 2 %	1	GC; QL (360 per 30 days)
miconazole-3 vaginal suppository 200 mg	2	
NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON 300 MG	5	PA; NM; NDS
nyamyc topical powder 100,000 unit/gram (nystatin)	1	GC; QL (60 per 30 days)
nystatin oral suspension 100,000 unit/ml	1	GC; QL (900 per 30 days)
nystatin oral tablet 500,000 unit	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
nystatin topical cream 100,000 unit/gram		1	GC; QL (60 per 30 days)
nystatin topical ointment 100,000 unit/gram		1	GC; QL (60 per 30 days)
nystatin topical powder 100,000 unit/gram	(Nyamyc)	1	GC; QL (60 per 30 days)
nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%		2	
nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%		2	
nystop topical powder 100,000 unit/gram	(nystatin)	1	GC; QL (60 per 30 days)
posaconazole oral suspension 200 mg/5 ml (40 mg/ml)	(Noxafil)	5	PA; NM; NDS
posaconazole oral tablet,delayed release (dr/ec) 100 mg	(Noxafil)	5	PA; NM; NDS
terbinafine hcl oral tablet 250 mg		1	GC
voriconazole intravenous recon soln 200 mg	(Vfend IV)	5	PA BvD; NM; HI; NDS
voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)	(Vfend)	5	PA; NM; NDS
voriconazole oral tablet 200 mg, 50 mg	(Vfend)	2	
Antigout Agents			
Antigout Agents, Other			
allopurinol oral tablet 100 mg	(Zyloprim)	1	GC
allopurinol oral tablet 300 mg		1	GC
colchicine oral tablet 0.6 mg	(Colcrys)	4	PA; QL (120 per 30 days)
febuxostat oral tablet 40 mg, 80 mg	(Uloric)	2	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG	(colchicine)	2	QL (60 per 30 days)
probenecid oral tablet 500 mg		1	GC
probenecid-colchicine oral tablet 500-0.5 mg		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Antihistamines		
Antihistamines		
cyproheptadine oral syrup 2 mg/5 ml	1	PA-HRM; GC; AGE (Max 64 Years)
diphenhydramine hcl injection solution 50 mg/ml	1	GC
diphenhydramine hcl injection syringe 50 mg/ml	2	
diphenhydramine hcl oral elixir 12.5 mg/5 ml (Diphen)	2	PA-HRM; AGE (Max 64 Years)
hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml	2	
hydroxyzine hcl oral solution 10 mg/5 ml	1	GC
hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg	1	GC
levocetirizine oral tablet 5 mg (24HR Allergy Relief)	1	GC
promethazine oral syrup 6.25 mg/5 ml	2	PA-HRM; AGE (Max 64 Years)
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
clindamycin phosphate vaginal cream 2 % (Cleocin)	2	
metronidazole vaginal gel 0.75 % (37.5mg/5 gram) (Vandazole)	2	
terconazole vaginal cream 0.4 %, 0.8 %	2	
terconazole vaginal suppository 80 mg	2	
Antimigraine Agents		
Antimigraine Agents		
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
dihydroergotamine injection solution 1 mg/ml	2	QL (24 per 28 days)
dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml) (Migranal)	5	NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
naratriptan oral tablet 1 mg, 2.5 mg	1	GC; QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
rizatriptan oral tablet 10 mg (Maxalt)	1	GC; QL (12 per 30 days)
rizatriptan oral tablet 5 mg	1	GC; QL (12 per 30 days)
rizatriptan oral tablet,disintegrating 10 mg (Maxalt-MLT)	1	GC; QL (12 per 30 days)
rizatriptan oral tablet,disintegrating 5 mg	1	GC; QL (12 per 30 days)
sumatriptan nasal spray,non-aerosol 20 mg/actuation (Imitrex)	2	QL (12 per 30 days)
sumatriptan nasal spray,non-aerosol 5 mg/actuation (Imitrex)	2	QL (18 per 30 days)
sumatriptan succinate oral tablet 100 mg (Imitrex)	1	GC; QL (9 per 30 days)
sumatriptan succinate oral tablet 25 mg, 50 mg (Imitrex)	1	GC; QL (18 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml	(Imitrex STATdose Refill)	4	QL (4 per 28 days)
sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml	(Imitrex STATdose Pen)	2	QL (4 per 28 days)
sumatriptan succinate subcutaneous solution 6 mg/0.5 ml	(Imitrex)	2	QL (4 per 28 days)
sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml		2	QL (4 per 28 days)
sumatriptan-naproxen oral tablet 85-500 mg	(Treximet)	2	QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG		3	PA; QL (16 per 30 days)
zolmitriptan oral tablet 2.5 mg, 5 mg	(Zomig)	1	GC; QL (6 per 30 days)
zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg		2	QL (6 per 30 days)
Antimycobacterials			
Antimycobacterials			
dapsone oral tablet 100 mg, 25 mg		1	GC
ethambutol oral tablet 100 mg		1	GC
ethambutol oral tablet 400 mg	(Myambutol)	1	GC
isoniazid oral solution 50 mg/5 ml		2	
isoniazid oral tablet 100 mg, 300 mg		1	GC
PRETOMANID ORAL TABLET 200 MG		4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG		4	
pyrazinamide oral tablet 500 mg		2	
rifabutin oral capsule 150 mg	(Mycobutin)	2	
rifampin intravenous recon soln 600 mg	(Rifadin)	2	HI
rifampin oral capsule 150 mg, 300 mg		1	GC
SIRTURO ORAL TABLET 100 MG, 20 MG		5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TRECATOR ORAL TABLET 250 MG		4	
Antinausea Agents			
Antinausea Agents			
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG		4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML		4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG		4	PA BvD
APONVIE INTRAVENOUS EMULSION 7.2 MG/ML		4	QL (4.4 per 28 days)
aprepitant oral capsule 125 mg		2	PA BvD; QL (2 per 28 days)
aprepitant oral capsule 40 mg		2	PA BvD; QL (1 per 28 days)
aprepitant oral capsule 80 mg	(Emend)	2	PA BvD; QL (4 per 28 days)
aprepitant oral capsule,dose pack 125 mg (1)- 80 mg (2)	(Emend)	2	PA BvD
compro rectal suppository 25 mg	(prochlorperazine)	2	
dimenhydrinate injection solution 50 mg/ml		1	GC
dronabinol oral capsule 10 mg, 2.5 mg, 5 mg	(Marinol)	2	PA; QL (60 per 30 days)
droperidol injection solution 2.5 mg/ml		1	GC
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)		4	PA BvD; QL (6 per 28 days)
fosaprepitant intravenous recon soln 150 mg	(Emend (fosaprepitant))	2	QL (2 per 28 days)
granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
granisetron hcl intravenous solution 1 mg/ml		1	GC
granisetron hcl oral tablet 1 mg		2	PA BvD
meclizine oral tablet 12.5 mg		1	GC
meclizine oral tablet 25 mg	(Dramamine (meclizine))	1	GC
ondansetron hcl (pf) injection solution 4 mg/2 ml		1	GC
ondansetron hcl (pf) injection syringe 4 mg/2 ml		1	GC
ondansetron hcl intravenous solution 2 mg/ml		1	GC
ondansetron hcl oral solution 4 mg/5 ml		2	PA BvD
ondansetron hcl oral tablet 4 mg, 8 mg		2	PA BvD
ondansetron oral tablet,disintegrating 4 mg, 8 mg		1	PA BvD; GC
prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)		1	GC
prochlorperazine maleate oral tablet 10 mg, 5 mg	(Compazine)	1	GC
prochlorperazine rectal suppository 25 mg	(Compro)	2	
promethazine injection solution 25 mg/ml	(Phenergan)	2	PA-HRM; AGE (Max 64 Years)
promethazine injection solution 50 mg/ml	(Phenergan)	2	PA-HRM; AGE (Max 64 Years)
promethazine oral tablet 12.5 mg, 25 mg, 50 mg		1	PA-HRM; GC; AGE (Max 64 Years)
promethazine rectal suppository 12.5 mg, 25 mg, 50 mg	(Promethegan)	2	PA-HRM; AGE (Max 64 Years)
promethegan rectal suppository 12.5 mg, 25 mg	(promethazine)	2	PA-HRM; AGE (Max 64 Years)
scopolamine base transdermal patch 3 day 1 mg over 3 days	(Transderm-Scop)	2	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
Antiparasite Agents			
Antiparasite Agents			
albendazole oral tablet 200 mg		5	NM; NDS
atovaquone oral suspension 750 mg/5 ml	(Mepron)	2	
atovaquone-proguanil oral tablet 250-100 mg	(Malarone)	2	
atovaquone-proguanil oral tablet 62.5-25 mg	(Malarone Pediatric)	2	
chloroquine phosphate oral tablet 250 mg, 500 mg		2	
COARTEM ORAL TABLET 20-120 MG		4	
hydroxychloroquine oral tablet 200 mg	(Plaquenil)	1	GC; QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG		5	PA; NM; NDS; QL (84 per 28 days)
ivermectin oral tablet 3 mg	(Stromectol)	1	GC
KRINTAFEL ORAL TABLET 150 MG		4	
mefloquine oral tablet 250 mg		1	GC
nitazoxanide oral tablet 500 mg	(Alinia)	5	NM; NDS
paromomycin oral capsule 250 mg	(Humatin)	2	
pentamidine inhalation recon soln 300 mg	(Nebupent)	2	PA BvD
pentamidine injection recon soln 300 mg	(Pentam)	2	HI
PRIMAQUINE ORAL TABLET 26.3 MG		4	
pyrimethamine oral tablet 25 mg	(Daraprim)	5	PA; NM; NDS
quinine sulfate oral capsule 324 mg	(Qualaquin)	2	PA; QL (42 per 7 days)
Antiparkinsonian Agents			
Antiparkinsonian Agents			
amantadine hcl oral capsule 100 mg		1	GC
amantadine hcl oral solution 50 mg/5 ml		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
apomorphine subcutaneous cartridge 10 mg/ml	(APOKYN)	5	PA; NM; NDS; QL (60 per 30 days)
benztropine oral tablet 0.5 mg, 1 mg, 2 mg		1	GC
bromocriptine oral capsule 5 mg	(Parlodel)	2	
bromocriptine oral tablet 2.5 mg	(Parlodel)	2	
cabergoline oral tablet 0.5 mg		1	GC
carbidopa-levodopa oral tablet 10-100 mg	(Sinemet)	1	GC
carbidopa-levodopa oral tablet 25-100 mg	(Dhivy)	1	GC
carbidopa-levodopa oral tablet 25-250 mg		1	GC
carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg		1	GC
carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg		2	
carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg	(Stalevo 50)	4	
carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg	(Stalevo 75)	4	
carbidopa-levodopa-entacapone oral tablet 25-100-200 mg	(Stalevo 100)	4	
carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg	(Stalevo 125)	4	
carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg	(Stalevo 150)	4	
carbidopa-levodopa-entacapone oral tablet 50-200-200 mg	(Stalevo 200)	4	
entacapone oral tablet 200 mg	(Comtan)	2	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG		5	PA; NM; NDS; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg (Mirapex)	1	GC
rasagiline oral tablet 0.5 mg, 1 mg (Azilect)	2	
ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg	1	GC
ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg	2	
selegiline hcl oral capsule 5 mg	1	GC
selegiline hcl oral tablet 5 mg	2	
trihexyphenidyl oral elixir 0.4 mg/ml	1	GC
trihexyphenidyl oral tablet 2 mg, 5 mg	1	GC
Antipsychotic Agents		
Antipsychotic Agents		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
aripiprazole oral solution 1 mg/ml	2	
aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg (Abilify)	1	GC
aripiprazole oral tablet 2 mg (Abilify)	1	GC; QL (60 per 30 days)
aripiprazole oral tablet,disintegrating 10 mg	5	ST; NM; NDS; QL (90 per 30 days)
aripiprazole oral tablet,disintegrating 15 mg	5	ST; NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg (Saphris)	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
chlorpromazine injection solution 25 mg/ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml	2	
chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	2	
clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Clozaril)	1	GC
clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg	2	ST; QL (90 per 30 days)
clozapine oral tablet,disintegrating 150 mg	2	ST; QL (180 per 30 days)
clozapine oral tablet,disintegrating 200 mg	5	ST; NM; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
fluphenazine decanoate injection solution 25 mg/ml	2	
fluphenazine hcl injection solution 2.5 mg/ml	2	
fluphenazine hcl oral concentrate 5 mg/ml	2	
fluphenazine hcl oral elixir 2.5 mg/5 ml	2	
fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg	2	
haloperidol decanoate intramuscular solution 100 mg/ml (Haldol Decanoate)	2	
haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)	2	
haloperidol decanoate intramuscular solution 50 mg/ml (Haldol Decanoate)	1	GC
haloperidol lactate injection solution 5 mg/ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
haloperidol lactate intramuscular syringe 5 mg/ml	2	
haloperidol lactate oral concentrate 2 mg/ml	1	GC
haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg	1	GC
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 180 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 180 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg	1	GC
lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg (Latuda)	1	GC; QL (30 per 30 days)
lurasidone oral tablet 80 mg (Latuda)	1	GC; QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
molindone oral tablet 10 mg	2	QL (240 per 30 days)
molindone oral tablet 25 mg	2	QL (270 per 30 days)
molindone oral tablet 5 mg	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
olanzapine intramuscular recon soln 10 mg (Zyprexa)	2	QL (30 per 30 days)
olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg (Zyprexa)	1	GC
olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg (Zyprexa Zydis)	2	
paliperidone oral tablet extended release 24hr 1.5 mg	2	QL (30 per 30 days)
paliperidone oral tablet extended release 24hr 3 mg, 9 mg (Invega)	2	QL (30 per 30 days)
paliperidone oral tablet extended release 24hr 6 mg (Invega)	2	QL (60 per 30 days)
perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg	2	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
pimozide oral tablet 1 mg, 2 mg	2	
quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg (Seroquel)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
quetiapine oral tablet 150 mg	1	GC; QL (30 per 30 days)
quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg (Seroquel XR)	2	
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (2 per 28 days)
risperidone oral solution 1 mg/ml (Risperdal)	2	
risperidone oral tablet 0.25 mg	1	GC
risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg (Risperdal)	1	GC
risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg	2	
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg	1	GC
thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg	2	
trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	NM; NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NM; NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NM; NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NM; NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NM; NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NM; NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NM; NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg (Geodon)	1	GC
ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.) (Geodon)	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG		5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG		5	NM; NDS; QL (1 per 28 days)
Antivirals (Systemic)			
Antiretrovirals			
abacavir oral solution 20 mg/ml	(Ziagen)	2	
abacavir oral tablet 300 mg	(Ziagen)	2	
abacavir-lamivudine oral tablet 600-300 mg	(Epzicom)	2	
abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg	(Trizivir)	5	NM; NDS
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML)	(cabotegravir)	5	NM; NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG		5	NM; NDS
atazanavir oral capsule 150 mg		2	
atazanavir oral capsule 200 mg, 300 mg	(Reyataz)	2	
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG		5	NM; NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML		5	NM; NDS
cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)		5	NM; NDS; QL (24 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
cabotegravir intramuscular suspension,extended release 600 mg/3 ml (200 mg/ml)	(Apretude)	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG		5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG		5	NM; NDS
darunavir ethanolate oral tablet 600 mg, 800 mg	(Prezista)	5	NM; NDS
DELSTRIGO ORAL TABLET 100-300-300 MG		5	NM; NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG		5	NM; NDS
didanosine oral capsule,delayed release(dr/ec) 250 mg, 400 mg		2	
DOVATO ORAL TABLET 50-300 MG		5	NM; NDS
EDURANT ORAL TABLET 25 MG		5	NM; NDS
efavirenz oral capsule 200 mg, 50 mg		2	
efavirenz oral tablet 600 mg		2	
efavirenz-emtricitabin-tenofov oral tablet 600-200-300 mg	(Atripla)	5	NM; NDS
efavirenz-lamivu-tenofov disop oral tablet 400-300-300 mg	(Symfi Lo)	5	NM; NDS
efavirenz-lamivu-tenofov disop oral tablet 600-300-300 mg	(Symfi)	5	NM; NDS
emtricitabine oral capsule 200 mg	(Emtriva)	2	
emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg	(Truvada)	5	NM; NDS
EMTRIVA ORAL SOLUTION 10 MG/ML		4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)		4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
etravirine oral tablet 100 mg, 200 mg (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
fosamprenavir oral tablet 700 mg (Lexiva)	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
lamivudine oral solution 10 mg/ml (Epivir)	2	
lamivudine oral tablet 100 mg	2	
lamivudine oral tablet 150 mg, 300 mg (Epivir)	2	
lamivudine-zidovudine oral tablet 150-300 mg (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
lopinavir-ritonavir oral solution 400-100 mg/5 ml (Kaletra)	2	QL (480 per 30 days)
lopinavir-ritonavir oral tablet 100-25 mg (Kaletra)	2	QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
lopinavir-ritonavir oral tablet 200-50 mg (Kaletra)	5	NM; NDS; QL (120 per 30 days)
maraviroc oral tablet 150 mg, 300 mg (Selzentry)	5	NM; NDS
nevirapine oral suspension 50 mg/5 ml	2	
nevirapine oral tablet 200 mg	1	GC
nevirapine oral tablet extended release 24 hr 100 mg, 400 mg	2	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	HI
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
rilpivirine intramuscular suspension,extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)	5	NM; NDS
ritonavir oral tablet 100 mg (Norvir)	1	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	5	NM; NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
tenofovir disoproxil fumarate oral tablet 300 mg (Viread)	1	GC
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NM; NDS
TRIZIVIR ORAL TABLET 300-150-300 MG (abacavir-lamivudine-zidovudine)	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
VIRACEPT ORAL TABLET 250 MG, 625 MG		5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)		5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG		5	NM; NDS
VOCABRIA ORAL TABLET 30 MG		4	
zidovudine oral capsule 100 mg	(Retrovir)	2	
zidovudine oral syrup 10 mg/ml	(Retrovir)	1	GC
zidovudine oral tablet 300 mg		1	GC
Antivirals, Miscellaneous			
foscarnet intravenous solution 24 mg/ml	(Foscavir)	2	PA BvD
oseltamivir oral capsule 30 mg	(Tamiflu)	2	QL (84 per 180 days)
oseltamivir oral capsule 45 mg	(Tamiflu)	2	QL (48 per 180 days)
oseltamivir oral capsule 75 mg	(Tamiflu)	2	QL (42 per 180 days)
oseltamivir oral suspension for reconstitution 6 mg/ml	(Tamiflu)	2	QL (540 per 180 days)
PAXLOVID 150-100 MG PACK (RENAL DOSE)(EUA) INNER		4	
PAXLOVID 300-100 MG PACK (EUA) OUTER 300 MG (150 MG X 2)-100 MG		4	
PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG		3	QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML		5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML		5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG		5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION		4	QL (60 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
rimantadine oral tablet 100 mg	(Flumadine)	2	
XOFLUZA 40 MG TAB (80 MG DOSE)		4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 20 MG, 40 MG		4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG		4	QL (2 per 180 days)
Hcv Antivirals			
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG		5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG		5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG		5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG	(sofosbuvir-velpatasvir)	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG		5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG		5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG		5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG	(ledipasvir-sofosbuvir)	5	PA; NM; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG		5	PA; NM; NDS; QL (28 per 28 days)
Interferons			
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)		5	PA NSO; NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML		5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML		5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
Nucleosides And Nucleotides			
acyclovir oral capsule 200 mg		1	GC
acyclovir oral suspension 200 mg/5 ml	(Zovirax)	2	
acyclovir oral tablet 400 mg, 800 mg		1	GC
acyclovir sodium intravenous recon soln 1,000 mg, 500 mg		2	PA BvD
acyclovir sodium intravenous solution 50 mg/ml		2	PA BvD
adefovir oral tablet 10 mg	(Hepsera)	2	
entecavir oral tablet 0.5 mg, 1 mg	(Baraclude)	2	
famciclovir oral tablet 125 mg, 250 mg, 500 mg		1	GC
lagevrio (eua) oral capsule 200 mg		4	QL (40 per 5 days)
ribavirin oral capsule 200 mg		2	
ribavirin oral tablet 200 mg		1	GC
valacyclovir oral tablet 1 gram, 500 mg	(Valtrex)	1	GC
valganciclovir oral tablet 450 mg	(Valcyte)	1	GC
Blood Products/Modifiers/Volume Expanders			
Anticoagulants			
dabigatran etexilate oral capsule 150 mg, 75 mg	(Pradaxa)	2	ST; QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)		3	
ELIQUIS ORAL TABLET 2.5 MG		3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG		3	QL (74 per 30 days)
enoxaparin subcutaneous solution 300 mg/3 ml	(Lovenox)	2	QL (30 per 30 days)
enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml	(Lovenox)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml	(Lovenox)	2	QL (48 per 30 days)
enoxaparin subcutaneous syringe 30 mg/0.3 ml	(Lovenox)	2	QL (18 per 30 days)
enoxaparin subcutaneous syringe 40 mg/0.4 ml	(Lovenox)	2	QL (24 per 30 days)
enoxaparin subcutaneous syringe 60 mg/0.6 ml	(Lovenox)	2	QL (36 per 30 days)
fondaparinux subcutaneous syringe 10 mg/0.8 ml	(Arixtra)	5	NM; NDS; QL (24 per 30 days)
fondaparinux subcutaneous syringe 2.5 mg/0.5 ml	(Arixtra)	2	QL (15 per 30 days)
fondaparinux subcutaneous syringe 5 mg/0.4 ml	(Arixtra)	5	NM; NDS; QL (12 per 30 days)
fondaparinux subcutaneous syringe 7.5 mg/0.6 ml	(Arixtra)	5	NM; NDS; QL (18 per 30 days)
heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)		2	HI
heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml		1	GC; HI
heparin sodium 1,000 unit/ml vial sdv,outer		2	HI
heparin sodium 10,000 unit/ml vial mdv,outer		2	HI
heparin sodium 5,000 unit/ml vial suv, outer		2	HI
heparin, porcine (pf) injection solution 1,000 unit/ml		2	HI
heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml, 5,000 unit/ml		2	HI
jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	(warfarin)	1	GC
warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	(Jantoven)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
Hematologic Agents, Miscellaneous		
anagrelide oral capsule 0.5 mg (Agrylin)	2	
anagrelide oral capsule 1 mg	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
protamine intravenous solution 10 mg/ml	1	GC
SIKLOS ORAL TABLET 100 MG	4	PA
tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml) (Cyklokapron)	2	
tranexamic acid oral tablet 650 mg	1	GC
Platelet-Aggregation Inhibitors		
aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg	2	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
cilostazol oral tablet 100 mg, 50 mg	1	GC
clopidogrel oral tablet 75 mg (Plavix)	1	GC
dipyridamole oral tablet 25 mg, 50 mg, 75 mg	2	PA-HRM; AGE (Max 64 Years)
pentoxifylline oral tablet extended release 400 mg	1	GC
prasugrel oral tablet 10 mg, 5 mg (Effient)	1	GC; QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
dextrose 10 % in water (d10w) intravenous parenteral solution 10 %	2	PA BvD
dextrose 5 % in water (d5w) intravenous parenteral solution	4	
dextrose 5 % in water (d5w) intravenous piggyback 5 %	2	HI
dextrose 5%-water iv soln p/f, single use	2	
dextrose 5%-water iv soln single use	2	HI
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
Cardiovascular Agents			
Alpha-Adrenergic Agents			
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg		1	GC
clonidine transdermal patch weekly 0.1 mg/24 hr	(Catapres-TTS-1)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.2 mg/24 hr	(Catapres-TTS-2)	2	QL (4 per 28 days)
clonidine transdermal patch weekly 0.3 mg/24 hr	(Catapres-TTS-3)	2	QL (8 per 28 days)
doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg	(Cardura)	1	GC
droxidopa oral capsule 100 mg, 200 mg, 300 mg	(Northera)	5	PA; NM; NDS; QL (180 per 30 days)
guanfacine oral tablet 1 mg, 2 mg		1	GC
methyldopa oral tablet 250 mg, 500 mg		1	GC
midodrine oral tablet 10 mg, 2.5 mg, 5 mg		2	
phenylephrine hcl injection solution 10 mg/ml	(Vazculep)	1	GC
prazosin oral capsule 1 mg, 2 mg, 5 mg	(Minipress)	1	GC
Angiotensin Ii Receptor Antagonists			
candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg	(Atacand)	6	
candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg	(Atacand HCT)	6	
EDARBI ORAL TABLET 40 MG, 80 MG		3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG		3	
ENTRESTO ORAL TABLET 24-26 MG		3	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG		3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
irbesartan oral tablet 150 mg, 300 mg, 75 mg	(Avapro)	6	
irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg	(Avalide)	6	
losartan oral tablet 100 mg, 25 mg, 50 mg	(Cozaar)	6	
losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg	(Hyzaar)	6	
olmesartan oral tablet 20 mg, 40 mg, 5 mg	(Benicar)	6	
olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg	(Tribenzor)	6	
olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg	(Benicar HCT)	6	
telmisartan oral tablet 20 mg, 40 mg, 80 mg	(Micardis)	6	
telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg	(Micardis HCT)	6	
valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg	(Diovan)	6	
valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg	(Diovan HCT)	6	
Angiotensin-Converting Enzyme Inhibitors			
benazepril oral tablet 10 mg, 20 mg, 40 mg	(Lotensin)	6	
benazepril oral tablet 5 mg		6	
benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg	(Lotensin HCT)	6	
benazepril-hydrochlorothiazide oral tablet 5-6.25 mg		6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg		6	
enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg	(Vasotec)	6	
enalaprilat intravenous solution 1.25 mg/ml		2	HI
enalapril-hydrochlorothiazide oral tablet 10-25 mg	(Vaseretic)	6	
enalapril-hydrochlorothiazide oral tablet 5-12.5 mg		6	
fosinopril oral tablet 10 mg, 20 mg, 40 mg		6	
fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg		6	
lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg	(Zestril)	6	
lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg	(Zestoretic)	6	
moexipril oral tablet 15 mg, 7.5 mg		6	
perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg		6	
quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg	(Accupril)	6	
quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg	(Accuretic)	6	
ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg	(Altace)	6	
trandolapril oral tablet 1 mg, 2 mg, 4 mg		6	
trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg		6	
Antiarrhythmic Agents			
amiodarone oral tablet 100 mg, 200 mg, 400 mg	(Pacerone)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
disopyramide phosphate oral capsule 100 mg, 150 mg (Norpace)	2	PA-HRM; AGE (Max 64 Years)
dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg (Tikosyn)	2	
flecainide oral tablet 100 mg, 150 mg, 50 mg	1	GC
lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)	1	GC
mexiletine oral capsule 150 mg, 200 mg, 250 mg	2	
MULTAQ ORAL TABLET 400 MG	3	
pacerone oral tablet 100 mg, 200 mg, 400 mg (amiodarone)	1	GC
procainamide injection solution 100 mg/ml, 500 mg/ml	1	GC
procainamide intravenous syringe 100 mg/ml	1	GC
propafenone oral capsule,extended release 12 hr 225 mg, 325 mg, 425 mg (Rythmol SR)	2	
propafenone oral tablet 150 mg, 225 mg, 300 mg	1	GC
quinidine gluconate oral tablet extended release 324 mg	2	
quinidine sulfate oral tablet 200 mg, 300 mg	1	GC
Beta-Adrenergic Blocking Agents		
acebutolol oral capsule 200 mg, 400 mg	1	GC
atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)	1	GC
atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)	1	GC
atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
betaxolol oral tablet 10 mg, 20 mg		1	GC
bisoprolol fumarate oral tablet 10 mg, 5 mg		1	GC
bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg		1	GC
carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg	(Coreg)	1	GC
labetalol intravenous solution 5 mg/ml		1	GC; HI
labetalol intravenous syringe 10 mg/2 ml (5 mg/ml), 20 mg/4 ml (5 mg/ml)		1	GC; HI
labetalol oral tablet 100 mg, 200 mg, 300 mg		1	GC
metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg	(Toprol XL)	1	GC
metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg		1	GC
metoprolol tartrate intravenous solution 5 mg/5 ml		1	GC; HI
metoprolol tartrate oral tablet 100 mg, 50 mg	(Lopressor)	1	GC
metoprolol tartrate oral tablet 25 mg		1	GC
nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg	(Bystolic)	2	
pindolol oral tablet 10 mg, 5 mg		2	
propranolol intravenous solution 1 mg/ml		1	GC; HI
propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg	(Inderal LA)	1	GC
propranolol oral solution 20 mg/5 ml (4 mg/ml)		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
propranolol oral solution 40 mg/5 ml (8 mg/ml)		1	GC
propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg		1	GC
propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg		1	GC
sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg	(sotalol)	1	GC
sotalol af oral tablet 120 mg, 160 mg, 80 mg	(sotalol)	1	GC
sotalol oral tablet 120 mg, 160 mg, 80 mg	(Sotalol AF)	1	GC
sotalol oral tablet 240 mg	(Betapace)	1	GC
timolol maleate oral tablet 10 mg, 20 mg, 5 mg		2	
Calcium-Channel Blocking Agents			
cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg	(diltiazem hcl)	1	GC
diltiazem 25 mg/5 ml vial sdv,inner 5 mg/ml		2	HI
diltiazem hcl intravenous solution 5 mg/ml		1	GC; HI
diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg		2	
diltiazem hcl oral capsule,extended release 24 hr 360 mg	(Taztia XT)	1	GC
diltiazem hcl oral capsule,extended release 24 hr 420 mg	(Tiadylt ER)	1	GC
diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg	(Cartia XT)	1	GC
diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg	(Cardizem)	1	GC
diltiazem hcl oral tablet 90 mg		1	GC
dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg	(diltiazem hcl)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg	(diltiazem hcl)	2	
taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg	(diltiazem hcl)	1	GC
tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg	(diltiazem hcl)	1	GC
verapamil intravenous syringe 2.5 mg/ml		1	GC; HI
verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg	(Verelan PM)	2	
verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg		1	GC
verapamil oral capsule,ext rel. pellets 24 hr 360 mg		4	
verapamil oral tablet 120 mg, 40 mg, 80 mg		1	GC
verapamil oral tablet extended release 120 mg	(Calan SR)	1	GC
verapamil oral tablet extended release 180 mg, 240 mg		1	GC
Cardiovascular Agents, Miscellaneous			
CORLANOR ORAL SOLUTION 5 MG/5 ML		3	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG		3	QL (60 per 30 days)
digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)	(digoxin)	1	GC
digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)	(digoxin)	1	GC
digoxin injection solution 250 mcg/ml (0.25 mg/ml)	(Lanoxin)	1	GC
digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)	(Digitek)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
epinephrine injection auto-injector 0.15 mg/0.3 ml	(EpiPen Jr)	2	QL (4 per 30 days)
epinephrine injection auto-injector 0.3 mg/0.3 ml		1	GC; QL (4 per 30 days)
epinephrine injection auto-injector 0.3 mg/0.3 ml	(Auvi-Q)	2	QL (4 per 30 days)
epinephrine injection solution 1 mg/ml	(Adrenalin)	1	GC
hydralazine injection solution 20 mg/ml		1	GC; HI
hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg		1	GC
icatibant subcutaneous syringe 30 mg/3 ml	(Sajazir)	5	PA; NM; NDS; QL (18 per 30 days)
metyrosine oral capsule 250 mg	(Demser)	5	NM; NDS
ranolazine oral tablet extended release 12 hr 1,000 mg		2	QL (60 per 30 days)
ranolazine oral tablet extended release 12 hr 500 mg		2	QL (120 per 30 days)
sajazir subcutaneous syringe 30 mg/3 ml	(icatibant)	5	PA; NM; NDS; QL (18 per 30 days)
Dihydropyridines			
amlodipine oral tablet 10 mg, 2.5 mg, 5 mg	(Norvasc)	1	GC
amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg	(Lotrel)	6	
amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg		6	
amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg	(Azor)	6	
amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg	(Exforge)	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg (Exforge HCT)	6	
isradipine oral capsule 2.5 mg, 5 mg	2	
nicardipine oral capsule 20 mg, 30 mg	2	
nifedipine oral capsule 10 mg, 20 mg	1	GC
nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg (Procardia XL)	1	GC
nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg	1	GC
Diuretics		
amiloride oral tablet 5 mg	1	GC
amiloride-hydrochlorothiazide oral tablet 5-50 mg	1	GC
bumetanide injection solution 0.25 mg/ml	2	HI
bumetanide oral tablet 0.5 mg, 1 mg, 2 mg	1	GC
chlorothiazide sodium intravenous recon soln 500 mg	1	GC; HI
chlorthalidone oral tablet 25 mg, 50 mg	1	GC
furosemide injection solution 10 mg/ml	1	GC
furosemide injection syringe 10 mg/ml	1	GC
furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)	1	GC
furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)	1	GC
hydrochlorothiazide oral capsule 12.5 mg	1	GC
hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
indapamide oral tablet 1.25 mg, 2.5 mg		1	GC
metolazone oral tablet 10 mg, 2.5 mg, 5 mg		1	GC
spironolactone oral tablet 100 mg, 25 mg, 50 mg	(Aldactone)	1	GC
torsemide oral tablet 10 mg, 100 mg, 5 mg		1	GC
torsemide oral tablet 20 mg	(Soaanz)	1	GC
triamterene-hydrochlorothiazid oral capsule 37.5-25 mg		1	GC
triamterene-hydrochlorothiazid oral tablet 37.5-25 mg	(Maxzide-25mg)	1	GC
triamterene-hydrochlorothiazid oral tablet 75-50 mg	(Maxzide)	1	GC
Dyslipidemics			
amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg	(Caduet)	6	
amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg	(Caduet)	6	QL (30 per 30 days)
amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg		6	
atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg	(Lipitor)	6	QL (30 per 30 days)
cholestyramine (with sugar) oral powder in packet 4 gram	(Questran)	2	
cholestyramine light oral powder in packet 4 gram	(cholestyramine-aspartame)	2	
colesevelam oral powder in packet 3.75 gram	(WelChol)	2	
colesevelam oral tablet 625 mg	(WelChol)	2	
colestipol oral packet 5 gram	(Colestid)	2	
colestipol oral tablet 1 gram	(Colestid)	2	
ezetimibe oral tablet 10 mg	(Zetia)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ezetimibe-simvastatin oral tablet 10-10 mg	(Vytorin 10-10)	6	QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-20 mg	(Vytorin 10-20)	6	QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-40 mg	(Vytorin 10-40)	6	QL (30 per 30 days)
ezetimibe-simvastatin oral tablet 10-80 mg	(Vytorin 10-80)	6	QL (30 per 30 days)
fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 67 mg		1	GC
fenofibrate nanocrystallized oral tablet 145 mg, 48 mg	(Tricor)	1	GC
fenofibrate oral tablet 160 mg, 54 mg		1	GC
fenofibric acid (choline) oral capsule,delayed release(dr/ec) 135 mg, 45 mg	(Trilipix)	1	GC
fluvastatin oral capsule 20 mg, 40 mg		6	QL (60 per 30 days)
fluvastatin oral tablet extended release 24 hr 80 mg	(Lescol XL)	6	
gemfibrozil oral tablet 600 mg	(Lopid)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG		5	PA; NM; NDS; QL (28 per 28 days)
JUXTAPID ORAL CAPSULE 20 MG, 30 MG		5	PA; NM; NDS; QL (56 per 28 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	(pitavastatin calcium)	3	QL (30 per 30 days)
lovastatin oral tablet 10 mg, 20 mg, 40 mg		6	
NEXLETOL ORAL TABLET 180 MG		3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG		3	QL (30 per 30 days)
niacin oral tablet 500 mg	(Niacor)	1	GC
niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
niacor oral tablet 500 mg	(niacin)	2	
omega-3 acid ethyl esters oral capsule 1 gram	(Lovaza)	1	ST; GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML		3	QL (2 per 28 days)
pravastatin oral tablet 10 mg, 80 mg		6	
pravastatin oral tablet 20 mg, 40 mg		6	QL (30 per 30 days)
prevalite oral powder in packet 4 gram	(cholestyramine-aspartame)	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML		3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML		3	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML		3	QL (6 per 28 days)
rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg	(Crestor)	6	QL (30 per 30 days)
simvastatin oral tablet 10 mg, 20 mg, 40 mg	(Zocor)	6	QL (30 per 30 days)
simvastatin oral tablet 5 mg, 80 mg		6	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	(icosapent ethyl)	2	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	(icosapent ethyl)	2	QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors			
aliskiren oral tablet 150 mg, 300 mg	(Tekturna)	2	
eplerenone oral tablet 25 mg, 50 mg	(Inspra)	1	GC
KERENDIA ORAL TABLET 10 MG, 20 MG		3	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
Vasodilators			
isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg		1	GC
isosorbide dinitrate oral tablet 5 mg	(Isordil Titradose)	1	GC
isosorbide mononitrate oral tablet 10 mg, 20 mg		1	GC
isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg		1	GC
isosorbide-hydralazine oral tablet 20-37.5 mg	(BiDil)	1	GC
minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr	(nitroglycerin)	1	GC
minoxidil oral tablet 10 mg, 2.5 mg		1	GC
nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)		1	GC; HI
nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg	(Nitrostat)	1	GC
nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr	(Nitro-Dur)	1	GC
Central Nervous System Agents			
Central Nervous System Agents			
atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg	(Strattera)	2	QL (60 per 30 days)
atomoxetine oral capsule 100 mg, 60 mg, 80 mg	(Strattera)	2	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG		5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG		5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG		5	PA; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 24 MG	5	PA; NM; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NM; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NM; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml) (Cafcit)	2	PA BvD
caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)	2	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
dalfampridine oral tablet extended release 12 hr 10 mg (Ampyra)	1	PA; GC; QL (60 per 30 days)
dexmethylphenidate oral tablet 10 mg, 2.5 mg (Focalin)	2	QL (60 per 30 days)
dexmethylphenidate oral tablet 5 mg (Focalin)	1	GC; QL (60 per 30 days)
dextroamphetamine sulfate oral tablet 10 mg (Zenzedi)	2	QL (180 per 30 days)
dextroamphetamine sulfate oral tablet 15 mg, 5 mg (Zenzedi)	2	QL (90 per 30 days)
dextroamphetamine sulfate oral tablet 20 mg, 30 mg (Zenzedi)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg	(Adderall XR)	2	QL (30 per 30 days)
dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg	(Adderall XR)	2	QL (60 per 30 days)
dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg	(Adderall)	1	GC; QL (60 per 30 days)
dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg	(Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)
dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)	(Tecfidera)	5	PA; NM; NDS
dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg	(Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)
fingolimod oral capsule 0.5 mg	(Gilenya)	5	PA; NM; NDS; QL (30 per 30 days)
flumazenil intravenous solution 0.1 mg/ml		1	GC
GILENYA ORAL CAPSULE 0.25 MG		5	PA; NM; NDS; QL (30 per 30 days)
glatiramer subcutaneous syringe 20 mg/ml	(Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
glatiramer subcutaneous syringe 40 mg/ml	(Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
glatopa subcutaneous syringe 20 mg/ml	(glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
glatopa subcutaneous syringe 40 mg/ml	(glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg	(Intuniv ER)	1	GC
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML		5	PA; NM; NDS; QL (1.2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
lithium carbonate oral capsule 150 mg, 300 mg, 600 mg	1	GC
lithium carbonate oral tablet 300 mg	1	GC
lithium carbonate oral tablet extended release 300 mg (Lithobid)	1	GC
lithium carbonate oral tablet extended release 450 mg	1	GC
lithium citrate oral solution 8 meq/5 ml	1	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
methylphenidate hcl oral capsule, er biphasic 30-70 30 mg		2	QL (60 per 30 days)
methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg	(Ritalin LA)	2	QL (30 per 30 days)
methylphenidate hcl oral capsule,er biphasic 50-50 30 mg	(Ritalin LA)	2	QL (60 per 30 days)
methylphenidate hcl oral capsule,er biphasic 50-50 60 mg		2	QL (30 per 30 days)
methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml	(Methylin)	2	QL (900 per 30 days)
methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg	(Ritalin)	1	GC; QL (90 per 30 days)
methylphenidate hcl oral tablet extended release 10 mg		2	QL (90 per 30 days)
methylphenidate hcl oral tablet extended release 20 mg	(Metadate ER)	2	QL (90 per 30 days)
methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 54 mg (bx rating)		2	QL (30 per 30 days)
methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg	(Concerta)	2	QL (30 per 30 days)
methylphenidate hcl oral tablet extended release 24hr 36 mg	(Concerta)	2	QL (60 per 30 days)
methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)		2	QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML		5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML		5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML		5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML		5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML		5	PA; NM; NDS
riluzole oral tablet 50 mg	(Rilutek)	2	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG		3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)		3	
TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG		5	PA; NM; NDS; QL (30 per 30 days)
teriflunomide oral tablet 14 mg, 7 mg	(Aubagio)	5	PA; NM; NDS; QL (30 per 30 days)
tetrabenazine oral tablet 12.5 mg, 25 mg	(Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG		5	PA; NM; NDS; QL (120 per 30 days)
Contraceptives			
Contraceptives			
afirmelle oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	GC
altavera (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	GC
alyacen 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	1	GC
alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		1	GC
amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
apri oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	GC
aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
aubra eq oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	GC
aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	1	GC
aurovela 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	1	GC
aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	1	GC
aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
aviane oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	GC
ayuna oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	GC
azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	1	GC
balziva (28) oral tablet 0.4-35 mg-mcg		1	GC
blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	1	GC
blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
briellyn oral tablet 0.4-35 mg-mcg		1	GC
camila oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg		1	GC
chateal eq (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
cryselle (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	1	GC
cyclafem 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	1	GC
cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		1	GC
cyred eq oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	GC
dasetta 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	1	GC
dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		1	GC
daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
deblitane oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(Azurette (28))	1	GC
desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg	(Apri)	1	GC
drospirenone-ethinyl estradiol oral tablet 3-0.02 mg	(Jasmiel (28))	1	GC
drospirenone-ethinyl estradiol oral tablet 3-0.03 mg	(Syeda)	1	GC
elinest oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	1	GC
ELLA ORAL TABLET 30 MG		4	QL (6 per 365 days)
eluryng vaginal ring 0.12-0.015 mg/24 hr	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
emoquette oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	GC
enilloring vaginal ring 0.12-0.015 mg/24 hr	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
enskyce oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	GC
errin oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
estarylla oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	1	GC
ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg	(Kelnor 1/35 (28))	1	GC
ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg	(Kelnor 1-50 (28))	1	GC
etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr	(EluRyng)	2	QL (1 per 28 days)
falmina (28) oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	GC
femynor oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	1	GC
hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	1	GC
hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
hailey oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	1	GC
haloette vaginal ring 0.12-0.015 mg/24 hr	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
heather oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad)	1	GC; QL (91 per 84 days)
incassia oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
isibloom oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	GC
jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
jasmiel (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	1	GC
jencycla oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
juleber oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	GC
junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	1	GC
junel 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	1	GC
junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	1	GC
kalliga oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	GC
kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	1	GC
kelnor 1/35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol)	1	GC
kelnor 1-50 (28) oral tablet 1-50 mg-mcg	(ethynodiol diac-eth estradiol)	1	GC
kurvelo (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	GC
l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)	(LoJaimiess)	1	GC; QL (91 per 84 days)
l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(Amethia)	1	GC; QL (91 per 84 days)
larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	1	GC
larin 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	1	GC
larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
larissia oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	GC
lessina oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	GC
levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	1	GC
levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg	(Afirmelle)	1	GC
levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg	(Altavera (28))	1	GC
levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(Iclevia)	1	GC; QL (91 per 84 days)
levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(Enpresse)	1	GC
levora-28 oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	GC
lillow (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	GC
lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
loryna (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	1	GC
low-ogestrel (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	1	GC
lo-zumandimine (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	1	GC
lutera (28) oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	GC
lyleq oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
lyza oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
marlissa (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	GC
merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
mili oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	1	GC
mono-linyah oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	1	GC
necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg		1	GC
nikki (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
norethindrone (contraceptive) oral tablet 0.35 mg	(Camila)	1	GC
norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg	(Aurovela 1.5/30 (21))	1	GC
norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg	(Aurovela 1/20 (21))	1	GC
norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)	(Merzee)	2	
norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)	(Aurovela Fe 1-20 (28))	1	GC
norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(Aurovela Fe 1.5/30 (28))	1	GC
norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	(Tri-Legest Fe)	1	GC
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg	(Tri-Lo-Estarylla)	1	GC
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(Tri-Estarylla)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg	(Estarylla)	1	GC
norlyda oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg		1	GC
nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)		1	GC
nortrel 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	1	GC
nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		1	GC
nylia 1/35 (28) oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	1	GC
nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg		1	GC
nymyo oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	1	GC
orsythia oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	GC
philith oral tablet 0.4-35 mg-mcg		1	GC
pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	1	GC
pirmella oral tablet 0.5/0.75/1 mg-35 mcg		1	GC
pirmella oral tablet 1-35 mg-mcg	(norethindrone-ethin estradiol)	1	GC
portia 28 oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	1	GC
previfem oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	1	GC
reclipsen (28) oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	1	GC
setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad)	1	GC; QL (91 per 84 days)
sharobel oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	1	GC
simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
sprintec (28) oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	1	GC
sronyx oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	GC
syeda oral tablet 3-0.03 mg	(drospirenone-ethinyl estradiol)	1	GC
tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	1	GC
tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	1	GC
tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	(norethindrone-e.estradiol-iron)	1	GC
tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(levonorg-eth estrad triphasic)	1	GC
tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg	(norgestimate-ethinyl estradiol)	1	GC
tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	(norgestimate-ethinyl estradiol)	1	GC
tulana oral tablet 0.35 mg	(norethindrone (contraceptive))	1	GC
tyblume oral tablet,chewable 0.1 mg- 20 mcg		4	
velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg		1	GC
vestura (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	1	GC
vienva oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	1	GC
viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	1	GC
volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(desog-e.estradiol/e.estradiol)	1	GC
vyfemla (28) oral tablet 0.4-35 mg-mcg		1	GC
vylibra oral tablet 0.25-35 mg-mcg	(norgestimate-ethinyl estradiol)	1	GC
wera (28) oral tablet 0.5-35 mg-mcg		1	GC
xulane transdermal patch weekly 150-35 mcg/24 hr		2	QL (3 per 28 days)
zafemy transdermal patch weekly 150-35 mcg/24 hr		2	QL (3 per 28 days)
zarah oral tablet 3-0.03 mg	(drospirenone-ethinyl estradiol)	1	GC
zovia 1-35 (28) oral tablet 1-35 mg-mcg	(ethynodiol diac-eth estradiol)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
zumandimine (28) oral tablet 3-0.03 mg	(drospirenone-ethinyl estradiol)	2	
Dental And Oral Agents			
Dental And Oral Agents			
cevimeline oral capsule 30 mg	(Evoxac)	2	
chlorhexidine gluconate mucous membrane mouthwash 0.12 %	(Paroex Oral Rinse)	1	GC
denta 5000 plus dental cream 1.1 %	(fluoride (sodium))	1	GC
dentagel dental gel 1.1 %	(fluoride (sodium))	1	GC
fluoride (sodium) dental solution 0.2 %	(PreviDent)	1	GC
oralone dental paste 0.1 %	(triamcinolone acetonide)	1	GC
paroex oral rinse mucous membrane mouthwash 0.12 %	(chlorhexidine gluconate)	1	GC
periogard mucous membrane mouthwash 0.12 %	(chlorhexidine gluconate)	1	GC
pilocarpine hcl oral tablet 5 mg, 7.5 mg	(Salagen (pilocarpine))	2	
sf 5000 plus dental cream 1.1 %	(fluoride (sodium))	1	GC
sodium fluoride-pot nitrate dental paste 1.1-5 %	(Fluoridex Sensitivity Relief)	1	GC
triamcinolone acetonide dental paste 0.1 %	(Oralone)	1	GC
Dermatological Agents			
Dermatological Agents, Other			
accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg	(isotretinoin)	2	
acitretin oral capsule 10 mg, 17.5 mg, 25 mg		1	GC
acyclovir topical ointment 5 %	(Zovirax)	2	QL (30 per 30 days)
ALCOHOL 70% SWABS	(Alcohol Pads)	1	GC
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ammonium lactate topical cream 12 %		1	GC
ammonium lactate topical lotion 12 %	(Skin Treatment)	1	GC
BD SINGLE USE SWAB	(alcohol swabs)	1	GC
calcipotriene scalp solution 0.005 %		2	QL (120 per 30 days)
calcipotriene topical cream 0.005 %	(Calsodore)	2	QL (120 per 30 days)
calcipotriene topical ointment 0.005 %		2	QL (120 per 30 days)
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs)	1	GC
CURITY ALCOHOL PREPS 2 PLY,MEDIUM	(alcohol swabs)	1	GC
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	GC
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1	GC
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED	(alcohol swabs)	1	GC
fluorouracil topical cream 0.5 %	(Carac)	5	NM; NDS
fluorouracil topical cream 5 %	(Efudex)	2	
fluorouracil topical solution 2 %, 5 %		2	
HEB INCONTROL ALCOHOL 70% PADS	(alcohol swabs)	1	GC
imiquimod topical cream in packet 5 %		1	GC; QL (24 per 30 days)
IV ANTISEPTIC WIPES	(alcohol swabs)	1	GC
KENDALL ALCOHOL 70% PREP PAD	(alcohol swabs)	1	GC
KLISYRI TOPICAL OINTMENT IN PACKET 1 %		3	QL (5 per 5 days)
methoxsalen oral capsule,liqd-filled,rapid rel 10 mg		5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %		5	NM; NDS; QL (180 per 30 days)
podofilox topical solution 0.5 %		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PRO COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	GC
PURE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	GC
RA ISOPROPYL ALCOHOL 70% WIPES	(alcohol swabs)	1	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM		4	QL (180 per 30 days)
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	GC
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	GC
TRUE COMFORT ALCOHOL 70% PADS	(alcohol swabs)	1	GC
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs)	1	GC
ULTILET ALCOHOL STERL SWAB	(alcohol swabs)	1	GC
VALCHLOR TOPICAL GEL 0.016 %		5	NM; NDS
WEBCOL ALCOHOL PREPS 20'S,LARGE	(alcohol swabs)	1	GC
zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg	(isotretinoin)	1	GC
Dermatological Antibacterials			
clindamycin phosphate topical solution 1 %	(Cleocin T)	1	GC; QL (180 per 30 days)
clindamycin phosphate topical swab 1 %	(Clindacin ETZ)	1	GC
clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %	(Neuac)	2	
ery pads topical swab 2 %	(erythromycin with ethanol)	2	
erythromycin with ethanol topical gel 2 %	(Erygel)	2	QL (180 per 30 days)
erythromycin with ethanol topical solution 2 %		1	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
gentamicin topical cream 0.1 %		2	QL (120 per 30 days)
gentamicin topical ointment 0.1 %		2	QL (120 per 30 days)
metronidazole topical cream 0.75 %	(Rosadan)	2	
metronidazole topical gel 0.75 %	(Rosadan)	1	GC
metronidazole topical gel 1 %	(Metrogel)	2	
metronidazole topical lotion 0.75 %	(MetroLotion)	2	
mupirocin topical ointment 2 %	(Centany)	1	GC; QL (220 per 30 days)
neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml		1	GC
rosadan topical cream 0.75 %	(metronidazole)	2	
selenium sulfide topical lotion 2.5 %		1	GC
silver sulfadiazine topical cream 1 %	(SSD)	1	GC
ssd topical cream 1 %	(silver sulfadiazine)	4	
sulfacetamide sodium (acne) topical suspension 10 %	(Klaron)	2	
Dermatological Anti-Inflammatory Agents			
ala-cort topical cream 1 %	(hydrocortisone)	1	GC
alclometasone topical cream 0.05 %		2	
alclometasone topical ointment 0.05 %		1	GC
betamethasone dipropionate topical cream 0.05 %		2	
betamethasone dipropionate topical lotion 0.05 %		1	GC
betamethasone dipropionate topical ointment 0.05 %		2	
betamethasone valerate topical cream 0.1 %		1	GC
betamethasone valerate topical lotion 0.1 %		2	
betamethasone valerate topical ointment 0.1 %		1	GC
betamethasone, augmented topical cream 0.05 %		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
betamethasone, augmented topical gel 0.05 %		2	
betamethasone, augmented topical lotion 0.05 %		2	
betamethasone, augmented topical ointment 0.05 %	(Diprolene (augmented))	2	
clobetasol scalp solution 0.05 %		2	
clobetasol topical cream 0.05 %		1	GC
clobetasol topical gel 0.05 %		2	
clobetasol topical ointment 0.05 %	(Temovate)	2	
clobetasol topical shampoo 0.05 %	(Clobex)	2	
clobetasol-emollient topical cream 0.05 %		2	
desoximetasone topical cream 0.25 %	(Topicort)	2	QL (120 per 30 days)
desoximetasone topical ointment 0.25 %	(Topicort)	2	QL (120 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %		3	
fluocinolone topical cream 0.01 %		2	
fluocinolone topical cream 0.025 %	(Synalar)	2	
fluocinolone topical ointment 0.025 %	(Synalar)	2	
fluocinonide topical cream 0.05 %		1	GC
fluocinonide topical solution 0.05 %		2	
fluocinonide-emollient topical cream 0.05 %	(Fluocinonide-E)	2	
fluticasone propionate topical cream 0.05 %		1	GC
fluticasone propionate topical ointment 0.005 %		1	GC
halobetasol propionate topical cream 0.05 %		2	
halobetasol propionate topical ointment 0.05 %		2	
hydrocortisone 2.5% cream		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
hydrocortisone butyrate topical solution 0.1 %		2	QL (120 per 30 days)
hydrocortisone topical cream 1 %	(Ala-Cort)	1	GC
hydrocortisone topical cream with perineal applicator 2.5 %	(Proctosol HC)	1	GC
hydrocortisone topical lotion 2.5 %		1	GC
hydrocortisone topical ointment 1 %	(Anti-Itch (HC))	1	GC
hydrocortisone topical ointment 2.5 %		1	GC
hydrocortisone valerate topical cream 0.2 %		2	
hydrocortisone-min oil-wht pet topical ointment 1 %		1	GC
mometasone topical cream 0.1 %		1	GC
mometasone topical ointment 0.1 %		1	GC
mometasone topical solution 0.1 %		1	GC
pimecrolimus topical cream 1 %	(Elidel)	2	QL (100 per 30 days)
prednicarbate topical ointment 0.1 %		2	
proctosol hc topical cream with perineal applicator 2.5 %	(hydrocortisone)	1	GC
proctozone-hc topical cream with perineal applicator 2.5 %	(hydrocortisone)	1	GC
tacrolimus topical ointment 0.03 %, 0.1 %		2	QL (100 per 30 days)
triamcinolone acetonide topical cream 0.025 %		1	GC
triamcinolone acetonide topical cream 0.1 %, 0.5 %	(Triderm)	1	GC
triamcinolone acetonide topical lotion 0.025 %, 0.1 %		1	GC
triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %		1	GC
Dermatological Retinoids			
adapalene topical cream 0.1 %	(Differin)	2	
adapalene topical gel 0.1 %	(Differin)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ALTRENO TOPICAL LOTION 0.05 %		4	PA
tazarotene topical cream 0.1 %	(Tazorac)	2	
TAZORAC TOPICAL CREAM 0.05 %		4	
tretinoin topical cream 0.025 %	(Avita)	2	PA
tretinoin topical cream 0.05 %, 0.1 %	(Retin-A)	2	PA
tretinoin topical gel 0.01 %	(Retin-A)	2	PA
tretinoin topical gel 0.025 %	(Avita)	2	PA
tretinoin topical gel 0.05 %	(Atralin)	2	PA
Scabicides And Pediculicides			
malathion topical lotion 0.5 %	(Ovide)	2	
permethrin topical cream 5 %	(Elimite)	1	GC
Devices			
Devices			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
1ST TIER UNIFINE PNTP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
1ST TIER UNIFINE PNTP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
1ST TIER UNIFINE PNTP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		1	GC
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		1	GC
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		1	GC
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"		1	GC
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		1	GC
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	GC
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"		1	GC
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"		1	GC
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"		1	GC
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"		1	GC
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"		1	GC
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "		1	GC
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"		1	GC
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"		1	GC
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	GC
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"		1	GC
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"		1	GC
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	GC
BD INSULIN SYRINGE 1 ML W/O NEEDLE	(insulin syringe needleless)	1	GC
BD LUER-LOK SYRINGE 1 ML	(Easy Touch Luer Lock Insulin)	1	GC
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"		1	GC
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		1	GC
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	1	GC
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	1	GC
BD SAFETYGLIDE NEEDLE NEEDLE 27 X 5/8 "	1	GC
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	1	GC
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	1	GC
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	1	GC
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	1	GC
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4" (pen needle, diabetic)	1	GC
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16" (pen needle, diabetic)	1	GC
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	GC
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2" (pen needle, diabetic)	1	GC
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16" (pen needle, diabetic)	1	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	GC
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	GC
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	GC
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage)	1	GC
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
CAREONE SYR 0.3 ML 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	1	GC
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		1	GC
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16		1	GC
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		1	GC
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	GC
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	1	GC
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	GC
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		1	GC
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		1	GC
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
COMFORT TOUCH PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
COMFORT TOUCH PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
CURAD GAUZE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	GC
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "		1	GC
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 "	(gauze bandage)	1	GC
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 "	(gauze bandage)	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "		1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "		1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"		1	GC
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"		1	GC
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	1	GC
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	1	GC
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	1	GC
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	1	GC
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	GC
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	1	GC
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	GC
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"	1	GC
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	1	GC
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	1	GC
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16" (pen needle, diabetic)	1	GC
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	GC
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	GC
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	GC
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	1	GC
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	1	GC
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" (pen needle, diabetic)	1	GC
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	1	GC
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"	1	GC
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	1	GC
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	1	GC
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	1	GC
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"		1	GC
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"		1	GC
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		1	GC
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	GC
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		1	GC
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"		1	GC
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		1	GC
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		1	GC
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	GC
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	GC
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	1	GC
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	1	GC
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	1	GC
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	1	GC
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	1	GC
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	1	GC
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	1	GC
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	1	GC
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"		1	GC
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"		1	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		1	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		1	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		1	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		1	GC
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	1	GC
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		1	GC
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		1	GC
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		1	GC
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	GC
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"		1	GC
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	1	GC
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		1	GC
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	1	GC
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Lite Touch Insulin Syringe)	1	GC
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Lite Touch Insulin Syringe)	1	GC
EXEL INSULIN SYRINGE 27G-1 ML 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	1	GC
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	1	GC
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Lite Touch Insulin Syringe)	1	GC
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		1	GC
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	1	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	1	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		1	GC
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	1	GC
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"		1	GC
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN		3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN		3	
INSULIN SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	1	GC
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(UltiCare Insuln Syr(half unit))	1	GC
INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	GC
INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	GC
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	GC
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	1	GC
INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2"	(Easy Touch Insulin Syringe)	1	GC
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE	(insulin syringe-needle u-100)	1	GC
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	GC
INSULIN SYRINGE 0.5 ML 1/2 ML 29	(insulin syringe-needle u-100)	1	GC
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	GC
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		1	GC
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	1	GC
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes)	1	GC
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	1	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Lite Touch Insulin Syringe)	1	GC
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
LISCO SPONGES 100/BAG 2 X 2 "		1	GC
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	1	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	1	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		1	GC
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		1	GC
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		1	GC
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		1	GC
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		1	GC
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		1	GC
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		1	GC
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	1	GC
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	1	GC
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(BD Ultra-Fine Micro Pen Needle)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	1	GC
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	1	GC
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	1	GC
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	1	GC
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	1	GC
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	1	GC
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		1	GC
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
NOVOFINE 30 NEEDLE		1	GC
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		1	GC
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		1	GC
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	
OMNIPOD CLASSIC PDM KIT(GEN 3)		3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	
OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	1	GC
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16" (Embrace Pen Needle)	1	GC
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16" (CareFine Pen Needle)	1	GC
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16" (pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	1	GC
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	1	GC
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		1	GC
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	GC
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	GC
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		1	GC
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort Touch Pen Needle)	1	GC
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"		1	GC
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		1	GC
RELI ON 31G X 1/4" NEEDLES 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	1	GC
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	1	GC
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	1	GC
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	(Lite Touch Insulin Syringe)	1	GC
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		1	GC
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
RELION PEN NEEDLES 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"		1	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"		1	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"		1	GC
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"		1	GC
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"		1	GC
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort EZ PRO Safety Pen Ndl)	1	GC
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	GC
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		1	GC
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"		1	GC
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"		1	GC
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"		1	GC
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"		1	GC
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"		1	GC
SM STERILE PADS 2" X 2" 2"X2", STERILE 2 X 2 "	(gauze bandage)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"		1	GC
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	GC
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	GC
NEEDLES, INSULIN DISP., SAFETY	(insulin syringe-needle u-100)	1	GC
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	GC
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	GC
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		1	GC
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"		1	GC
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	1	GC
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	1	GC
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"	1	GC
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	1	GC
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	1	GC
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	1	GC
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	1	GC
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	GC
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	1	GC
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	1	GC
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	GC
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	1	GC
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	GC
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	GC
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		1	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	1	GC
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		1	GC
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"		1	GC
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	GC
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	GC
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	GC
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		1	GC
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	GC
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	GC
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	GC
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	GC
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		1	GC
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	1	GC
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	1	GC
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	1	GC
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	1	GC
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	1	GC
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	1	GC
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	1	GC
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	1	GC
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	1	GC
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	1	GC
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	1	GC
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	1	GC
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
ULTILET PEN NEEDLE 29 GAUGE		1	GC
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	1	GC
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		1	GC
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		1	GC
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		1	GC
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		1	GC
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"		1	GC
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"		1	GC
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"		1	GC
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"		1	GC
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	1	GC
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	GC
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	GC
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	GC
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	GC
V-GO 20 DEVICE	3	
V-GO 30 DEVICE	3	
V-GO 40 DEVICE	3	
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
javygtor oral tablet,soluble 100 mg (sapropterin)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
miglustat oral capsule 100 mg	(Yargesa)	5	PA; NM; NDS; QL (90 per 30 days)
nitisinone oral capsule 10 mg, 2 mg, 5 mg	(Orfadin)	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG	(nitisinone)	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML		5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML		5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML		5	PA BvD; NM; NDS
sapropterin oral tablet,soluble 100 mg	(Javygtor)	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML		5	PA; NM; LA; NDS
yargesa oral capsule 100 mg	(miglustat)	5	PA; NM; NDS; QL (90 per 30 days)
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT		3	
Eye, Ear, Nose, Throat Agents			
Eye, Ear, Nose, Throat Agents, Miscellaneous			
apraclonidine ophthalmic (eye) drops 0.5 %		2	
atropine ophthalmic (eye) drops 1 %	(Isopto Atropine)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
azelastine nasal aerosol,spray 137 mcg (0.1 %)		1	GC; QL (30 per 25 days)
azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)	(Astepro Allergy)	1	GC; QL (30 per 25 days)
azelastine ophthalmic (eye) drops 0.05 %		1	GC
cromolyn ophthalmic (eye) drops 4 %		1	GC
cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %	(Cyclogyl)	1	GC
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %		5	PA; NM; NDS; QL (60 per 28 days)
epinastine ophthalmic (eye) drops 0.05 %		2	
ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)		1	GC; QL (30 per 28 days)
ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)		1	GC; QL (15 per 10 days)
levofloxacin ophthalmic (eye) drops 1.5 %		2	
olopatadine ophthalmic (eye) drops 0.1 %	(Eye Allergy Itch-Redness Rlf)	1	GC
olopatadine ophthalmic (eye) drops 0.2 %	(Eye Allergy Itch Relief)	2	
proparacaine ophthalmic (eye) drops 0.5 %	(Alcaine)	1	GC
Eye, Ear, Nose, Throat Anti-Infectives Agents			
acetic acid otic (ear) solution 2 %		1	GC
bacitracin ophthalmic (eye) ointment 500 unit/gram		2	
bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram	(Polycin)	1	GC
bleph-10 ophthalmic (eye) drops 10 %	(sulfacetamide sodium)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ciprofloxacin hcl ophthalmic (eye) drops 0.3 %	1	GC
ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %	2	QL (7.5 per 7 days)
erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)	1	GC; QL (3.5 per 4 days)
gatifloxacin ophthalmic (eye) drops 0.5 % (Zymaxid)	2	
gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)	1	GC
gentamicin ophthalmic (eye) drops 0.3 %	1	GC
hydrocortisone-acetic acid otic (ear) drops 1-2 %	2	
levofloxacin ophthalmic (eye) drops 0.5 %	2	
moxifloxacin ophthalmic (eye) drops 0.5 % (Vigamox)	1	GC
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1% (Neo-Polycin HC)	2	
neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g (Neo-Polycin)	2	
neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 % (Maxitrol)	1	GC
neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 % (Maxitrol)	2	
neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml		2	
neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%		2	
neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%		2	
neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%	(neomycin-bacitracin-poly-hc)	1	GC
neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g	(neomycin-bacitracin-polymyxin)	1	GC
ofloxacin ophthalmic (eye) drops 0.3 %	(Ocuflox)	1	GC
ofloxacin otic (ear) drops 0.3 %		1	GC
polycin ophthalmic (eye) ointment 500-10,000 unit/gram	(bacitracin-polymyxin b)	1	GC
polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml		1	GC
sulfacetamide sodium ophthalmic (eye) drops 10 %		1	GC
sulfacetamide sodium ophthalmic (eye) ointment 10 %		1	GC
sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)		1	GC
tobramycin ophthalmic (eye) drops 0.3 %		1	GC
tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %		2	
trifluridine ophthalmic (eye) drops 1 %		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST; QL (10 per 25 days)
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %	2	
diclofenac sodium ophthalmic (eye) drops 0.1 %	1	GC
difluprednate ophthalmic (eye) drops 0.05 % (Durezol)	2	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)	2	QL (50 per 25 days)
fluocinolone acetonide oil otic (ear) drops 0.01 % (DermOtic Oil)	2	
fluorometholone ophthalmic (eye) drops,suspension 0.1 % (FML Liquifilm)	4	
flurbiprofen sodium ophthalmic (eye) drops 0.03 %	1	GC
fluticasone propionate nasal spray,suspension 50 mcg/actuation (24 Hour Allergy Relief)	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	QL (5.6 per 14 days)
ketorolac ophthalmic (eye) drops 0.5 % (Acular)	1	GC; QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	QL (3.5 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %		3	QL (5 per 16 days)
loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %	(Lotemax)	2	QL (10 per 13 days)
mometasone nasal spray,non-aerosol 50 mcg/actuation	(Nasonex 24hr Allergy)	2	QL (34 per 30 days)
prednisolone acetate ophthalmic (eye) drops,suspension 1 %	(Pred Forte)	4	
prednisolone sodium phosphate ophthalmic (eye) drops 1 %		1	GC
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %		3	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %		3	QL (5.5 per 28 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	(cyclosporine)	2	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION		3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %		3	QL (60 per 30 days)
Gastrointestinal Agents			
Antiulcer Agents And Acid Suppressants			
cimetidine hcl oral solution 300 mg/5 ml		1	GC
esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg	(Nexium)	1	GC; QL (30 per 30 days)
esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg	(Nexium)	1	GC; QL (60 per 30 days)
esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg	(Nexium Packet)	2	ST; QL (30 per 30 days)
esomeprazole magnesium oral granules dr for susp in packet 40 mg	(Nexium Packet)	2	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
esomeprazole sodium intravenous recon soln 20 mg		1	GC; HI
esomeprazole sodium intravenous recon soln 40 mg	(Nexium IV)	1	GC; HI
famotidine (pf) intravenous solution 20 mg/2 ml		1	GC; HI
famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml		1	GC; HI
famotidine intravenous solution 10 mg/ml		1	GC; HI
famotidine oral tablet 20 mg	(Acid Controller)	1	GC
famotidine oral tablet 40 mg	(Pepcid)	1	GC
lansoprazole oral capsule,delayed release(dr/ec) 15 mg	(Prevacid 24Hr)	1	GC; QL (30 per 30 days)
lansoprazole oral capsule,delayed release(dr/ec) 30 mg	(Prevacid)	1	GC; QL (60 per 30 days)
misoprostol oral tablet 100 mcg, 200 mcg	(Cytotec)	1	GC
nizatidine oral capsule 150 mg, 300 mg		1	GC
omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg		1	GC
omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram	(Zegerid)	2	ST; QL (30 per 30 days)
pantoprazole intravenous recon soln 40 mg	(Protonix)	2	HI
pantoprazole oral tablet,delayed release (dr/ec) 20 mg	(Protonix)	1	GC; QL (30 per 30 days)
pantoprazole oral tablet,delayed release (dr/ec) 40 mg	(Protonix)	1	GC; QL (60 per 30 days)
rabeprazole oral tablet,delayed release (dr/ec) 20 mg	(AcipHex)	1	GC; QL (30 per 30 days)
sucralfate oral tablet 1 gram	(Carafate)	1	GC
Gastrointestinal Agents, Other			
carglumic acid oral tablet, dispersible 200 mg	(Carbaglu)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
constulose oral solution 10 gram/15 ml	(lactulose)	1	GC
cromolyn oral concentrate 100 mg/5 ml	(Gastrocrom)	2	
dicyclomine oral capsule 10 mg		1	GC
dicyclomine oral solution 10 mg/5 ml		2	
dicyclomine oral tablet 20 mg		1	GC
diphenoxylate-atropine oral tablet 2.5-0.025 mg	(Lomotil)	1	PA-HRM; GC; AGE (Max 64 Years)
enulose oral solution 10 gram/15 ml	(lactulose)	1	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG		5	PA; NM; NDS
generlac oral solution 10 gram/15 ml	(lactulose)	1	GC
glycopyrrolate oral tablet 1 mg	(Robinul)	1	GC
glycopyrrolate oral tablet 2 mg	(Robinul Forte)	1	GC
lactulose oral solution 10 gram/15 ml	(Constulose)	1	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG		3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM		3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM		3	QL (30 per 30 days)
loperamide oral capsule 2 mg	(Anti-Diarrheal (loperamide))	1	GC
lubiprostone oral capsule 24 mcg, 8 mcg	(Amitiza)	3	QL (60 per 30 days)
methscopolamine oral tablet 2.5 mg, 5 mg		2	
metoclopramide hcl injection solution 5 mg/ml		1	GC; HI
metoclopramide hcl injection syringe 5 mg/ml		1	GC; HI
metoclopramide hcl oral solution 5 mg/5 ml		1	GC
metoclopramide hcl oral tablet 10 mg, 5 mg	(Reglan)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MOVANTIK ORAL TABLET 12.5 MG, 25 MG		3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG		5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML		5	PA; NM; NDS
sodium phenylbutyrate oral tablet 500 mg	(Buphenyl)	5	NM; NDS
sodium polystyrene sulfonate oral powder		1	GC
sps (with sorbitol) oral suspension 15-20 gram/60 ml		2	
ursodiol oral capsule 300 mg		1	GC
ursodiol oral tablet 250 mg	(URSO 250)	2	
ursodiol oral tablet 500 mg	(URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM		3	QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG		5	PA; NM; NDS; QL (84 per 28 days)
Laxatives			
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML		3	
gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram	(peg 3350-electrolytes)	2	
gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram	(peg 3350-electrolytes)	2	
gavilyte-n oral recon soln 420 gram	(peg-electrolyte soln)	1	GC
peg-electrolyte soln oral recon soln 420 gram		1	GC
sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram	(Suprep Bowel Prep Kit)	3	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	(sodium,potassium,mag sulfates)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
Phosphate Binders		
calcium acetate(phosphat bind) oral capsule 667 mg	1	GC
calcium acetate(phosphat bind) oral tablet 667 mg	1	GC
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram (Renvela)	5	NM; NDS
sevelamer carbonate oral tablet 800 mg (Renvela)	2	
sevelamer hcl oral tablet 400 mg	2	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg	1	GC
fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg (Toviaz)	1	GC
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
oxybutynin chloride oral syrup 5 mg/5 ml	1	GC
oxybutynin chloride oral tablet 5 mg	1	GC
oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg	1	GC
tolterodine oral capsule,extended release 24hr 2 mg, 4 mg (Detrol LA)	2	
tolterodine oral tablet 1 mg, 2 mg (Detrol)	2	
trospium oral tablet 20 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
Genitourinary Agents, Miscellaneous			
alfuzosin oral tablet extended release 24 hr 10 mg	(Uroxatral)	1	GC; QL (30 per 30 days)
dutasteride oral capsule 0.5 mg	(Avodart)	1	GC
finasteride oral tablet 5 mg	(Proscar)	1	GC
tamsulosin oral capsule 0.4 mg	(Flomax)	1	GC
terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg		1	GC
tiopronin oral tablet 100 mg	(Thiola)	5	NM; NDS
Heavy Metal Antagonists			
Heavy Metal Antagonists			
deferasirox oral granules in packet 180 mg, 360 mg, 90 mg	(Jadenu Sprinkle)	5	PA; NM; NDS
deferasirox oral tablet 180 mg, 360 mg	(Jadenu)	5	PA; NM; NDS
deferasirox oral tablet 90 mg	(Jadenu)	2	PA
deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg	(Exjade)	5	PA; NM; NDS
deferiprone oral tablet 1,000 mg, 500 mg	(Ferriprox)	5	PA; NM; NDS
FERRIPROX (2 TIMES A DAY) ORAL TABLET, MODIFIED RELEASE 1,000 MG		5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML		5	PA; NM; NDS
penicillamine oral tablet 250 mg	(Depen Titratabs)	5	PA; NM; NDS
trientine oral capsule 250 mg	(Syprine)	5	PA; NM; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying			
Androgens			
danazol oral capsule 100 mg, 200 mg, 50 mg		2	
oxandrolone oral tablet 10 mg, 2.5 mg	(Oxandrin)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml	(Depo-Testosterone)	1	PA; GC
testosterone cypionate intramuscular oil 200 mg/ml (1 ml)		1	PA; GC
testosterone enanthate intramuscular oil 200 mg/ml		1	PA; GC; QL (5 per 28 days)
testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)	(Vogelxo)	2	PA; QL (300 per 30 days)
testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)	(AndroGel)	2	PA; QL (150 per 30 days)
testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)	(AndroGel)	2	PA; QL (300 per 30 days)
testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)		2	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML		3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens			
amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg	(estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	(estradiol)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG		3	PA-HRM; AGE (Max 64 Years)
estradiol oral tablet 0.5 mg, 1 mg, 2 mg	(Estrace)	1	PA-HRM; GC; AGE (Max 64 Years)
estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	(Dotti)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	(Climara)	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
estradiol vaginal cream 0.01 % (0.1 mg/gram)	(Estrace)	2	
estradiol vaginal tablet 10 mcg	(Yuvafem)	2	QL (18 per 28 days)
estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml	(Delestrogen)	2	
estradiol-norethindrone acet oral tablet 0.5-0.1 mg	(Amabelz)	2	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		4	QL (1 per 84 days)
fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg	(norethindrone ac-eth estradiol)	2	PA-HRM; AGE (Max 64 Years)
jinteli oral tablet 1-5 mg-mcg	(norethindrone ac-eth estradiol)	2	PA-HRM; AGE (Max 64 Years)
lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	(estradiol)	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
mimvey oral tablet 1-0.5 mg	(estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg	(Fyavolv)	2	PA-HRM; AGE (Max 64 Years)
norethindrone ac-eth estradiol oral tablet 1-5 mg-mcg	(Fyavolv)	1	PA-HRM; GC; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG		3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG		3	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG	(conjugated estrogens)	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM		3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)		3	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG		3	PA-HRM; AGE (Max 64 Years)
raloxifene oral tablet 60 mg	(Evista)	1	GC
yuvafem vaginal tablet 10 mcg	(estradiol)	2	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids			
betamethasone acet,sod phos injection suspension 6 mg/ml	(Celestone Soluspan)	2	
dexamethasone oral solution 0.5 mg/5 ml		1	GC
dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg		1	GC
dexamethasone sodium phos (pf) injection solution 10 mg/ml		1	GC; HI
dexamethasone sodium phos (pf) injection syringe 10 mg/ml		1	GC
dexamethasone sodium phosphate injection solution 10 mg/ml		1	GC; HI
dexamethasone sodium phosphate injection solution 4 mg/ml		1	GC
dexamethasone sodium phosphate injection syringe 4 mg/ml		1	GC
fludrocortisone oral tablet 0.1 mg		1	GC
hydrocortisone oral tablet 10 mg, 20 mg, 5 mg	(Cortef)	1	GC
methylprednisolone 200 mg/5 ml muv 40 mg/ml	(Depo-Medrol)	1	GC
methylprednisolone 400 mg/5 ml muv 80 mg/ml	(Depo-Medrol)	1	GC
methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml	(Depo-Medrol)	2	
methylprednisolone oral tablet 16 mg, 4 mg, 8 mg	(Medrol)	1	GC
methylprednisolone oral tablet 32 mg		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
methylprednisolone oral tablets,dose pack 4 mg (Medrol (Pak))	1	GC
methylprednisolone sodium succ injection recon soln 125 mg, 40 mg	1	GC
methylprednisolone sodium succ intravenous recon soln 1,000 mg (Solu-Medrol)	2	
prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)	2	PA BvD
prednisolone oral solution 15 mg/5 ml	2	PA BvD
prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)	2	PA BvD
prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml) (Pediapred)	2	PA BvD
prednisone oral solution 5 mg/5 ml	2	PA BvD
prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg	1	PA BvD; GC
prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)	2	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
triamcinolone acetonide injection suspension 40 mg/ml (Kenalog)	2	
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)	2	
desmopressin injection solution 4 mcg/ml (DDAVP)	2	
desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
desmopressin oral tablet 0.1 mg, 0.2 mg (DDAVP)	1	GC
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
lanreotide subcutaneous syringe 120 mg/0.5 ml (Somatuline Depot)	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	PA NSO; NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml	2	
octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml (Sandostatin)	2	
octreotide acetate injection solution 500 mcg/ml (Sandostatin)	5	NM; NDS
octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML (lanreotide)	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SYNAREL NASAL SPRAY,NON-AEROSOL 2 MG/ML	5	PA; NM; NDS
Progestins		
medroxyprogesterone intramuscular suspension 150 mg/ml (Depo-Provera)	1	GC; QL (1 per 84 days)
medroxyprogesterone intramuscular syringe 150 mg/ml (Depo-Provera)	1	GC; QL (1 per 84 days)
medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg (Provera)	1	GC
megestrol oral suspension 400 mg/10 ml (40 mg/ml)	1	PA-HRM; GC; AGE (Max 64 Years)
norethindrone acetate oral tablet 5 mg	1	GC
progesterone intramuscular oil 50 mg/ml	1	GC
progesterone micronized oral capsule 100 mg, 200 mg (Prometrium)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Thyroid And Antithyroid Agents		
levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg (Euthyrox)	1	GC
levothyroxine oral tablet 300 mcg (Levo-T)	1	GC
liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg (Cytomel)	1	GC
methimazole oral tablet 10 mg, 5 mg	1	GC
propylthiouracil oral tablet 50 mg	1	GC
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
azathioprine oral tablet 50 mg (Imuran)	1	PA BvD; GC
azathioprine sodium injection recon soln 100 mg	1	PA BvD; GC
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS
cyclosporine intravenous solution 250 mg/5 ml (Sandimmune)	2	PA BvD
cyclosporine modified oral capsule 100 mg, 25 mg (Gengraf)	2	PA BvD
cyclosporine modified oral capsule 50 mg	2	PA BvD
cyclosporine modified oral solution 100 mg/ml (Gengraf)	2	PA BvD
cyclosporine oral capsule 100 mg, 25 mg (Sandimmune)	2	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
everolimus (immunosuppressive) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg (Zortress)	5	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NM; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
gengraf oral capsule 100 mg, 25 mg (cyclosporine modified)	1	PA BvD; GC
gengraf oral solution 100 mg/ml (cyclosporine modified)	2	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
infliximab intravenous recon soln 100 mg (Remicade)	5	PA; NM; NDS
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
leflunomide oral tablet 10 mg, 20 mg (Arava)	1	GC
mycophenolate mofetil (hcl) intravenous recon soln 500 mg (CellCept Intravenous)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
mycophenolate mofetil oral capsule 250 mg (CellCept)	1	PA BvD; GC
mycophenolate mofetil oral suspension for reconstitution 200 mg/ml (CellCept)	5	PA BvD; NM; NDS
mycophenolate mofetil oral tablet 500 mg (CellCept)	1	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG	5	PA; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
sirolimus oral solution 1 mg/ml (Rapamune)	5	PA BvD; NM; NDS
sirolimus oral tablet 0.5 mg, 1 mg (Rapamune)	2	PA BvD
sirolimus oral tablet 2 mg (Rapamune)	5	PA BvD; NM; NDS
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
tacrolimus 0.5 mg capsule (immediate release) (Prograf)	1	PA BvD; GC
tacrolimus 1 mg capsule (immediate release) (Prograf)	2	PA BvD
tacrolimus 5 mg capsule (immediate release) (Prograf)	2	PA BvD
tacrolimus oral capsule 0.5 mg (Prograf)	1	PA BvD; GC
tacrolimus oral capsule 1 mg, 5 mg (Prograf)	2	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NM; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; HI; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
Vaccines		
ABRYSVO INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	6	
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	6	
AREXVY ANTIGEN COMPONENT 120 MCG	6	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	6	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	6	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	6	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	6	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	6	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	6	PA BvD
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	6	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	
JYNNEOS (PF)(STOCKPILE) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	6	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	6	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	6	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML	6	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	6	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	6	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	6	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG-5 LF UNIT/0.5ML (58 UNT/ML)	6	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	6	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML (tetanus-diphtheria toxoids-td)	6	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML	6	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	6	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	6	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML		6	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML		6	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)		6	
Inflammatory Bowel Disease Agents			
Inflammatory Bowel Disease Agents			
alosetron oral tablet 0.5 mg	(Lotronex)	2	
alosetron oral tablet 1 mg	(Lotronex)	5	NM; NDS
balsalazide oral capsule 750 mg	(Colazal)	2	
budesonide oral capsule,delayed,extend.release 3 mg		4	
budesonide rectal foam 2 mg/actuation	(Uceris)	1	GC
DIPENTUM ORAL CAPSULE 250 MG		5	ST; NM; NDS
hydrocortisone rectal enema 100 mg/60 ml	(Cortenema)	2	
mesalamine oral capsule (with del rel tablets) 400 mg	(Delzicol)	2	
mesalamine oral capsule,extended release 24hr 0.375 gram	(Apriso)	2	
mesalamine oral tablet,delayed release (dr/ec) 1.2 gram	(Lialda)	2	QL (120 per 30 days)
mesalamine oral tablet,delayed release (dr/ec) 800 mg		2	
mesalamine rectal suppository 1,000 mg	(Canasa)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
sulfasalazine oral tablet 500 mg	(Azulfidine)	1	GC
sulfasalazine oral tablet,delayed release (dr/ec) 500 mg	(Azulfidine EN-tabs)	4	
Metabolic Bone Disease Agents			
Metabolic Bone Disease Agents			
alendronate oral solution 70 mg/75 ml		2	QL (300 per 28 days)
alendronate oral tablet 10 mg, 5 mg		1	GC; QL (30 per 30 days)
alendronate oral tablet 35 mg		1	GC; QL (4 per 28 days)
alendronate oral tablet 70 mg	(Fosamax)	1	GC; QL (4 per 28 days)
calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation		2	QL (3.7 per 28 days)
calcitriol intravenous solution 1 mcg/ml		2	HI
calcitriol oral capsule 0.25 mcg, 0.5 mcg	(Rocaltrol)	1	GC
calcitriol oral solution 1 mcg/ml	(Rocaltrol)	2	
cinacalcet oral tablet 30 mg	(Sensipar)	2	QL (60 per 30 days)
cinacalcet oral tablet 60 mg	(Sensipar)	5	NM; NDS; QL (60 per 30 days)
cinacalcet oral tablet 90 mg	(Sensipar)	5	NM; NDS; QL (120 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)		3	QL (2.4 per 28 days)
ibandronate intravenous solution 3 mg/3 ml		2	QL (3 per 84 days)
ibandronate intravenous syringe 3 mg/3 ml		2	QL (3 per 84 days)
ibandronate oral tablet 150 mg		1	GC; QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE		5	PA; NM; NDS; QL (2 per 28 days)
paricalcitol oral capsule 1 mcg, 2 mcg	(Zemplar)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
paricalcitol oral capsule 4 mcg		2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML		3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG		3	QL (60 per 30 days)
risedronate oral tablet 150 mg	(Actonel)	1	GC; QL (1 per 28 days)
risedronate oral tablet 30 mg, 5 mg		2	QL (30 per 30 days)
risedronate oral tablet 35 mg	(Actonel)	1	GC; QL (4 per 28 days)
risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)		1	GC; QL (4 per 28 days)
risedronate oral tablet,delayed release (dr/ec) 35 mg	(Atelvia)	2	QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)		3	QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)		5	PA; NM; NDS
zoledronic acid intravenous recon soln 4 mg		2	
zoledronic acid intravenous solution 4 mg/5 ml		2	
zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml	(Reclast)	2	QL (100 per 300 days)
Miscellaneous Therapeutic Agents			
Miscellaneous Therapeutic Agents			
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML		5	PA; NM; NDS
betaine oral powder 1 gram/scoop	(Cystadane)	5	PA; NM; NDS
buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg		1	GC
diazoxide oral suspension 50 mg/ml	(Proglycem)	2	
ELMIRON ORAL CAPSULE 100 MG		4	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
hydroxyzine pamoate oral capsule 100 mg, 50 mg	1	GC
hydroxyzine pamoate oral capsule 25 mg (Vistaril)	1	GC
IGALMI SUBLINGUAL FILM 120 MCG, 180 MCG	4	PA; QL (90 per 30 days)
leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg	2	HI
leucovorin calcium injection solution 10 mg/ml	2	HI
leucovorin calcium oral tablet 10 mg, 25 mg, 5 mg	1	GC
leucovorin calcium oral tablet 15 mg	2	
levocarnitine (with sugar) oral solution 100 mg/ml (Carnitor)	1	GC
levocarnitine oral tablet 330 mg (Carnitor)	4	
mesna intravenous solution 100 mg/ml (Mesnex)	2	HI
MESNEX ORAL TABLET 400 MG	5	NM; NDS
nitisinone oral capsule 20 mg (Orfadin)	5	PA; NM; NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
pyridostigmine bromide oral syrup 60 mg/5 ml (Mestinon)	2	
pyridostigmine bromide oral tablet 30 mg	2	
pyridostigmine bromide oral tablet 60 mg (Mestinon)	1	GC
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS; QL (2 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NM; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
Ophthalmic Agents		
Antiglaucoma Agents		
acetazolamide oral capsule, extended release 500 mg	2	
acetazolamide oral tablet 125 mg, 250 mg	2	
acetazolamide sodium injection recon soln 500 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	(brimonidine)	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	(brinzolamide)	2	
brimonidine ophthalmic (eye) drops 0.1 %	(Alphagan P)	1	GC
brimonidine ophthalmic (eye) drops 0.2 %		1	GC
brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %	(Combigan)	2	
carteolol ophthalmic (eye) drops 1 %		1	GC
dorzolamide ophthalmic (eye) drops 2 %		1	GC
dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml	(Cosopt)	1	GC
latanoprost ophthalmic (eye) drops 0.005 %	(Xalatan)	1	GC; QL (2.5 per 25 days)
levobunolol ophthalmic (eye) drops 0.5 %		1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %		3	QL (2.5 per 25 days)
pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %		1	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %		3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %		3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %		3	
timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %		1	GC
timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %		2	
travoprost ophthalmic (eye) drops 0.004 %	(Travatan Z)	2	QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Replacement Preparations		
Replacement Preparations		
calcium chloride intravenous syringe 100 mg/ml (10 %)	1	GC; HI
d5 % and 0.9 % sodium chloride intravenous parenteral solution	2	HI
d5 %-0.45 % sodium chloride intravenous parenteral solution	2	HI
electrolyte-148 intravenous parenteral solution (Plasma-Lyte 148)	2	HI
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	HI
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	HI
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	HI
klor-con m10 oral tablet,er particles/crystals 10 meq (potassium chloride)	1	GC
klor-con m15 oral tablet,er particles/crystals 15 meq (potassium chloride)	1	GC
klor-con m20 oral tablet,er particles/crystals 20 meq (potassium chloride)	1	GC
magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml	1	GC; HI
magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)	1	GC; HI
magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)	1	GC; HI
magnesium sulfate injection syringe 4 meq/ml	1	GC; HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	HI
PLASMA-LYTE A (electrolyte-a) INTRAVENOUS PARENTERAL SOLUTION	4	HI
potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)	1	PA BvD; GC; HI
potassium chloride oral capsule, extended release 10 meq, 8 meq	1	GC
potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml	2	
potassium chloride oral tablet (K-Tab) *extended release 10 meq, 20 meq*	1	GC
potassium chloride oral tablet (Klor-Con 8) *extended release 8 meq*	1	GC
potassium chloride oral tablet,er (Klor-Con M10) *particles/crystals 10 meq*	1	GC
potassium chloride oral tablet,er (Klor-Con M15) *particles/crystals 15 meq*	1	GC
potassium chloride oral tablet,er (Klor-Con M20) *particles/crystals 20 meq*	1	GC
potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l	1	GC; HI
potassium citrate oral tablet (Urocit-K 10) *extended release 10 meq (1,080 mg)*	2	
potassium citrate oral tablet (Urocit-K 15) *extended release 15 meq*	2	
potassium citrate oral tablet (Urocit-K 5) *extended release 5 meq (540 mg)*	2	
sodium chloride 0.45 % intravenous parenteral solution 0.45 %	2	HI
sodium chloride 0.9 % intravenous parenteral solution	4	HI
sodium chloride 0.9 % intravenous piggyback	1	GC; HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
sodium chloride 0.9% solution viaflex, single use		1	GC; HI
sodium chloride 0.9% solution viaflex, single use		2	HI
sodium chloride 0.9% solution viaflex, single use		4	
Respiratory Tract Agents			
Anti-Inflammatories, Inhaled Corticosteroids			
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	(fluticasone propion-salmeterol)	2	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	(fluticasone propion-salmeterol)	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION		3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE		3	QL (60 per 30 days)
budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml	(Pulmicort)	2	PA BvD; QL (120 per 30 days)
budesonide inhalation suspension for nebulization 1 mg/2 ml	(Pulmicort)	2	PA BvD; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	(fluticasone propionate)	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	(fluticasone propionate)	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	(fluticasone propionate)	3	QL (12 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	(fluticasone propionate)	3	QL (24 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	(fluticasone propionate)	3	QL (21.2 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	(budesonide-formoterol)	3	QL (30.6 per 30 days)
Antileukotrienes			
montelukast oral tablet 10 mg	(Singulair)	1	GC
montelukast oral tablet,chewable 4 mg, 5 mg	(Singulair)	1	GC
zafirlukast oral tablet 10 mg, 20 mg	(Accolate)	2	
Bronchodilators			
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation	(Proventil HFA)	1	GC; QL (17 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)		1	GC; QL (13.4 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)		1	GC; QL (36 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml	1	PA BvD; GC; QL (360 per 30 days)
albuterol sulfate inhalation solution for nebulization 2.5 mg /3 ml (0.083 %)	2	PA BvD; QL (360 per 30 days)
albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml	2	PA BvD; QL (120 per 30 days)
albuterol sulfate oral syrup 2 mg/5 ml	1	GC
albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
ipratropium bromide inhalation solution 0.02 %	2	PA BvD; QL (312.5 per 30 days)
ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml	1	PA BvD; GC; QL (540 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SPIRIVA WITH HANDIHALER (tiotropium bromide) INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	2	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
terbutaline oral tablet 2.5 mg, 5 mg	2	
theophylline oral solution 80 mg/15 ml	2	
theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg	2	
theophylline oral tablet extended release 24 hr 400 mg, 600 mg	1	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
acetylcysteine intravenous solution 200 mg/ml (20 %) (Acetadote)	2	
acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)	2	PA BvD
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
cromolyn inhalation solution for nebulization 20 mg/2 ml	2	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (112 per 28 days)
pirfenidone oral capsule 267 mg (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
pirfenidone oral tablet 267 mg (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
pirfenidone oral tablet 534 mg	5	PA; NM; NDS; QL (90 per 30 days)
pirfenidone oral tablet 801 mg (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV	5	PA BvD; NM; HI; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; HI; NDS
roflumilast oral tablet 250 mcg, 500 mcg (Daliresp)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
baclofen oral tablet 10 mg, 20 mg, 5 mg	1	GC
chlorzoxazone oral tablet 500 mg	2	PA-HRM; AGE (Max 64 Years)
cyclobenzaprine oral tablet 10 mg, 5 mg	1	PA-HRM; GC; AGE (Max 64 Years)
dantrolene oral capsule 100 mg, 50 mg	2	
dantrolene oral capsule 25 mg (Dantrium)	2	
methocarbamol oral tablet 500 mg, 750 mg	1	PA-HRM; GC; AGE (Max 64 Years)
revonto intravenous recon soln 20 mg (dantrolene)	1	GC; HI
tizanidine oral tablet 2 mg	1	GC
tizanidine oral tablet 4 mg (Zanaflex)	1	GC
Sleep Disorder Agents		
Sleep Disorder Agents		
armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg (Nuvigil)	1	PA; GC; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
eszopiclone oral tablet 1 mg, 2 mg, 3 mg	(Lunesta)	1	GC; QL (30 per 30 days)
modafinil oral tablet 100 mg	(Provigil)	1	PA; GC; QL (30 per 30 days)
modafinil oral tablet 200 mg	(Provigil)	1	PA; GC; QL (60 per 30 days)
sodium oxybate oral solution 500 mg/ml	(Xyrem)	5	PA; NM; LA; NDS; QL (540 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG		4	PA; QL (30 per 30 days)
tasimelteon oral capsule 20 mg	(Hetlioz)	5	PA; NM; NDS; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	(sodium oxybate)	5	PA; NM; LA; NDS; QL (540 per 30 days)
zaleplon oral capsule 10 mg, 5 mg		1	GC; QL (30 per 30 days)
zolpidem oral tablet 10 mg, 5 mg	(Ambien)	1	GC; QL (30 per 30 days)
Vasodilating Agents			
Vasodilating Agents			
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG		5	PA; NM; NDS; QL (90 per 30 days)
alyq oral tablet 20 mg	(tadalafil (pulm. hypertension))	1	PA; GC; QL (60 per 30 days)
ambrisentan oral tablet 10 mg, 5 mg	(Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
OPSUMIT ORAL TABLET 10 MG		5	PA; NM; NDS; QL (30 per 30 days)
sildenafil (pulm.hypertension) oral tablet 20 mg	(Revatio)	1	PA; GC; QL (360 per 30 days)
tadalafil (pulm. hypertension) oral tablet 20 mg	(Alyq)	1	PA; GC; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	(bosentan)	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG		5	PA; NM; NDS; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
Vitamins And Minerals		
Vitamins And Minerals		
bal-care dha combo pack 27-1-430 mg	1	GC
bal-care dha essential pack 27 mg iron-1 mg -374 mg	1	GC
c-nate dha softgel 28 mg iron-1 mg - 200 mg	1	GC
completenate tablet chew 29 mg iron- 1 mg	1	GC
folivane-ob capsule 85-1 mg	1	GC
kosher prenatal plus iron tab 30 mg iron- 1 mg	1	GC
marnatal-f capsule 60 mg iron-1 mg	1	GC
m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)	1	GC
mynatal advance oral tablet 90-1-50 mg	1	GC
mynatal capsule 65 mg iron- 1 mg	1	GC
mynatal oral tablet 90-1-50 mg	1	GC
mynatal plus captab 65 mg iron- 1 mg	1	GC
mynatal-z captab 65 mg iron- 1 mg	1	GC
mynate 90 plus oral tablet extended release 90 mg iron-1 mg	1	GC
newgen tablet 32-1,000 mg-mcg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
niva-plus tablet 27 mg iron- 1 mg	1	GC
obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe	1	GC
obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg	1	GC
o-cal prenatal tablet 15 mg iron- 1,000 mcg	1	GC
pnv 29-1 tablet (rx) 29 mg iron- 1 mg	1	GC
pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)	1	GC
pnv-dha + docusate oral capsule 27-1.25-55-300 mg	1	GC
pnv-omega softgel 28-1-300 mg	1	GC
pr natal 400 combo pack 29-1-400 mg	1	GC
pr natal 400 ec combo pack 29-1-400 mg	1	GC
pr natal 430 combo pack 29 mg iron-1 mg -430 mg	1	GC
pr natal 430 ec combo pack 29-1-430 mg	1	GC
prena1 true combo pack 30 mg iron-1.4 mg-300 mg	1	GC
prenaissance oral capsule 29-1.25-55-325 mg	1	GC
prenaissance plus oral capsule 28-1-50-250 mg	1	GC
prenatabs fa tablet 29-1 mg	1	GC
prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg	1	GC
prenatal 19 chewable tablet 29 mg iron- 1 mg	1	GC
prenatal low iron tablet (rx) 27 mg iron- 1 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
prenatal plus iron tablet (rx) 29 mg iron- 1 mg	(pnv,calcium 72-iron,carb-folic)	1	GC
prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg	(pnv,calcium 72-iron-folic acid)	1	GC
prenatal-u capsule 106.5-1 mg		1	GC
preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg	(pnv,calcium 72-iron-folic acid)	1	GC
pretab 29 mg-1 mg tablet (rx) 29-1 mg		1	GC
r-natal ob softgel 20 mg iron- 1 mg-320 mg		1	GC
select-ob chewable caplet 29 mg iron- 1 mg		1	GC
select-ob chewable caplet 29 mg iron- 1 mg		1	GC
se-natal 19 chewable tablet 29 mg iron- 1 mg		1	GC
taron-c dha capsule 35-1-200 mg		1	GC
taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg		1	GC
triveen-duo dha combo pack 29-1-400 mg		1	GC
vinate care oral tablet,chewable 40 mg iron- 1 mg		1	GC
virt-c dha softgel (rx) 35-1-200 mg		1	GC
virt-nate dha softgel 28 mg iron-1 mg -200 mg		1	GC
virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg		1	GC
virt-pn plus softgel (rx) 28-1-300 mg		1	GC
vitafol gummies 3.33 mg iron- 0.33 mg		1	GC
vitafol nano tablet 18 mg iron- 1 mg		1	GC
vitafol-ob+dha combo pack 65-1-250 mg		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg	1	GC
vp-pnv-dha softgel (rx) 28 mg iron-1 mg-200 mg	1	GC
zatean-pn dha capsule 27 mg iron-1 mg -300 mg	1	GC
zatean-pn plus softgel 28-1-300 mg	1	GC
zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

INDEX

1ST TIER UNIFINE PENTIPS 112
1ST TIER UNIFINE PENTIPS PLUS 112
abacavir 65
abacavir-lamivudine 65
abacavir-lamivudine-zidovudine 65
ABELCET 48
ABILIFY MAINTENA 58, 59
abiraterone 19
ABOUTTIME PEN NEEDLE 112, 113
ABRAXANE 19
ABRYSVO 181
acamprosate 9
acarbose 43
accutane 106
acebutolol 82
acetaminophen-codeine 3
acetazolamide 191
acetazolamide sodium 191
acetic acid 159
acetylcysteine 198
acitretin 106
ACTEMRA 175
ACTEMRA ACTPEN 175
ACTHAR 172
ACTHIB (PF) 181
ACTIMMUNE 189
acyclovir 72, 106
acyclovir sodium 72
ADACEL(TDAP ADOLESN/ADULT)(PF) 182
adapalene 111
adefovir 72
ADEMPAS 201
adrucil 19
ADVAIR DISKUS 195
ADVAIR HFA 195
ADVOCATE PEN NEEDLE 113
ADVOCATE SYRINGES 113
afirmelle 96
AJOVY AUTOINJECTOR 51
AJOVY SYRINGE 52
AKEEGA 19
AKYNZEO (FOSNETUPITANT) 54
AKYNZEO (NETUPITANT) 54
ala-cort 109
albendazole 56
albuterol sulfate 196, 197
alclometasone 109
ALCOHOL PADS 106
ALCOHOL PREP PADS 107
ALCOHOL PREP SWABS .. 106
ALCOHOL SWABS 106
ALCOHOL WIPES 108
ALECENSA 19
alendronate 188
alfuzosin 168
ALIMTA 19
aliskiren 90
allopurinol 50
alosetron 187
ALPHAGAN P 192
alprazolam 10
ALREX 162
altavera (28) 96
ALTRENO 112
ALUNBRIG 19
alyacen 1/35 (28) 96
alyacen 7/7/7 (28) 96
alyq 201
amabelz 169
amantadine hcl 56
ambrisentan 201
amethia 96
amiloride 87
amiloride-hydrochlorothiazide .. 87
AMINOSYN-PF 7 % (SULFITE-FREE) 76
amiodarone 81
amitriptyline 40
amlodipine 86
amlodipine-atorvastatin 88
amlodipine-benazepril 86
amlodipine-olmesartan 86
amlodipine-valsartan 86
amlodipine-valsartan-hcthiazid . 87
ammonium lactate 107
amoxapine 40
amoxicillin 15, 16
amoxicillin-pot clavulanate 16
amphotericin b 48
amphotericin b liposome 48
ampicillin 16
ampicillin sodium 16
ampicillin-sulbactam 16
anagrelide 76
anastrozole 19
ANORO ELLIPTA 197
apomorphine 57
APONVIE 54
apraclonidine 158
aprepitant 54
APRETUDE 65
apri 96
APTIOM 34
APTIVUS 65
AQINJECT PEN NEEDLE . 114
aranelle (28) 96

ARCALYST 175
AREXVY (PF) 182
AREXVY ANTIGEN COMPONENT 182
aripiprazole 59
ARISTADA 59
ARISTADA INITIO 59
armodafinil 200
ARNUITY ELLIPTA 195
ascomp with codeine 3
asenapine maleate 59
ashlyna 97
aspirin-dipyridamole 76
ASSURE ID DUO-SHIELD 114
ASSURE ID INSULIN SAFETY 114
ASSURE ID PEN NEEDLE 114
ASSURE ID PRO PEN NEEDLE 114
atazanavir 65
atenolol 82
atenolol-chlorthalidone 82
atomoxetine 91
atorvastatin 88
atovaquone 56
atovaquone-proguanil 56
atropine 158
ATROVENT HFA 197
aubra eq 97
aurovela 1.5/30 (21) 97
aurovela 1/20 (21) 97
aurovela 24 fe 97
aurovela fe 1.5/30 (28) 97
aurovela fe 1-20 (28) 97
AUSTEDO 91
AUSTEDO XR 91, 92
AUSTEDO XR TITRATION KT(WK1-4) 92
AUVELITY 40
aviane 97
AVONEX 92
ayuna 97
AYVAKIT 19
azacitidine 19
azathioprine 175
azathioprine sodium 175
azelastine 159
azithromycin 14
AZOPT 192
aztreonam 15
azurette (28) 97
bacitracin 159
bacitracin-polymyxin b 159
baclofen 200
bal-care dha 202
bal-care dha essential 202
balsalazide 187
BALVERSA 19, 20
balziva (28) 97
BCG VACCINE, LIVE (PF) 182
BD ALCOHOL SWABS 107
BD AUTOSHIELD DUO PEN NEEDLE 114
BD ECLIPSE LUER-LOK ... 114
BD INSULIN SYRINGE 115
BD INSULIN SYRINGE (HALF UNIT) 114
BD INSULIN SYRINGE SLIP TIP 115
BD INSULIN SYRINGE U-500 115
BD INSULIN SYRINGE ULTRA-FINE 115
BD NANO 2ND GEN PEN NEEDLE 115
BD SAFETYGLIDE INSULIN SYRINGE 115, 116
BD SAFETYGLIDE NEEDLE 116
BD SAFETYGLIDE SYRINGE 116
BD ULTRA-FINE MICRO PEN NEEDLE 116
BD ULTRA-FINE MINI PEN NEEDLE 116
BD ULTRA-FINE NANO PEN NEEDLE 116
BD ULTRA-FINE ORIG PEN NEEDLE 116
BD ULTRA-FINE SHORT PEN NEEDLE 116
BD VEO INSULIN SYR (HALF UNIT) 116
BD VEO INSULIN SYRINGE UF 116
BELSOMRA 200
benazepril 80
benazepril-hydrochlorothiazide . 80
bendamustine 20
BENDAMUSTINE 20
BENDEKA 20
BENLYSTA 175
benztropine 57
BESREMI 175
betaine 189
betamethasone acet,sod phos .. 171
betamethasone dipropionate ... 109
betamethasone valerate 109
betamethasone, augmented 109, 110
BETASERON 92
betaxolol 83
bethanechol chloride 167
bexarotene 20
BEXSERO 182
bicalutamide 20
BICILLIN L-A 16
BIKTARVY 65
bisoprolol fumarate 83

bisoprolol-hydrochlorothiazide . 83
bleomycin 20
bleph-10 159
blisovi 24 fe 97
blisovi fe 1.5/30 (28) 97
blisovi fe 1/20 (28) 97
BOOSTRIX TDAP 182
BORDERED GAUZE 117
bortezomib 20
BORTEZOMIB 20
BOSULIF 20
BRAFTOVI 20
BREO ELLIPTA 195
BREZTRI AEROSPHERE .. 197
briellyn 97
BRILINTA 76
brimonidine 192
brimonidine-timolol 192
BRIVIACT 34
bromocriptine 57
BROMSITE 162
BRUKINSA 20
budesonide 187, 195
bumetanide 87
buprenorphine hcl 3, 9
buprenorphine-naloxone 9
bupropion hcl 40
bupropion hcl (smoking deter) ... 9
buspirone 189
butalbital-acetaminophen-caff 3
butalbital-aspirin-caffeine 3
CABENUVA 65
cabergoline 57
CABLIVI 76
CABOMETYX 20
cabotegravir 65, 66
caffeine citrate 92
calcipotriene 107
calcitonin (salmon) 188
calcitriol 188
calcium acetate(phosphat bind) 167
calcium chloride 193
CALQUENCE 20
CALQUENCE (ACALABRUTINIB MAL) ... 20
camila 97
candesartan 79
candesartan-hydrochlorothiazid 79
CAPLYTA 59
CAPRELSA 21
captopril 81
carbamazepine 34, 35
carbidopa-levodopa 57
carbidopa-levodopa-entacapone 57
CAREFINE PEN NEEDLE 117
CARETOUCH ALCOHOL PREP PAD 107
CARETOUCH INSULIN SYRINGE 117, 118
CARETOUCH PEN NEEDLE 117
carglumic acid 164
carteolol 192
cartia xt 84
carvedilol 83
caspofungin 48
CAYSTON 15
caziant (28) 97
cefaclor 13
cefadroxil 13
cefazolin 13
cefazolin in dextrose (iso-os) ... 13
cefdinir 13
cefepime 13
cefixime 13
cefotaxime 13
cefoxitin 13
cefpodoxime 13, 14
cefprozil 14
ceftazidime 14
ceftriaxone 14
cefuroxime axetil 14
cefuroxime sodium 14
celecoxib 6
cephalexin 14
CERDELGA 157
cevimeline 106
chateal eq (28) 97
chloramphenicol sod succinate .. 11
chlordiazepoxide hcl 10
chlorhexidine gluconate 106
chloroquine phosphate 56
chlorothiazide sodium 87
chlorpromazine 59, 60
chlorthalidone 87
chlorzoxazone 200
cholestyramine (with sugar) 88
cholestyramine light 88
ciclopirox 48
cilostazol 76
CIMDUO 66
cimetidine hcl 163
CIMZIA 176
CIMZIA POWDER FOR RECONST 175
cinacalcet 188
CINQAIR 198
CINRYZE 74
ciprofloxacin 17
ciprofloxacin hcl 17, 160
ciprofloxacin in 5 % dextrose ... 17
ciprofloxacin-dexamethasone . 160
citalopram 40
clarithromycin 14, 15
CLENPIQ 166

CLICKFINE PEN NEEDLE 118
clindamycin hcl 11
clindamycin in 5 % dextrose 11
clindamycin pediatric 11
clindamycin phosphate 11, 12, 51, 108
clindamycin-benzoyl peroxide . 108
CLINIMIX 5%/D15W SULFITE FREE.....76
CLINIMIX 4.25%/D10W SULF FREE.....77
CLINIMIX 4.25%/D5W SULFIT FREE.....77
CLINIMIX 5%-D20W(SULFITE-FREE)..... 77
CLINIMIX 6%-D5W (SULFITE-FREE).....77
CLINIMIX 8%-D10W(SULFITE-FREE)..... 77
CLINIMIX 8%-D14W(SULFITE-FREE)..... 77
CLINIMIX E 2.75%/D5W SULF FREE.....77
CLINIMIX E 4.25%/D10W SUL FREE..... 77
CLINIMIX E 4.25%/D5W SULF FREE.....77
CLINIMIX E 5%/D15W SULFIT FREE.....77
CLINIMIX E 5%/D20W SULFIT FREE.....78
CLINIMIX E 8%-D10W SULFITEFREE..... 78
CLINIMIX E 8%-D14W SULFITEFREE..... 78
clobazam 35
clobetasol 110
clobetasol-emollient 110
clomipramine 40
clonazepam 10
clonidine 79
clonidine hcl 79
clopidogrel 76
clorazepate dipotassium 10
clotrimazole 48
clotrimazole-betamethasone 49
clozapine 60
c-nate dha 202
COARTEM 56
codeine sulfate 3
codeine-butalbital-asa-caff 3
colchicine 50
colesevelam 88
colestipol 88
colistin (colistimethate na) 12
COMBIVENT RESPIMAT..197
COMETRIQ.....21
COMFORT EZ INSULIN SYRINGE.....118, 119, 120
COMFORT EZ PEN NEEDLES..... 119
COMFORT EZ PRO SAFETY PEN NDL.....119
COMFORT TOUCH PEN NEEDLE.....120, 121
COMPLERA.....66
completenate 202
compro 54
constulose 165
COPAXONE..... 92
COPIKTRA.....21
CORLANOR.....85
CORTROPHIN GEL..... 172
COSENTYX.....176
COSENTYX (2 SYRINGES) 176
COSENTYX PEN (2 PENS) 176
COSENTYX UNOREADY PEN..... 176
COTELLIC.....21
CREON..... 157
cromolyn 159, 165, 198
cryselle (28) 98
CURAD GAUZE PAD.....121
CURITY ALCOHOL SWABS..... 107
CURITY GAUZE..... 121
cyclafem 1/35 (28) 98
cyclafem 7/7/7 (28) 98
cyclobenzaprine 200
cyclopentolate 159
cyclophosphamide 21
cyclosporine 176
cyclosporine modified 176
cyproheptadine 51
CYRAMZA.....21
cyred eq 98
CYSTARAN.....159
d5 % and 0.9 % sodium chloride 193
d5 %-0.45 % sodium chloride ..193
dabigatran etexilate 72
dalfampridine 92
danazol 168
dantrolene 200
DANYELZA.....21
dapsone 53
DAPTACEL (DTAP PEDIATRIC) (PF)..... 182
daptomycin 12
darunavir ethanolate 66
dasetta 1/35 (28) 98
dasetta 7/7/7 (28) 98
DAURISMO..... 21
daysee 98
deblitane 98
decitabine 21
deferasirox 168
deferiprone 168

DELSTRIGO 66
DENGVAXIA (PF) 183
denta 5000 plus 106
dentagel 106
DERMACEA 121
DERMACEA NON-WOVEN 121
DESCOVY 66
desipramine 40, 41
desmopressin 172, 173
desog-e.estradiol/e.estradiol 98
desogestrel-ethinyl estradiol 98
desoximetasone 110
desvenlafaxine succinate 41
dexamethasone 171
dexamethasone sodium phos (pf) 171
dexamethasone sodium phosphate 162, 171
dexmethylphenidate 92
dextroamphetamine sulfate 92
dextroamphetamine-amphetamine 93
dextrose 10 % in water (d10w) 78
dextrose 5 % in water (d5w) 78
DIACOMIT 35
diazepam 10, 35
diazepam intensol 10
diazoxide 189
diclofenac potassium 6
diclofenac sodium 6, 7, 162
diclofenac-misoprostol 7
dicloxacillin 16
dicyclomine 165
didanosine 66
DIFICID 15
difluprednate 162
digitek 85
digox 85
digoxin 85
dihydroergotamine 52
diltiazem hcl 84
dilt-xr 84
dimenhydrinate 54
dimethyl fumarate 93
DIPENTUM 187
diphenhydramine hcl 51
diphenoxylate-atropine 165
dipyridamole 76
disopyramide phosphate 82
disulfiram 9
divalproex 35
dofetilide 82
donepezil 39
DOPTELET (10 TAB PACK) 74
DOPTELET (15 TAB PACK) 74
DOPTELET (30 TAB PACK) 74
dorzolamide 192
dorzolamide-timolol 192
dotti 169
DOVATO 66
doxazosin 79
doxepin 41
doxorubicin 21
doxorubicin, peg-liposomal 22
doxy-100 18
doxycycline hyclate 18
doxycycline monohydrate 18
DRIZALMA SPRINKLE 41
dronabinol 54
droperidol 54
DROPLET INSULIN SYR(HALF UNIT) 121, 122
DROPLET INSULIN SYRINGE 121, 122
DROPLET MICRON PEN NEEDLE 123
DROPLET PEN NEEDLE 123
DROPSAFE ALCOHOL PREP PADS 107
DROPSAFE INSULIN SYRINGE 123, 124
DROPSAFE PEN NEEDLE 124
drospirenone-ethinyl estradiol 98
DROXIA 76
droxidopa 79
DUAVEE 169
duloxetine 41
DUPIXENT PEN 176
DUPIXENT SYRINGE 176
dutasteride 168
EASY COMFORT ALCOHOL PAD 107
EASY COMFORT INSULIN SYRINGE 124, 125
EASY COMFORT PEN NEEDLES 125
EASY GLIDE INSULIN SYRINGE 125
EASY GLIDE PEN NEEDLE 125
EASY TOUCH 127, 128
EASY TOUCH ALCOHOL PREP PADS 107
EASY TOUCH FLIPLOCK INSULIN 127
EASY TOUCH FLIPLOCK SYRINGE 126
EASY TOUCH INSULIN SAFETY SYR 126
EASY TOUCH INSULIN SYRINGE 126, 127, 128
EASY TOUCH LUER LOCK INSULIN 127
EASY TOUCH PEN NEEDLE 127
EASY TOUCH SAFETY PEN NEEDLE 128

EASY TOUCH SHEATHLOCK INSULIN 126, 127
EASY TOUCH UNI-SLIP... 128
ec-naproxen 7
econazole 49
EDARBI 79
EDARBYCLOR 79
EDURANT 66
efavirenz 66
efavirenz-emtricitabin-tenofov .. 66
efavirenz-lamivu-tenofov disop . 66
EGRIFTA SV 173
electrolyte-148 193
ELIGARD 22
ELIGARD (3 MONTH) 22
ELIGARD (4 MONTH) 22
ELIGARD (6 MONTH) 22
elinest 98
ELIQUIS 72
ELIQUIS DVT-PE TREAT 30D START 72
ELLA 98
ELMIRON 189
ELREXFIO 22
eluryng 98
EMBRACE PEN NEEDLE 128, 129
EMCYT 22
EMEND 54
EMGALITY PEN 52
EMGALITY SYRINGE 52
emoquette 98
EMSAM 41
emtricitabine 66
emtricitabine-tenofovir (tdf) 66
EMTRIVA 66
enalapril maleate 81
enalaprilat 81
enalapril-hydrochlorothiazide ... 81
ENBREL 176, 177
ENBREL MINI 176
ENBREL SURECLICK 177
ENDARI 190
endocet 3
ENGERIX-B (PF) 183
ENGERIX-B PEDIATRIC (PF) 183
enilloring 98
enoxaparin 72, 73
enpresse 98
enskyce 99
entacapone 57
entecavir 72
ENTRESTO 79
enulose 165
EPCLUSA 71
EPIDIOLEX 35
epinastine 159
epinephrine 86
epitol 35
EPIVIR HBV 66
EPKINLY 22
eplerenone 90
EPRONTIA 35
ERBITUX 22
ergoloid 39
ERIVEDGE 22
ERLEADA 22
erlotinib 22
errin 99
ertapenem 15
ery pads 108
erythromycin 15, 160
erythromycin ethylsuccinate 15
erythromycin with ethanol 108
escitalopram oxalate 41
esomeprazole magnesium 163
esomeprazole sodium 164
estarylla 99
estradiol 169, 170
estradiol valerate 170
estradiol-norethindrone acet ... 170
eszopiclone 201
ethambutol 53
ethosuximide 35
ethynodiol diac-eth estradiol 99
etodolac 7
etonogestrel-ethinyl estradiol 99
ETOPOPHOS 22
etoposide 23
etravirine 67
EUCRISA 110
everolimus (antineoplastic) 23
everolimus (immunosuppressive) 177
EVOTAZ 67
EVRYSDI 190
EXEL INSULIN 129
exemestane 23
EXKIVITY 23
EYSUVIS 162
ezetimibe 88
ezetimibe-simvastatin 89
falmina (28) 99
famciclovir 72
famotidine 164
famotidine (pf) 164
famotidine (pf)-nacl (iso-os) 164
FANAPT 60
FARXIGA 43
FARYDAK 23
FASENRA 198
FASENRA PEN 198
febuxostat 50
felbamate 35
FEMRING 170
femynor 99
fenofibrate 89
fenofibrate micronized 89

fenofibrate nanocrystallized.....89
fenofibric acid (choline).....89
fentanyl..... 4
fentanyl citrate.....4
FERRIPROX..... 168
FERRIPROX (2 TIMES A DAY)..... 168
fesoterodine.....167
FETZIMA..... 41
FIASP FLEXTOUCH U-100 INSULIN.....45
FIASP PENFILL U-100 INSULIN.....46
FIASP U-100 INSULIN.....46
finasteride..... 168
fingolimod.....93
FINTEPLA.....36
FIRVANQ.....12
FLEBOGAMMA DIF.....177
flecainide..... 82
FLOVENT DISKUS..... 196
FLOVENT HFA.....196
floxuridine..... 23
fluconazole.....49
fluconazole in nacl (iso-osm)... 49
flucytosine.....49
fludrocortisone..... 171
flumazenil..... 93
flunisolide.....162
fluocinolone.....110
fluocinolone acetonide oil..... 162
fluocinonide.....110
fluocinonide-emollient..... 110
fluoride (sodium).....106
fluorometholone..... 162
fluorouracil.....23, 107
fluoxetine.....41
fluphenazine decanoate.....60
fluphenazine hcl..... 60
flurbiprofen.....7
flurbiprofen sodium..... 162
flutamide.....23
fluticasone propionate..... 110, 162
fluvastatin.....89
fluvoxamine..... 41
folivane-ob..... 202
fondaparinux.....73
FORTEO..... 188
fosamprenavir..... 67
fosaprepitant.....54
foscarnet.....70
fosinopril.....81
fosinopril-hydrochlorothiazide..81
fosphenytoin.....36
FOTIVDA..... 23
FREESTYLE PRECISION..129
FULPHILA..... 74
fulvestrant.....23
furosemide..... 87
FUZEON.....67
FYARRO..... 23
fyavolv..... 170
FYCOMPA..... 36
gabapentin..... 36
GALAFOLD..... 157
galantamine.....39, 40
GAMIFANT..... 177
GAMMAGARD LIQUID... 177
GAMMAGARD S-D (IGA < 1 MCG/ML).....177
GAMMAPLEX..... 177
GAMMAPLEX (WITH SORBITOL).....177
GARDASIL 9 (PF).....183
gatifloxacin.....160
GATTEX 30-VIAL.....165
GAUZE PAD..... 129
gavilyte-c..... 166
gavilyte-g..... 166
gavilyte-n..... 166
GAVRETO.....23
gefitinib..... 23
gemfibrozil.....89
generlac..... 165
gengraf.....177
gentak.....160
gentamicin..... 11, 109, 160
gentamicin sulfate (ped) (pf)...11
gentamicin sulfate (pf).....11
GENVOYA..... 67
GILENYA.....93
GILOTRIF.....23
glatiramer.....93
glatopa.....93
GLEOSTINE.....23
glimepiride..... 47, 48
glipizide..... 48
glipizide-metformin..... 48
glyburide.....48
glyburide micronized..... 48
glyburide-metformin.....48
glycopyrrolate.....165
glydo..... 8
GLYXAMBI..... 43
granisetron (pf)..... 54
granisetron hcl..... 55
GRANIX.....74
griseofulvin microsize.....49
guanfacine.....79, 93
GVOKE..... 190
GVOKE HYPOPEN 2-PACK..... 190
GVOKE PFS 1-PACK SYRINGE..... 190
HAEGARDA..... 74
hailey.....99
hailey 24 fe..... 99
hailey fe 1.5/30 (28)..... 99
hailey fe 1/20 (28)..... 99
halobetasol propionate.....110

haloette 99
haloperidol 61
haloperidol decanoate 60
haloperidol lactate 60, 61
HARVONI 71
HAVRIX (PF) 183
HEALTHWISE INSULIN SYRINGE 130
HEALTHWISE PEN NEEDLE 130
HEALTHY ACCENTS UNIFINE PENTIP 131
heather 99
heparin (porcine) 73
heparin, porcine (pf) 73
HEPLISAV-B (PF) 183
HERCEPTIN HYLECTA 23
HERZUMA 24
HIBERIX (PF) 183
HUMIRA 178
HUMIRA PEN 178
HUMIRA PEN CROHNS-UC-HS START 177
HUMIRA PEN PSOR-UVEITS-ADOL HS 177
HUMIRA(CF) 178
HUMIRA(CF) PEDI CROHNS STARTER 178
HUMIRA(CF) PEN 178
HUMIRA(CF) PEN CROHNS-UC-HS 178
HUMIRA(CF) PEN PEDIATRIC UC 178
HUMIRA(CF) PEN PSOR-UV-ADOL HS 178
HUMULIN R U-500 (CONC) INSULIN 46
HUMULIN R U-500 (CONC) KWIKPEN 46
hydralazine 86
hydrochlorothiazide 87
hydrocodone-acetaminophen 4
hydrocodone-ibuprofen 4
hydrocortisone . 110, 111, 171, 187
hydrocortisone butyrate 111
hydrocortisone valerate 111
hydrocortisone-acetic acid 160
hydrocortisone-min oil-wht pet 111
hydromorphone 4
hydromorphone (pf) 4
hydroxychloroquine 56
hydroxyurea 24
hydroxyzine hcl 51
hydroxyzine pamoate 190
ibandronate 188
IBRANCE 24
ibu 7
ibuprofen 7
ibuprofen-famotidine 7
icatibant 86
iclevia 99
ICLUSIG 24
IDHIFA 24
ifosfamide 24
IGALMI 190
ILEVRO 162
imatinib 24
IMBRUVICA 24
imipenem-cilastatin 15
imipramine hcl 42
imiquimod 107
IMJUDO 24
IMLYGIC 24
IMOVAX RABIES VACCINE (PF) 183
IMPAVIDO 56
INBRIJA 57
incassia 99
INCONTROL ALCOHOL PADS 107
INCONTROL PEN NEEDLE 131
INCRELEX 173
indapamide 88
indomethacin 7
INFANRIX (DTAP) (PF) 183
infliximab 178
INLYTA 24, 25
INPEN (FOR HUMALOG) BLUE 131
INPEN (NOVOLOG OR FIASP) BLUE 131
INQOVI 25
INREBIC 25
INSULIN SYR/NDL U100 HALF MARK 131
INSULIN SYRINGE 115
INSULIN SYRINGE MICROFINE 115
INSULIN SYRINGE NEEDLELESS 115
INSULIN SYRINGE-NEEDLE U-100 115, 117, 129, 131, 132, 133, 141, 146
INSUPEN PEN NEEDLE 133
INTELENCE 67
INTRALIPID 78
INTRON A 71
INVEGA HAFYERA 61
INVEGA SUSTENNA 61
INVEGA TRINZA 61
INVELTYS 162
INVIRASE 67
IPOL 183
ipratropium bromide 159, 197
ipratropium-albuterol 197
irbesartan 80
irbesartan-hydrochlorothiazide . 80
ISENTRESS 67

ISENTRESS HD 67
isibloom 99
ISOLYTE S PH 7.4 193
ISOLYTE-P IN 5 % DEXTROSE 193
ISOLYTE-S 193
isoniazid 53
isosorbide dinitrate 91
isosorbide mononitrate 91
isosorbide-hydralazine 91
isradipine 87
itraconazole 49
IV PREP WIPES 107
ivermectin 56
IXIARO (PF) 184
jaimiess 99
JAKAFI 25
jantoven 73
JARDIANCE 43
jasmiel (28) 100
javygtor 157
JAYPIRCA 25
JEMPERLI 25
jencycla 100
JENTADUETO 43
JENTADUETO XR 43
jinteli 170
juleber 100
JULUCA 67
junel 1.5/30 (21) 100
junel 1/20 (21) 100
junel fe 1.5/30 (28) 100
junel fe 1/20 (28) 100
junel fe 24 100
JUXTAPID 89
JYNNEOS (PF)(STOCKPILE) 184
kalliga 100
KALYDECO 199
kariva (28) 100
kelnor 1/35 (28) 100
kelnor 1-50 (28) 100
KERENDIA 90
KESIMPTA PEN 93
ketoconazole 49
ketorolac 7, 162
KEVZARA 178
KEYTRUDA 25
KIMMTRAK 25
KINRIX (PF) 184
KISQALI 25
KISQALI FEMARA CO-PACK 25
KLISYRI 107
klor-con m10 193
klor-con m15 193
klor-con m20 193
KLOXXADO 9
KORLYM 44
KOSELUGO 25
kosher prenatal plus iron 202
KRAZATI 26
KRINTAFEL 56
kurvelo (28) 100
KYNMOBI 58
l norgestle.estradiol-e.estrad ... 100
labetalol 83
lacosamide 36
lactulose 165
lagevrio (eua) 72
lamivudine 67
lamivudine-zidovudine 67
lamotrigine 36
lanreotide 173
lansoprazole 164
lapatinib 26
larin 1.5/30 (21) 100
larin 1/20 (21) 100
larin 24 fe 100
larin fe 1.5/30 (28) 101
larin fe 1/20 (28) 101
larissia 101
latanoprost 192
leflunomide 178
lenalidomide 26
LENVIMA 26
lessina 101
letrozole 26
leucovorin calcium 190
LEUKERAN 26
LEUKINE 74
leuprolide 26
leuprolide (3 month) 26
levetiracetam 36, 37
levobunolol 192
levocarnitine 190
levocarnitine (with sugar) 190
levocetirizine 51
levofloxacin 17, 159, 160
levofloxacin in d5w 17
levonest (28) 101
levonorgestrel-ethinyl estrad ... 101
levonorg-eth estrad triphasic ... 101
levora-28 101
levothyroxine 175
LEXIVA 67
lidocaine 8
lidocaine (pf) 8, 82
lidocaine hcl 8
lidocaine viscous 8
lidocaine-prilocaine 8
lillow (28) 101
linezolid 12
linezolid in dextrose 5% 12
LINZESS 165
liothyronine 175
LISCO 133
lisinopril 81
lisinopril-hydrochlorothiazide ... 81

LITE TOUCH INSULIN PEN NEEDLES..... 133, 134
LITE TOUCH INSULIN SYRINGE..... 133, 134
lithium carbonate..... 94
lithium citrate..... 94
LIVALO..... 89
lojaimiess..... 101
LOKELMA..... 165
LONSURF..... 26
loperamide..... 165
lopinavir-ritonavir.....67, 68
lorazepam.....10, 11
LORBRENA..... 26
loryna (28)..... 101
losartan.....80
losartan-hydrochlorothiazide.... 80
LOTEMAX.....162
LOTEMAX SM..... 163
loteprednol etabonate..... 163
lovastatin..... 89
low-ogestrel (28)..... 101
loxapine succinate..... 62
lo-zumandimine (28).....101
lubiprostone..... 165
LUMAKRAS..... 26
LUMIGAN.....192
LUNSUMIO..... 26
LUPRON DEPOT.....173
LUPRON DEPOT (3 MONTH)..... 26, 173
LUPRON DEPOT (4 MONTH).....27
LUPRON DEPOT (6 MONTH).....27
lurasidone..... 62
lutera (28).....101
LYBALVI.....62
lyleq.....101
lyllana.....170
LYNPARZA..... 27
LYSODREN..... 27
LYTGOBI..... 27
lyza.....102
MAGELLAN INSULIN SAFETY SYRNG..... 135
MAGELLAN SYRINGE.....134
magnesium sulfate.....193
magnesium sulfate in d5w..... 193
magnesium sulfate in water.....193
malathion.....112
maprotiline.....42
maraviroc.....68
MARGENZA.....27
marlissa (28)..... 102
marnatal-f.....202
MARPLAN..... 42
MATULANE..... 27
matzim la.....85
MAVENCLAD (10 TABLET PACK).....94
MAVENCLAD (4 TABLET PACK).....94
MAVENCLAD (5 TABLET PACK).....94
MAVENCLAD (6 TABLET PACK).....94
MAVENCLAD (7 TABLET PACK).....94
MAVENCLAD (8 TABLET PACK).....94
MAVENCLAD (9 TABLET PACK).....94
MAXICOMFORT II PEN NEEDLE..... 135
MAXICOMFORT INSULIN SYRINGE..... 135
MAXI-COMFORT INSULIN SYRINGE..... 135
MAXICOMFORT SAFETY PEN NEEDLE.....135
MAYZENT..... 94
MAYZENT STARTER(FOR 1MG MAINT)..... 94
MAYZENT STARTER(FOR 2MG MAINT)..... 94
meclizine.....55
medroxyprogesterone..... 174
mefenamic acid..... 7
mefloquine..... 56
megestrol.....27, 174
MEKINIST..... 27
MEKTOVI..... 27
meloxicam..... 8
memantine..... 40
MENACTRA (PF)..... 184
MENQUADFI (PF)..... 184
MENVEO A-C-Y-W-135-DIP (PF)..... 184
mercaptopurine..... 27
meropenem.....15
merzee..... 102
mesalamine..... 187
mesna.....190
MESNEX.....190
metformin..... 44
methadone..... 4
methadose.....4
methenamine hippurate..... 12
methimazole.....175
methocarbamol.....200
methotrexate sodium.....27
methotrexate sodium (pf)..... 27
methoxsalen..... 107
methscopolamine.....165
methsuximide.....37
methyldopa..... 79

methylphenidate hcl 94, 95
methylprednisolone 171, 172
methylprednisolone acetate 171
methylprednisolone sodium succ 172
metoclopramide hcl 165
metolazone 88
metoprolol succinate 83
metoprolol ta-hydrochlorothiaz 83
metoprolol tartrate 83
metronidazole 12, 51, 109
metronidazole in nacl (iso-os) .. 12
metyrosine 86
mexiletine 82
miconazole-3 49
MICRODOT INSULIN PEN NEEDLE 135
microgestin fe 1/20 (28) 102
midodrine 79
miglustat 158
mili 102
mimvey 170
MINI ULTRA-THIN II 136
minitran 91
minocycline 18
minoxidil 91
mirtazapine 42
misoprostol 164
MITIGARE 50
mitoxantrone 27
M-M-R II (PF) 184
m-natal plus 202
modafinil 201
moexipril 81
molindone 62
mometasone 111, 163
mondoxyne nl 18
MONOJECT INSULIN SAFETY SYRING 136, 137
MONOJECT INSULIN SYRINGE 136, 137
MONOJECT SYRINGE 136
MONOJECT ULTRA COMFORT INSULIN 152
mono-linyah 102
montelukast 196
morphine 5
MORPHINE 5
morphine concentrate 5
MOUNJARO 44
MOVANTIK 166
moxifloxacin 17, 160
MULTAQ 82
mupirocin 109
MVASI 28
mycophenolate mofetil 179
mycophenolate mofetil (hcl) ... 178
mynatal 202
mynatal advance 202
mynatal plus 202
mynatal-z 202
mynate 90 plus 202
MYRBETRIQ 167
nabumetone 8
nafcillin 16
nafcillin in dextrose iso-osm 16
naloxone 9
naltrexone 9
naproxen 8
naratriptan 52
NATACYN 160
nateglinide 44
NATPARA 188
NAYZILAM 37
nebivolol 83
necon 0.5/35 (28) 102
nefazodone 42
neomycin 11
neomycin-bacitracin-poly-hc ... 160
neomycin-bacitracin-polymyxin 160
neomycin-polymyxin b gu 109
neomycin-polymyxin b-dexameth 160
neomycin-polymyxin-gramicidin 160
neomycin-polymyxin-hc 161
neo-polycin 161
neo-polycin hc 161
NERLYNX 28
NEULASTA 75
NEULASTA ONPRO 74
NEUPRO 58
nevirapine 68
newgen 202
NEXLETOL 89
NEXLIZET 89
niacin 89
niacor 90
nicardipine 87
NICOTROL 9
nifedipine 87
nikki (28) 102
nilutamide 28
NINLARO 28
nitazoxanide 56
nitisinone 158, 190
nitrofurantoin macrocrystal 12
nitrofurantoin monohyd/m-cryst 12
nitroglycerin 91
niva-plus 203
NIVESTYM 75
nizatidine 164
NORDITROPIN FLEXPRO 173
norethindrone (contraceptive) 102
norethindrone acetate 174

norethindrone ac-eth estradiol 102, 170
norethindrone-e.estradiol-iron .102
norgestimate-ethinyl estradiol 102, 103
norlyda 103
NORMOSOL-M IN 5 % DEXTROSE 194
nortrel 0.5/35 (28) 103
nortrel 1/35 (21) 103
nortrel 1/35 (28) 103
nortrel 7/7/7 (28) 103
nortriptyline 42
NORVIR 68
NOVOFINE 30 137
NOVOFINE 32 137
NOVOFINE PLUS 137
NOVOLIN 70/30 U-100 INSULIN 46
NOVOLIN 70-30 FLEXPEN U-100 46
NOVOLIN N FLEXPEN 46
NOVOLIN N NPH U-100 INSULIN 46
NOVOLIN R FLEXPEN 46
NOVOLIN R REGULAR U100 INSULIN 46
NOVOLOG FLEXPEN U-100 INSULIN 46
NOVOLOG MIX 70-30 U-100 INSULN 47
NOVOLOG MIX 70-30FLEXPEN U-100 47
NOVOLOG PENFILL U-100 INSULIN 47
NOVOLOG U-100 INSULIN ASPART 47
NOVOTWIST 137
NOXAFIL 49
NUBEQA 28
NUCALA 199
NULOJIX 179
NUPLAZID 62
NURTEC ODT 52
NUTRILIPID 78
nyamyc 49
nylia 1/35 (28) 103
nylia 7/7/7 (28) 103
nymyo 103
nystatin 49, 50
nystatin-triamcinolone 50
nystop 50
NYVEPRIA 75
obstetrix dha 203
obstetrix dha prenatal duo 203
o-cal prenatal 203
OCALIVA 166
OCREVUS 95
OCTAGAM 179
octreotide acetate 173
ODEFSEY 68
ODOMZO 28
OFEV 199
ofloxacin 161
OGIVRI 28
OJJAARA 28
olanzapine 62
olmesartan 80
olmesartan-amlodipin-hcthiazid 80
olmesartan-hydrochlorothiazide 80
olopatadine 159
OLUMIANT 179
omega-3 acid ethyl esters 90
omeprazole 164
omeprazole-sodium bicarbonate 164
OMNIPOD 5 G6 INTRO KIT (GEN 5) 137
OMNIPOD 5 G6 PODS (GEN 5) 137
OMNIPOD CLASSIC PDM KIT(GEN 3) 137
OMNIPOD CLASSIC PODS (GEN 3) 137
OMNIPOD DASH INTRO KIT (GEN 4) 138
OMNIPOD DASH PDM KIT (GEN 4) 138
OMNIPOD DASH PODS (GEN 4) 138
OMNIPOD GO PODS 138
OMNIPOD GO PODS 10 UNITS/DAY 138
OMNIPOD GO PODS 15 UNITS/DAY 138
OMNIPOD GO PODS 20 UNITS/DAY 138
OMNIPOD GO PODS 25 UNITS/DAY 138
OMNIPOD GO PODS 30 UNITS/DAY 138
OMNIPOD GO PODS 40 UNITS/DAY 138
ondansetron 55
ondansetron hcl 55
ondansetron hcl (pf) 55
ONTRUZANT 28
ONUREG 28
OPDIVO 28
OPDUALAG 28
OPSUMIT 201
oralone 106
ORENCIA 179
ORENCIA (WITH MALTOSE) 179
ORENCIA CLICKJECT 179
ORFADIN 158
ORGOVYX 173

ORILISSA 173
ORKAMBI 199
ORSERDU 28
orsythia 103
oseltamivir 70
OSMOLEX ER 58
OTEZLA 179
OTEZLA STARTER 179
oxandrolone 168
oxazepam 11
oxcarbazepine 37
OXLUMO 190
oxybutynin chloride 167
oxycodone 5
oxycodone-acetaminophen 5
OXYCONTIN 5
oxymorphone 6
OZEMPIC 44
pacerone 82
paclitaxel protein-bound 28
paliperidone 62
PALYNZIQ 158
PANRETIN 107
pantoprazole 164
paricalcitol 188, 189
paroex oral rinse 106
paromomycin 56
paroxetine hcl 42
PAXLOVID 70
pazopanib 28
PEDIARIX (PF) 184
PEDVAX HIB (PF) 184
PEGASYS 71
peg-electrolyte soln 166
PEMAZYRE 28
pemetrexed 29
pemetrexed disodium 28, 29
PEN NEEDLE129, 138, 139, 141
PEN NEEDLE, DIABETIC 120, 135, 136, 138, 139, 141
PEN NEEDLE, DIABETIC, SAFETY 142
penicillamine 168
penicillin g potassium 16
penicillin g procaine 17
penicillin v potassium 17
PENTACEL (PF) 184
pentamidine 56
PENTIPS 139
pentoxifylline 76
perindopril erbumine 81
periogard 106
permethrin 112
perphenazine 62
perphenazine-amitriptyline 42
PERSERIS 62
pfizerpen-g 17
phenelzine 42
phenobarbital 37
phenylephrine hcl 79
phenytoin 37
phenytoin sodium 37
phenytoin sodium extended 37
philith 103
PHOSLYRA 167
PIFELTRO 68
pilocarpine hcl 106, 192
pimecrolimus 111
pimozide 62
pimtrea (28) 103
pindolol 83
pioglitazone 44
pioglitazone-metformin 44
PIP PEN NEEDLE 139
piperacillin-tazobactam 17
PIQRAY 29
pirfenidone 199
pirmella 103
piroxicam 8
PLASMA-LYTE A 194
PLEGRIDY 95, 96
pnv 29-1 203
pnv-dha + docusate 203
pnv-omega 203
podofilox 107
polycin 161
polymyxin b sulfate 12
polymyxin b sulf-trimethoprim 161
POMALYST 29
portia 28 103
posaconazole 50
potassium chloride 194
potassium chloride-0.45 % nacl 194
potassium citrate 194
pr natal 400 203
pr natal 400 ec 203
pr natal 430 203
pr natal 430 ec 203
PRALUENT PEN 90
pramipexole 58
prasugrel 76
pravastatin 90
prazosin 79
prednicarbate 111
prednisolone 172
prednisolone acetate 163
prednisolone sodium phosphate 163, 172
prednisone 172
pregabalin 37
PREHEVBRIO (PF) 184
PREMARIN 170
PREMPHASE 170
PREMPRO 171
prena1 true 203
prenaissance 203
prenaissance plus 203

prenatabs fa 203
prenatal 19 203
prenatal 19 (with docusate) 203
prenatal low iron 203
prenatal plus 204
prenatal plus (calcium carb) .. 203
prenatal vitamin plus low iron . 204
prenatal-u 204
preplus 204
pretab 204
PRETOMANID 53
prevalite 90
PREVENT DROPSAFE PEN NEEDLE 139
previfem 103
PREVYMIS 70
PREZCOBIX 68
PREZISTA 68
PRIFTIN 53
PRIMAQUINE 56
primidone 38
PRIORIX (PF) 185
PRIVIGEN 179
PRO COMFORT ALCOHOL PADS 108
PRO COMFORT INSULIN SYRINGE 140
PRO COMFORT PEN NEEDLE 140
probenecid 50
probenecid-colchicine 50
procainamide 82
PROCALAMINE 3% 78
prochlorperazine 55
prochlorperazine edisylate 55
prochlorperazine maleate 55
proctosol hc 111
proctozone-hc 111
PRODIGY INSULIN SYRINGE 140
progesterone 174
progesterone micronized 174
PROGRAF 179
PROLASTIN-C 199
PROLENSA 163
PROLIA 189
PROMACTA 75
promethazine 51, 55
promethegan 55
propafenone 82
proparacaine 159
propranolol 83, 84
propranolol-hydrochlorothiazid 84
propylthiouracil 175
PROQUAD (PF) 185
PROSOL 20 % 78
protamine 76
protriptyline 42
PULMOZYME 158
PURE COMFORT ALCOHOL PADS 108
PURE COMFORT PEN NEEDLE 141
PURE COMFORT SAFETY PEN NEEDLE 140, 141
PURIXAN 29
pyrazinamide 53
pyridostigmine bromide 191
pyrimethamine 56
QINLOCK 29
QUADRACEL (PF) 185
quetiapine 62, 63
quinapril 81
quinapril-hydrochlorothiazide ... 81
quinidine gluconate 82
quinidine sulfate 82
quinine sulfate 56
QULIPTA 52
RABAVERT (PF) 185
rabeprazole 164
raloxifene 171
ramipril 81
ranolazine 86
rasagiline 58
RASUVO (PF) 180
RAVICTI 166
RAYALDEE 189
reclipsen (28) 103
RECOMBIVAX HB (PF) 185
RECTIV 191
RELENZA DISKHALER 70
RELEUKO 75
RELION NEEDLES 141
RELION PEN NEEDLES 141
repaglinide 44
REPATHA PUSHTRONEX .. 90
REPATHA SURECLICK 90
REPATHA SYRINGE 90
RESTASIS 163
RESTASIS MULTIDOSE 163
RETACRIT 75
RETEVMO 29
RETROVIR 68
revonto 200
REXULTI 63
REYATAZ 68
REZLIDHIA 29
REZUROCK 180
RHOPRESSA 192
RIABNI 29
ribavirin 72
RIDAURA 180
rifabutin 53
rifampin 53
rilpivirine 68
riluzole 96
rimantadine 71
RINVOQ 180
risedronate 189
RISPERDAL CONSTA 63

risperidone 63
ritonavir 68
RITUXAN HYCELA 29
rivastigmine 40
rivastigmine tartrate 40
rizatriptan 52
r-natal ob 204
ROCKLATAN 192
roflumilast 199
ropinirole 58
rosadan 109
rosuvastatin 90
ROTARIX 185
ROTATEQ VACCINE 185
ROZLYTREK 29
RUBRACA 29
rufinamide 38
RUKOBIA 68
RUXIENCE 29
RYBELSUS 44
RYBREVANT 30
RYDAPT 30
SAFESNAP INSULIN SYRINGE 142
SAFETY PEN NEEDLE 142
sajazir 86
SANTYL 108
sapropterin 158
SAVELLA 96
SCEMBLIX 30
scopolamine base 55
SECUADO 63
SECURESAFE INSULIN SYRINGE 142
SECURESAFE PEN NEEDLE 142
select-ob 204
select-ob (folic acid) 204
selegiline hcl 58
selenium sulfide 109
SELZENTRY 69
SEMGLEE(INSULIN GLARGINE-YFGN) 47
SEMGLEE(INSULIN GLARG-YFGN)PEN 47
se-natal 19 chewable 204
SEREVENT DISKUS 197
SEROSTIM 174
sertraline 42
setlakin 103
sevelamer carbonate 167
sevelamer hcl 167
SEZABY 38
sf 5000 plus 106
sharobel 103
SHINGRIX (PF) 186
SIGNIFOR 174
SIKLOS 76
sildenafil (pulm.hypertension) 201
silver sulfadiazine 109
SIMBRINZA 192
simliya (28) 104
simpesse 104
simvastatin 90
sirolimus 180
SIRTURO 53
SKY SAFETY PEN NEEDLE 142
SKYRIZI 180
sodium chloride 0.45 % 194
sodium chloride 0.9 % 194, 195
sodium fluoride-pot nitrate 106
sodium oxybate 201
sodium phenylbutyrate 166
sodium polystyrene sulfonate .. 166
sodium,potassium,mag sulfates 166
SOLIQUA 100/33 47
SOLTAMOX 30
SOLU-CORTEF ACT-O-VIAL (PF) 172
SOMATULINE DEPOT 174
SOMAVERT 174
sorafenib 30
sorine 84
sotalol 84
sotalol af 84
SPIRIVA RESPIMAT 197
SPIRIVA WITH HANDIHALER 198
spironolactone 88
SPRAVATO 42
sprintec (28) 104
SPRITAM 38
SPRYCEL 30
sps (with sorbitol) 166
sronyx 104
ssd 109
stavudine 69
STELARA 180, 181
STERILE PADS 142
STIOLTO RESPIMAT 198
STIVARGA 30
STRENSIQ 158
streptomycin 11
STRIBILD 69
STRIVERDI RESPIMAT 198
subvenite 38
sucralfate 164
sulfacetamide sodium 161
sulfacetamide sodium (acne) .. 109
sulfacetamide-prednisolone 161
sulfadiazine 18
sulfamethoxazole-trimethoprim 18
sulfasalazine 188
sulindac 8
sumatriptan 52
sumatriptan succinate 52, 53

sumatriptan-naproxen 53
sunitinib malate 30
SUNLENCA 69
SUNOSI 201
SUPREP BOWEL PREP KIT 166
SURE COMFORT ALCOHOL PREP PADS 108
SURE COMFORT INS. SYR. U-100 143
SURE COMFORT INSULIN SYRINGE 143
SURE COMFORT PEN NEEDLE 143, 144
SURE COMFORT SAFETY PEN NEEDLE 143
SURE-FINE PEN NEEDLES 144
SURE-JECT INSULIN SYRINGE 144
SURE-PREP ALCOHOL PREP PADS 108
SUTAB 167
syeda 104
SYMBICORT 196
SYMDEKO 200
SYMLINPEN 120 44
SYMLINPEN 60 45
SYMPAZAN 38
SYMTUZA 69
SYNAREL 174
SYNJARDY 45
SYNJARDY XR 45
SYNRIBO 30
SYRINGE WITH NEEDLE, SAFETY 142
TABLOID 30
TABRECTA 30
tacrolimus 111, 181
tadalafil (pulm. hypertension) 201
TAFINLAR 30
TAGRISSO 30
TAKHZYRO 191
TALTZ AUTOINJECTOR .. 181
TALTZ SYRINGE 181
TALVEY 30
TALZENNA 30
tamoxifen 31
tamsulosin 168
tarina 24 fe 104
tarina fe 1-20 eq (28) 104
taron-c dha 204
taron-prex prenatal-dha 204
TASCENSO ODT 96
TASIGNA 31
tasimelteon 201
tazarotene 112
TAZORAC 112
taztia xt 85
TAZVERIK 31
TDVAX 186
TECHLITE INSULIN SYRINGE 145
TECHLITE INSULN SYR(HALF UNIT) 144, 145
TECHLITE PEN NEEDLE 145, 146
TECVAYLI 31
TEFLARO 14
telmisartan 80
telmisartan-hydrochlorothiazid .80
temazepam 11
TEMIXYS 69
TENIVAC (PF) 186
tenofovir disoproxil fumarate ... 69
TEPMETKO 31
terazosin 168
terbinafine hcl 50
terbutaline 198
terconazole 51
teriflunomide 96
TERUMO INSULIN SYRINGE 146
testosterone 169
testosterone cypionate 169
testosterone enanthate 169
TETANUS,DIPHTHERIA TOX PED(PF) 186
tetrabenazine 96
tetracycline 19
THALOMID 191
theophylline 198
THINPRO INSULIN SYRINGE 146, 147
thioridazine 63
thiothixene 63
tiadylt er 85
tiagabine 38
TIBSOVO 31
TICE BCG 31
TICOVAC 186
tigecycline 19
timolol maleate 84, 192
tiopronin 168
TIVDAK 31
TIVICAY 69
TIVICAY PD 69
tizanidine 200
tobramycin 11, 161
tobramycin in 0.225 % nacl 11
tobramycin sulfate 11
tobramycin-dexamethasone 161
tolterodine 167
TOPCARE CLICKFINE 147
TOPCARE ULTRA COMFORT 147
topiramate 38
toposar 31
toremifene 31
torsemide 88

TOUJEO MAX U-300 SOLOSTAR....47
TOUJEO SOLOSTAR U-300 INSULIN....47
TRACLEER.... 201
TRADJENTA.... 45
tramadol.... 6
tramadol-acetaminophen.... 6
trandolapril.... 81
trandolapril-verapamil.... 81
tranexamic acid.... 76
tranylcypromine.... 42
TRAVASOL 10 %.... 78
travoprost.... 192
TRAZIMERA.... 31
trazodone.... 43
TRECATOR.... 54
TRELEGY ELLIPTA.... 198
TRELSTAR.... 31
TREMFYA.... 181
tretinoin.... 112
tretinoin (antineoplastic).... 31
tri femynor.... 104
triamcinolone acetonide.... 106, 111, 172
triamterene-hydrochlorothiazid 88
trientine.... 168
tri-estarylla.... 104
trifluoperazine.... 63
trifluridine.... 161
trihexyphenidyl.... 58
TRIJARDY XR.... 45
TRIKAFTA.... 200
tri-legest fe.... 104
tri-linyah.... 104
tri-lo-estarylla.... 104
tri-lo-marzia.... 104
tri-lo-mili.... 104
tri-lo-sprintec.... 104
trimethoprim.... 12
tri-mili.... 104
trimipramine.... 43
TRINTELLIX.... 43
tri-nymyo.... 104
tri-previfem (28).... 104
tri-sprintec (28).... 105
TRIUMEQ.... 69
TRIUMEQ PD.... 69
triveen-duo dha.... 204
trivora (28).... 105
tri-vylibra.... 105
tri-vylibra lo.... 105
TRIZIVIR.... 69
TROGARZO.... 69
TROPHAMINE 10 %.... 78
trospium.... 167
TRUE COMFORT ALCOHOL PADS.... 108
TRUE COMFORT INSULIN SYRINGE.... 147
TRUE COMFORT PEN NEEDLE.... 148
TRUE COMFORT PRO ALCOHOL PADS.... 108
TRUE COMFORT PRO INS SYRINGE.... 147, 148
TRUE COMFORT SAFETY PEN NEEDLE.... 147
TRUEPLUS INSULIN.... 149
TRUEPLUS PEN NEEDLE.... 148, 149
TRULICITY.... 45
TRUMENBA.... 186
TRUSELTIQ.... 31
TRUXIMA.... 31
TUKYSA.... 32
tulana.... 105
TURALIO.... 32
TWINRIX (PF).... 186
tyblume.... 105
TYBOST.... 191
TYMLOS.... 189
TYPHIM VI.... 186
TYSABRI.... 181
UBRELVY.... 53
UDENYCA.... 75
UDENYCA AUTOINJECTOR.... 75
ULTICARE.... 150, 151
ULTICARE INSULIN SYRINGE.... 150
ULTICARE INSULN SYR(HALF UNIT).... 149
ULTICARE PEN NEEDLE 150
ULTICARE SAFETY PEN NEEDLE.... 150
ULTIGUARD SAFEPACK-INSULIN SYR.... 151
ULTIGUARD SAFEPACK-PEN NEEDLE.... 151
ULTILET ALCOHOL SWAB.... 108
ULTILET INSULIN SYRINGE.... 132, 151, 152
ULTILET PEN NEEDLE.... 152
ULTRA CMFT INS SYR (HALF UNIT).... 130, 143
ULTRA COMFORT INSULIN SYRINGE.... 124, 130, 152
ULTRA FLO INSUL SYR(HALF UNIT).... 152
ULTRA FLO INSULIN SYRINGE.... 153
ULTRA FLO PEN NEEDLE.... 152, 153
ULTRA THIN PEN NEEDLE.... 153
ULTRACARE INSULIN SYRINGE.... 153, 154

ULTRACARE PEN NEEDLE 154
ULTRA-THIN II (SHORT) INS SYR 154
ULTRA-THIN II (SHORT) PEN NDL 154
ULTRA-THIN II INS PEN NEEDLES 154
ULTRA-THIN II INSULIN SYRINGE 154
UNIFINE PEN NEEDLE 155
UNIFINE PENTIPS 138, 155
UNIFINE PENTIPS MAXFLOW 155
UNIFINE PENTIPS PLUS 155, 156
UNIFINE PENTIPS PLUS MAXFLOW 155
UNIFINE SAFECONTROL 156
UNIFINE ULTRA PEN NEEDLE 156
UPTRAVI 202
ursodiol 166
UZEDY 64
valacyclovir 72
VALCHLOR 108
valganciclovir 72
valproate sodium 38
valproic acid 38
valproic acid (as sodium salt) ... 38
valsartan 80
valsartan-hydrochlorothiazide .. 80
VALTOCO 38
vancomycin 12
VANFLYTA 32
VANISHPOINT INSULIN SYRINGE 156
VANISHPOINT SYRINGE. 156
VAQTA (PF) 186, 187
varenicline 9, 10
VARIVAX (PF) 187
VASCEPA 90
VEGZELMA 32
VELCADE 32
velivet triphasic regimen (28) . 105
VELPHORO 167
VELTASSA 166
VEMLIDY 69
VENCLEXTA 32
VENCLEXTA STARTING PACK 32
venlafaxine 43
venlafaxine besylate 43
verapamil 85
VERIFINE INSULIN SYRINGE 156, 157
VERIFINE PEN NEEDLE 156, 157
VERIFINE PLUS PEN NEEDLE 157
VERSACLOZ 64
VERSALON 157
VERZENIO 32
vestura (28) 105
V-GO 20 157
V-GO 30 157
V-GO 40 157
VICTOZA 45
vienva 105
vigabatrin 39
vigadrone 39
VIIBRYD 43
vilazodone 43
vinate care 204
vinorelbine 32
viorele (28) 105
VIRACEPT 70
VIREAD 70
virt-c dha 204
virt-nate dha 204
virt-pn dha 204
virt-pn plus 204
vitafol gummies 204
vitafol nano 204
vitafol-ob+dha 204
VITRAKVI 32
VIZIMPRO 32
VOCABRIA 70
volnea (28) 105
VONJO 33
voriconazole 50
VOSEVI 71
VOTRIENT 33
VOWST 191
vp-ch-pnv 205
vp-pnv-dha 205
VRAYLAR 64
VUMERITY 96
vyfemla (28) 105
vylibra 105
warfarin 73
WEBCOL 108
WELIREG 33
wera (28) 105
XALKORI 33
XARELTO 74
XARELTO DVT-PE TREAT 30D START 74
XATMEP 33
XCOPRI 39
XCOPRI MAINTENANCE PACK 39
XCOPRI TITRATION PACK 39
XELJANZ 181
XELJANZ XR 181
XERMELO 166
XGEVA 189
XHANCE 163
XIFAXAN 13

XIGDUO XR 45
XIIDRA 163
XOFLUZA 71
XOLAIR 200
XOSPATA 33
XPOVIO 33
XTAMPZA ER 6
XTANDI 33
xulane 105
XULTOPHY 100/3.6 47
XYOSTED 169
XYREM 201
yargesa 158
YERVOY 33
YF-VAX (PF) 187
YONSA 33
yuvafem 171
zafemy 105
zafirlukast 196
zaleplon 201
zarah 105
ZARXIO 76
zatean-pn dha 205
zatean-pn plus 205
ZEGALOGUE AUTOINJECTOR 191
ZEGALOGUE SYRINGE ... 191
ZEJULA 33, 34
ZELBORAF 34
zenatane 108
ZENPEP 158
zidovudine 70
zingiber 205
ziprasidone hcl 64
ziprasidone mesylate 64
ZIRABEV 34
ZIRGAN 162
ZOLADEX 34
zoledronic acid 189
zoledronic acid-mannitol-water 189
ZOLINZA 34
zolmitriptan 53
zolpidem 201
ZONISADE 39
zonisamide 39
zovia 1-35 (28) 105
ZTALMY 39
ZTLIDO 9
zumandimine (28) 106
ZYDELIG 34
ZYKADIA 34
ZYLET 162
ZYNLONTA 34
ZYNYZ 34
ZYPREXA RELPREVV .. 64, 65

This formulary was updated on 11/21/2023.

For more recent information or other questions, please contact MDwise Medicare Member Services at 833-358-2140 or, for TTY users, 711. Our hours of operation are: April 1st through September 30th Monday through Friday, 8 a.m. to 8 p.m. and October 1st through March 31st seven days a week (except Thanksgiving and Christmas days), 8 a.m. to 8 p.m. or visit www.mdwise.org/medicare for additional information.

MDwise

MEDICARE

MDwise Medicare is an HMO/HMO-POS plan with a Medicare contract.
Enrollment in MDwise Medicare depends on contract renewal.