



MEDICARE

**MDwise Medicare
2022 Formulary
(List of Covered Drugs)**

**MDwise Medicare Inspire (HMO)
MDwise Medicare Inspire Plus (HMO)
MDwise Medicare Inspire Flex (HMO-POS)**

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN

Formulary ID: 22078, Version Number 17

This formulary was updated on 11/22/2022.

For more recent information or other questions, please contact MDwise Medicare Member Services at 833-358-2140 or, for TTY users, 711. Our hours of operation are: April 1st through September 30th Monday through Friday, 8 a.m. to 8 p.m. and October 1st through March 31st seven days a week (except Thanksgiving and Christmas days), 8 a.m. to 8 p.m.

or visit www.mdwise.org/medicare for additional information.

Note to existing members: This formulary has changed since last year. Please review this document to make sure it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means MDwise Medicare. When it refers to “plan” or “our plan,” it means MDwise Medicare Inspire, MDwise Medicare Inspire Plus, and MDwise Medicare Inspire Flex.

This document includes a list of the drugs (formulary) for our plan, which is current as of 11/22/2022. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2022 and from time to time during the year.

What is the MDwise Medicare Formulary?

A formulary is a list of covered drugs selected by MDwise Medicare. In consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. MDwise Medicare will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a MDwise Medicare network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the MDwise Medicare Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary; or add new restrictions to the brand name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the MDwise Medicare Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2022 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2022 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 11/22/2022. To get updated information about the drugs covered by MDwise Medicare please contact us. Our contact information appears on the front and back cover pages. Updates to this formulary will be posted on our website: www.mdwise.org/medicare.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents.” If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

MDwise Medicare covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** MDwise Medicare requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from MDwise Medicare before you fill your prescriptions. If you don't get approval, MDwise Medicare may not cover the drug.
- **Quantity Limits:** For certain drugs, MDwise Medicare limits the amount of the drug that MDwise Medicare will cover. For example, MDwise Medicare provides 60 tablets per prescription for Entresto oral tablets. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, MDwise Medicare requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, MDwise Medicare may not cover Drug B unless you try Drug A first. If Drug A does not work for you, MDwise Medicare will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask MDwise Medicare to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the MDwise Medicare formulary?" on page vi for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that MDwise Medicare does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by MDwise Medicare. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by MDwise Medicare.
- You can ask MDwise Medicare to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to MDwise Medicare Formulary?

You can ask MDwise Medicare to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level unless the drug is on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, MDwise Medicare limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, MDwise Medicare will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan, you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Members who have a change in level of care (setting) will be allowed up to a one-time 31-day transition supply per drug. For example, members who:

- Enter long-term care (LTC) facilities from hospitals are sometimes accompanied by a discharge list of medications from the hospital formulary, with very short term planning taken into account (often under 8 hours).
- Are discharged from a hospital to a home.
- End their skilled nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who need to revert to their Part D plan formulary.
- End a long-term care facility stay and return to the community. If a member has more than one change in level of care in a month, the pharmacy will have to call us to request an extension of the transition policy.

For more information

For more detailed information about your MDwise Medicare prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about MDwise Medicare, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or visit <http://www.medicare.gov>.

Drug Tier Copay Levels

This 2022 Comprehensive Formulary is a listing of brand-name and generic drugs. MDwise Medicare's Formulary covers drugs identified by Medicare as Part D drugs and your copay may differ depending upon the tier at which the drug resides.

The copay tiers for covered prescription medications are listed below. Consult your Evidence of Coverage for your applicable copays and coinsurance amounts.

Copay Tier	Type of Drug
Tier 1	Preferred Generic
Tier 2	Generic
Tier 3	Preferred Brand

Tier 4	Non-Preferred Brand
Tier 5	Specialty Tier
Tier 6	Select Care Drugs

MDwise Medicare Formulary

The formulary below provides coverage information about the drugs covered by MDwise Medicare. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., COUMADIN) and generic drugs are listed in lower-case italics (e.g., warfarin).

The information in the Requirements/Limits column tells you if MDwise Medicare has any special requirements for coverage of your drug.

You can find information on what the symbols and abbreviations on this table mean by going to the next page.

List of Abbreviations:

- **PA BvD:** Prior Authorization Restriction for Part B vs Part D Determination. This prescription drug has a Part B versus D administrative prior authorization requirement. This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
- **QL: Quantity Limit:** For certain drugs, MDwise Medicare limits the amount of the drug that we will cover. For example, MDwise Medicare provides twelve tablets per prescription for Sumatriptan Succinate. This may be in addition to a standard one-month or three-month supply.
- **ST: Step Therapy:** In some cases, MDwise Medicare requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.
- **PA: Prior Authorization:** MDwise Medicare requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **PA- HRM:** Prior Authorization Restriction for High-Risk Medications. This drug has been deemed to be potentially harmful and therefore, a High-Risk Medication for individuals 65 years or older. Members aged 65 years or older are required to get prior authorization from our plan before you fill your prescription for this drug.
- **PA NSO:** Prior Authorization Restriction for New Starts Only. If there is no evidence that you have taken this drug before, you (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
- **NDS: Non-Extended Days' Supply:** Drugs not available for an extended days' supply (i.e. more than a one-month supply) are noted with "NDS" in the Requirements/Limits column of your formulary.
- **GC: Gap Coverage:** We provide additional coverage of this prescription drug in the coverage gap, if your plan provides gap coverage. Please refer to our Evidence of Coverage for more information about this coverage.
- **HI: Home Infusion Coverage:** This prescription drug may be covered under our medical benefit. For more information, call Member Services at 833-358-2140, April 1st through September 30th Monday through Friday, 8 a.m. to 8 p.m. and October 1st through March 31st

seven days a week (except Thanksgiving and Christmas days), 8 a.m. to 8 p.m. TTY users should call 711 or you can visit our website at www.mdwise.org/medicare.

- **LA: Limited Availability:** This prescription may be available only at certain pharmacies. For more information, consult your Provider/Pharmacy Directory or call Member Services at 1-833-358-2140, April 1st through September 30th Monday through Friday, 8 a.m. to 8 p.m. and October 1st through March 31st seven days a week (except Thanksgiving and Christmas days), 8 a.m. to 8 p.m. TTY users should call 711.
- **EX;CB: Excluded Part D Capped Benefit:** Drugs covered by the plan that are excluded by Medicare law that are covered by your plan as a supplemental or bonus drug but do not count toward TrOOP.
- **NM: Not Available by Mail Order:** These are typically medications that need to be ordered from a specialty pharmacy and are listed as TIER 5 medications and are restricted to a 30-day supply.
- **SI: Select Insulin:** These are the insulins that are offered by MDwise Medicare with the same cost-share, \$10 - \$35, through all stages of coverage until you reach the Catastrophic Coverage Stage. If you receive Extra Help, this does not apply to you and your low-income subsidy copay level will apply. Please see your Evidence of Coverage for more information.

Table of Contents

Analgesics.....	3
Anesthetics.....	7
Anti-Addiction/Substance Abuse Treatment Agents.....	8
Antianxiety Agents.....	10
Antibacterials.....	11
Anticancer Agents.....	19
Anticonvulsants.....	36
Antidementia Agents.....	41
Antidepressants.....	42
Antidiabetic Agents.....	45
Antifungals.....	50
Antigout Agents.....	52
Antihistamines.....	52
Anti-Infectives (Skin And Mucous Membrane).....	53
Antimigraine Agents.....	53
Antimycobacterials.....	55
Antinausea Agents.....	55
Antiparasite Agents.....	57
Antiparkinsonian Agents.....	58
Antipsychotic Agents.....	60
Antivirals (Systemic).....	66
Blood Products/Modifiers/Volume Expanders.....	74
Caloric Agents.....	78
Cardiovascular Agents.....	80
Central Nervous System Agents.....	92
Contraceptives.....	96
Dental And Oral Agents.....	105
Dermatological Agents.....	106
Devices.....	111
Enzyme Replacement/Modifiers.....	153
Eye, Ear, Nose, Throat Agents.....	155
Gastrointestinal Agents.....	160
Genitourinary Agents.....	164
Heavy Metal Antagonists.....	165
Hormonal Agents, Stimulant/Replacement/Modifying.....	166
Immunological Agents.....	173

Inflammatory Bowel Disease Agents.....	183
Metabolic Bone Disease Agents.....	184
Miscellaneous Therapeutic Agents.....	186
Ophthalmic Agents.....	188
Replacement Preparations.....	189
Respiratory Tract Agents.....	191
Skeletal Muscle Relaxants.....	197
Sleep Disorder Agents.....	197
Vasodilating Agents.....	198
Vitamins And Minerals.....	199

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	1	NM; GC; NDS; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	1	NM; GC; NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	1	NM; GC; NDS; QL (180 per 30 days)
<i>buprenorphine hcl injection solution</i> (Buprenex) 0.3 mg/ml	2	
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml	2	
<i>butalbital-acetaminophen-caff oral</i> (Esgic) <i>tablet 50-325-40 mg</i>	1	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral</i> <i>capsule 50-325-40 mg</i>	2	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral</i> <i>tablet 50-325-40 mg</i>	1	PA-HRM; GC; QL (180 per 30 days); AGE (Max 64 Years)
<i>codeine sulfate oral tablet 30 mg, 60</i> <i>mg</i>	2	NM; NDS; QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg</i> (oxycodone- acetaminophen)	1	NM; GC; NDS; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-</i> <i>325 mg</i> (oxycodone- acetaminophen)	1	NM; GC; NDS; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i> (oxycodone- acetaminophen)	1	NM; GC; NDS; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a</i> (Actiq) <i>handle 1,200 mcg, 1,600 mcg, 400</i> <i>mcg, 600 mcg, 800 mcg</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a</i> (Actiq) <i>handle 200 mcg</i>	2	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour</i> <i>100 mcg/hr, 12 mcg/hr, 50 mcg/hr,</i> <i>75 mcg/hr</i>	2	NM; NDS; QL (10 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>fentanyl transdermal patch 72 hour 25 mcg/hr</i>	1	NM; GC; NDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	NM; NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	1	NM; GC; NDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	1	NM; GC; NDS; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	1	NM; GC; NDS; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	
<i>hydromorphone oral liquid 1 mg/ml (Dilaudid)</i>	1	NM; GC; NDS; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)</i>	1	NM; GC; NDS; QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NM; NDS; QL (30 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	1	GC; QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	1	NM; GC; NDS; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	1	NM; GC; NDS; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	1	NM; GC; NDS; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	1	NM; GC; NDS; QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg (methadone)</i>	1	NM; GC; NDS; QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	PA; NM; GC; NDS; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	1	NM; GC; NDS; QL (700 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	NM; GC; NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NM; NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NM; NDS; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	1	NM; GC; NDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	1	NM; GC; NDS; QL (90 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	NM; NDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	1	NM; GC; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	1	NM; GC; NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	1	NM; GC; NDS; QL (120 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	3	NM; NDS; QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	1	NM; GC; NDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	1	NM; GC; NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	1	NM; GC; NDS; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	1	NM; GC; NDS; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone)	3	NM; NDS; QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	NM; GC; NDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	1	NM; GC; NDS; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	NM; NDS; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	NM; NDS; QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	NM; NDS; QL (240 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	1	GC; QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i> (Cataflam)	1	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	1	GC; QL (60 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (drlec) 25 mg</i>	1	GC; QL (150 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (drlec) 50 mg</i>	1	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (drlec) 75 mg</i>	1	GC; QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	1	GC; QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	2	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram lactuation(2 %)</i> (Pennsaid)	5	PA; NM; NDS; QL (224 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>flurbiprofen oral tablet 100 mg</i>	1	GC
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> (ibuprofen)	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	1	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	GC
<i>indomethacin oral capsule 25 mg</i>	1	PA-HRM; GC; QL (240 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule 50 mg</i>	1	PA-HRM; GC; QL (120 per 30 days); AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	1	PA-HRM; GC; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i> (Relafen)	1	GC
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	GC
<i>naproxen oral tablet, delayed release (drlec) 375 mg</i> (EC-Naprosyn)	1	GC
<i>naproxen oral tablet, delayed release (drlec) 500 mg</i> (EC-Naprosyn)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	GC
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	1	GC; QL (30 per 30 days)
<i>lidocaine (pf) injection solution 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>lidocaine hcl 1% 20 mg/2 ml vl sdv, plf 10 mg/ml (1%)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine hcl injection solution 10 mg/ml (1%), 20 mg/ml (2%), 5 mg/ml (0.5%)</i> (Xylocaine)	1	GC
<i>lidocaine hcl mucous membrane jelly 2%</i>	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4% (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch,medicated 5%</i> (Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5%</i>	2	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2%</i> (lidocaine hcl)	1	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5%</i>	2	PA; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8%	3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet,delayed release (drlec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CHANTIX CONTINUING (varenicline) MONTH BOX ORAL TABLET 1 MG	3	QL (336 per 365 days)
<i>disulfiram oral tablet 250 mg, 500 mg</i>	1	GC
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
LUCEMYRA ORAL TABLET 0.18 MG	5	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	GC
<i>naloxone nasal spray, non-aerosol 4 (Narcan) mg/actuation</i>	1	GC; QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	1	GC
NARCAN NASAL (naloxone) SPRAY, NON-AEROSOL 4 MG/ACTUATION	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	5	NM; NDS; QL (0.5 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	5	NM; NDS; QL (1.5 per 30 days)
<i>varenicline oral tablet 0.5 mg</i>	1	GC; QL (336 per 365 days)
<i>varenicline oral tablet 1 mg (Chantix Continuing Month Box)</i>	1	GC; QL (336 per 365 days)
<i>varenicline oral tablets, dose pack (Chantix Starting 0.5 mg (11)- 1 mg (42) Month Box)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	NM; GC; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	NM; GC; NDS; QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	NM; GC; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	2	QL (180 per 30 days)
<i>diazepam 25 mg/5 ml oral conc 5 mg/ml</i> (Diazepam Intensol)	2	QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	1	GC; QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	GC; QL (120 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	GC; QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	NM; GC; NDS; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	NM; GC; NDS; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	NM; GC; NDS; QL (30 per 30 days)
Antibacterials		
Aminoglycosides		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	GC; HI
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	GC; HI
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	1	GC; HI
<i>neomycin oral tablet 500 mg</i>	1	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	2	HI
Antibacterials, Miscellaneous		
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	1	GC; HI
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	HI
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	HI
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	HI
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	NM; HI; NDS
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin RF)	5	NM; HI; NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML	4	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	2	HI
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	2	HI
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	1	GC; HI
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i> (Macrochantin)	1	GC; QL (120 per 30 days)
<i>nitrofurantoin macrocrystal oral capsule 25 mg</i> (Macrochantin)	2	QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i> (Macrobid)	1	GC; QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	HI
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NM; HI; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG	5	PA; NM; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	1	GC
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	1	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	1	GC; HI
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	GC; HI
<i>cefdinir oral capsule 300 mg</i>	1	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	HI
<i>cefixime oral capsule 400 mg</i> (Suprax)	2	
<i>cefotaxime injection recon soln 1 gram</i>	2	HI
<i>cefoxitin 1 gm piggyback bag 1 gram/50 ml</i>	2	HI
<i>cefoxitin intravenous recon soln 1 gram</i>	2	HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>cefcoxitin intravenous recon soln 10 gram, 2 gram</i>	2	HI
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	GC
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	2	HI
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	GC; HI
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	HI
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	HI
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; HI; NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	1	GC; HI
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	GC
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NM; NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	HI
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	2	HI
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	HI
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	HI
<i>meropenem intravenous recon soln 1 gram</i>	2	HI
<i>meropenem intravenous recon soln 500 mg</i>	2	HI
<i>meropenem-0.9% nacl 500 mg/50 500 mg/50 ml</i>	2	HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral tablet 875-125 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	HI
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	HI
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	2	HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>nafcillin 2 gml 100 ml inj 2 gram/100 ml</i>	2	HI
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	2	HI
<i>nafcillin injection recon soln 10 gram</i>	5	NM; HI; NDS
<i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i>	2	HI
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium)	2	HI
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	HI
Quinolones		
BAXDELA ORAL TABLET 450 MG	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	GC
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	1	GC; HI
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	GC; HI
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	2	
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	HI
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	GC
Tetracyclines		
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	2	HI
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	HI
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	1	GC
<i>doxycycline hyclate oral tablet 100 mg</i> (LymePak)	1	GC
<i>doxycycline hyclate oral tablet 20 mg</i>	1	GC
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	1	GC; QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	1	GC; QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin (mono))	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	1	GC; QL (60 per 30 days)
<i>doxycycline monohydrate oral tablet 50 mg</i>	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	1	GC
<i>mondoxyne nl oral capsule 100 mg</i> (doxycycline monohydrate)	1	GC; QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NM; HI; NDS
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga)	5	PA NSO; NM; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG (paclitaxel protein-bound)	5	PA BvD; NM; HI; NDS
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NM; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (doxorubicin)	2	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG (pemetrexed disodium)	5	NM; HI; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS
<i>alymsys intravenous solution 25 mg/ml</i>	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	GC
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	NM; HI; NDS
<i>arsenic trioxide intravenous solution 2 mg/ml</i> (Trisenox)	5	NM; HI; NDS
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; HI; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NM; NDS
BESPONSА INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	5	PA NSO; NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	GC
BLENREP INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NM; NDS
<i>bortezomib injection recon soln 1 mg</i>	4	PA NSO
<i>bortezomib injection recon soln 2.5 mg</i>	5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NM; HI; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 (vandetanib) MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 (vandetanib) MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>clofarabine intravenous solution 1 mg/ml</i> (Clolar)	5	NM; HI; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	4	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NM; HI; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NM; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
ENHERTU INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; HI; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	HI
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	1	GC; HI
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NM; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NM; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
EXKIVITY ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>floxuridine injection recon soln 0.5 gram</i>	1	PA BvD; GC
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)	2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	PA NSO; NM; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NM; NDS; QL (240 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NM; HI; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	5	NM; NDS
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	NM; NDS
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	PA NSO-HRM; GC; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	PA BvD; ST; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	GC; HI
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	PA NSO; NM; NDS
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; HI; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NM; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NM; NDS
<i>paclitaxel protein-bound intravenous (Abraxane) suspension for reconstitution 100 mg</i>	5	PA BvD; NM; HI; NDS
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	PA NSO; NM; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>pemetrexed disodium 1 gm/40 ml sup, plf 25 mg/ml</i>	5	NM; HI; NDS
<i>pemetrexed disodium intravenous recon soln 750 mg</i>	5	NM; HI; NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NM; NDS
<i>pemetrexed intravenous recon soln 1 gram, 100 mg, 500 mg</i>	5	NM; HI; NDS
PEPAXTO INTRAVENOUS RECON SOLN 20 MG	5	PA NSO; NM; NDS; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	5	PA NSO; NM; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	5	PA NSO; NM; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	5	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NM; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; HI; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE (lenalidomide) 2.5 MG, 20 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; HI; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; HI; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; HI; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
SCSEMBLIX ORAL TABLET 20 MG, 40 MG	5	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NM; NDS; QL (120 per 30 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
<i>sunitinib oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 (thioguanine) MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	GC
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>thiotepa injection recon soln 100 mg, 15 mg</i> (Tepadina)	5	NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NM; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	1	GC; HI
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	4	QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NM; NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NM; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; HI; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VELCADE INJECTION RECON (bortezomib) SOLN 3.5 MG	5	PA NSO; NM; HI; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10</i> (Navelbine) <i>mg/ml, 50 mg/5 ml</i>	1	GC; HI
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; HI; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NM; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (20 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NM; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; HI; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	GC
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	4	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	4	
<i>divalproex oral capsule, delayed release sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	1	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	1	GC
EPRONTIA ORAL SOLUTION 25 MG/ML	4	QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	1	GC
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fosphenytoin injection solution 100 mg pel/2 ml, 500 mg pel/10 ml</i> (Cerebyx)	2	HI
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	GC; QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	GC; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	1	GC; QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	1	GC; QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	1	GC; QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	1	GC; QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	1	GC; QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	1	GC
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	1	GC; HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	1	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	1	GC
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	GC
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	4	ST
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	5	ST; NM; NDS
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	PA NSO-HRM; GC; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	1	GC
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	1	GC
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	1	GC
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	1	GC
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	GC; HI
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	GC; HI
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	1	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	1	GC; QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	GC
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NM; NDS
<i>rufinamide oral tablet 200 mg, 400 mg</i> (Banzel)	5	ST; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	1	GC
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	GC
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	HI
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	1	GC
<i>valproic acid oral capsule 250 mg</i>	1	GC
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NM; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML (lacosamide)	3	QL (200 per 5 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	GC
<i>zonisamide oral capsule 50 mg</i>	1	GC
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NM; NDS; QL (1080 per 30 days)
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er</i> (Namenda XR) <i>24hr 14 mg, 21 mg, 28 mg, 7 mg</i>	2	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	1	GC; QL (60 per 30 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	ST
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule</i> <i>1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24</i> (Exelon Patch) <i>hour 13.3 mg/24 hour, 4.6 mg/24</i> <i>hour, 9.5 mg/24 hour</i>	2	QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	GC
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NM; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	GC
<i>bupropion hcl oral tablet extended</i> (Wellbutrin XL) <i>release 24 hr 150 mg, 300 mg</i>	1	GC
<i>bupropion hcl oral tablet sustained-</i> (Wellbutrin SR) <i>release 12 hr 100 mg, 150 mg, 200</i> <i>mg</i>	1	GC
<i>citalopram oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	GC
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	1	GC; QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	GC
FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	GC
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	GC
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	1	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	2	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; GC; AGE (Max 64 Years)
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	GC
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	4	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	2	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>trazodone oral tablet 300 mg</i>	2	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	4	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	1	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	1	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	GC
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	1	GC; QL (30 per 30 days)
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NM; NDS
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	1	GC; QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10- 5 MG, 25-5 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i>	6	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	6	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	6	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	QL (60 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	QL (1.5 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	6	QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	6	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	6	QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5- 1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5- 1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10- 1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5- 1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	SI; QL (24 per 28 days)
LANTUS SOLOSTAR U-100 (insulin glargine) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
LANTUS U-100 INSULIN (insulin glargine) SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	3	SI; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	SI; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 (insulin aspart u-100) INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	SI; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 (insulin asp prt-insulin INSULN SUBCUTANEOUS aspart) SOLUTION 100 UNIT/ML (70- 30)	2	SI; QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U-100 (insulin asp prt-insulin SUBCUTANEOUS INSULIN aspart) PEN 100 UNIT/ML (70-30)	2	SI; QL (30 per 28 days)
NOVOLOG PENFILL U-100 (insulin aspart u-100) INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	SI; QL (30 per 28 days)
NOVOLOG U-100 INSULIN (insulin aspart u-100) ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	SI; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	SI; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	SI; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	6	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	6	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>glipizide oral tablet 10 mg</i>	6	QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	6	QL (60 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg</i>	6	QL (60 per 30 days)
<i>glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg</i>	6	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	6	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	6	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg (Glynase)</i>	6	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	6	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	6	PA-HRM; AGE (Max 64 Years)
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG (amphotericin b liposome)	5	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg (AmBisome)</i>	5	PA BvD; NM; NDS
<i>caspofungin intravenous recon soln 50 mg (Cancidas)</i>	5	NM; HI; NDS
<i>caspofungin intravenous recon soln 70 mg (Cancidas)</i>	2	HI
<i>ciclopirox topical cream 0.77 % (Ciclodan)</i>	1	GC; QL (180 per 30 days)
<i>ciclopirox topical solution 8 % (Ciclodan)</i>	1	GC; QL (19.8 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	1	GC
<i>clotrimazole topical solution 1 %</i>	1	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	1	GC; QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	HI
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	1	GC
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	
<i>griseofulvin microsize oral tablet 500 mg</i>	2	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>ketoconazole oral tablet 200 mg</i>	1	GC
<i>ketoconazole topical cream 2 %</i>	1	GC; QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	1	GC; QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	1	GC
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML) (posaconazole)	5	PA; NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)	1	GC; QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	1	GC; QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	1	GC
<i>nystatin topical cream 100,000 unit/gram</i>	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>nystatin topical ointment 100,000 unit/gram</i>	1	GC; QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	1	GC; QL (60 per 30 days)
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	1	GC; QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i> (Noxafil)	5	PA; NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NM; HI; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	2	
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	GC
<i>allopurinol oral tablet 300 mg</i>	1	GC
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG (colchicine)	2	QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	1	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	1	GC
Antihistamines		
Antihistamines		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	1	PA-HRM; GC; AGE (Max 64 Years)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	1	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	1	PA-HRM; GC; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	1	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	PA-HRM; GC; AGE (Max 64 Years)
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	1	GC
<i>terconazole vaginal suppository 80 mg</i>	2	
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	2	QL (24 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	1	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	1	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	1	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/lactuation</i> (Imitrex)	2	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/lactuation</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	GC; QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	1	GC; QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml</i> (Imitrex STATdose Refill)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
Antimycobacterials		
Antimycobacterials		
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	GC
<i>ethambutol oral tablet 100 mg</i>	1	GC
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	1	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	HI
<i>rifampin oral capsule 150 mg, 300 mg</i>	1	GC
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD; QL (6 per 28 days)
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	2	
<i>dimenhydrinate injection solution 50 mg/ml</i>	1	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	1	GC
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	2	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	1	GC
<i>granisetron hcl intravenous solution 1 mg/ml</i>	1	GC
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	1	GC
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	1	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	GC
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	1	PA BvD; GC
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	1	PA BvD; GC
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	1	GC
<i>prochlorperazine maleate oral tablet (Compazine) 10 mg, 5 mg</i>	1	GC
<i>prochlorperazine rectal suppository (Compro) 25 mg</i>	2	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml (Phenergan)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; GC; AGE (Max 64 Years)
<i>promethazine rectal suppository 50 mg (Promethegan)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg (promethazine)</i>	2	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch (Transderm-Scop) 3 day 1 mg over 3 days</i>	2	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml (Mepron)</i>	2	
<i>atovaquone-proguanil oral tablet 250-100 mg (Malarone)</i>	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg (Malarone Pediatric)</i>	2	
<i>chloroquine phosphate oral tablet 250 mg</i>	2	QL (50 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>chloroquine phosphate oral tablet 500 mg</i>	2	QL (25 per 30 days)
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	1	GC; QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	1	GC
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	1	GC
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NM; NDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	2	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	2	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	HI
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA; QL (42 per 7 days)
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	1	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	GC
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	
<i>cabergoline oral tablet 0.5 mg</i>	1	GC
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	1	GC
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	1	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	1	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	4	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	4	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	4	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	4	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	4	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	1	GC
<i>selegiline hcl oral capsule 5 mg</i>	1	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG	4	PA; QL (30 per 30 days)
XADAGO ORAL TABLET 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
Antipsychotic Agents		
Antipsychotic Agents		
<i>aripiprazole oral solution 1 mg/ml</i>	2	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	2	QL (60 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	2	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	5	ST; NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) <i>10 mg, 2.5 mg, 5 mg</i>	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine 25 mg/ml amp</i> <i>25's,outer 25 mg/ml</i>	1	GC
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg</i> (Clozaril)	1	GC; QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i> (Clozaril)	2	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg</i> (Clozaril)	2	QL (90 per 30 days)
<i>clozapine oral tablet 50 mg</i> (Clozaril)	1	GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>	2	ST; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>clozapine oral tablet, disintegrating</i> 200 mg	5	ST; NM; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS, DOSE PACK 1MG(2)- 2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection</i> <i>solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution</i> <i>2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5</i> <i>mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5</i> <i>ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10</i> <i>mg, 2.5 mg, 5 mg</i>	2	
<i>haloperidol decanoate intramuscular (Haldol Decanoate)</i> <i>solution 100 mg/ml</i>	2	
<i>haloperidol decanoate intramuscular</i> <i>solution 100 mg/ml (1 ml)</i>	2	
<i>haloperidol decanoate intramuscular (Haldol Decanoate)</i> <i>solution 50 mg/ml</i>	1	GC
<i>haloperidol decanoate intramuscular</i> <i>solution 50 mg/ml (1ml)</i>	2	
<i>haloperidol lactate injection solution</i> <i>5 mg/ml</i>	1	GC
<i>haloperidol lactate intramuscular</i> <i>syringe 5 mg/ml</i>	1	GC
<i>haloperidol lactate oral concentrate</i> <i>2 mg/ml</i>	1	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg,</i> <i>10 mg, 2 mg, 20 mg, 5 mg</i>	1	GC
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NM; NDS; QL (3.5 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NM; NDS; QL (5 per 180 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NM; NDS; QL (0.88 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NM; NDS; QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NM; NDS; QL (2.63 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	GC
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	1	GC; QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	2	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Seroquel)	1	GC; QL (90 per 30 days)
<i>quetiapine oral tablet 150 mg</i>	1	GC; QL (30 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i> (Seroquel)	1	GC; QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	1	GC; QL (120 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i>	2	QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	1	GC; QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	2	
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	5	NM; NDS
APRETUDE INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	5	NM; NDS; QL (24 per 365 days)
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg</i>	2	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	
BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS
<i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular</i> (Apretude) <i>suspension,extended release 600 mg/3 ml (200 mg/ml)</i>	5	NM; NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300- 300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
CRIXIVAN ORAL CAPSULE 200 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 120- 15 MG, 200-25 MG	5	NM; NDS
<i>didanosine oral capsule,delayed release(drlec) 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50- 300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg, 50</i> (Sustiva) <i>mg</i>	2	
<i>efavirenz oral tablet 600 mg</i>	2	
<i>efavirenz-emtricitabin-tenofov oral</i> (Atripla) <i>tablet 600-200-300 mg</i>	5	NM; NDS
<i>efavirenz-lamivu-tenofov disop oral</i> (Symfi Lo) <i>tablet 400-300-300 mg</i>	5	NM; NDS
<i>efavirenz-lamivu-tenofov disop oral</i> (Symfi) <i>tablet 600-300-300 mg</i>	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada)	5	NM; NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	2	
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET, CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	2	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	5	NM; NDS; QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NM; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	
<i>nevirapine oral tablet 200 mg</i>	1	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	2	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	HI
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NM; NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	GC
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	5	NM; NDS
TRIZIVIR ORAL TABLET 300-150-300 MG (abacavir-lamivudine-zidovudine)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	GC
<i>zidovudine oral tablet 300 mg</i>	1	GC
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PAXLOVID (EUA) ORAL TABLETS,DOSE PACK 150-100 MG	4	QL (20 per 5 days)
PAXLOVID (EUA) ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	4	QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
Hcv Antivirals		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NM; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NM; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NM; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NM; NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	1	GC
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	1	GC
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	GC
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	5	PA BvD; NM; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	5	PA BvD; NM; NDS
<i>lagevrio (eua) oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	5	PA BvD; NM; NDS
<i>ribavirin oral capsule 200 mg</i>	1	GC
<i>ribavirin oral tablet 200 mg</i>	1	GC
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VEKLURY INTRAVENOUS (remdesivir) RECON SOLN 100 MG	5	PA BvD; NM; NDS
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution</i> (Lovenox) 300 mg/3 ml	2	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 100 mg/ml, 150 mg/ml	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 120 mg/0.8 ml, 80 mg/0.8 ml	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30</i> (Lovenox) <i>mg/0.3 ml</i>	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40</i> (Lovenox) <i>mg/0.4 ml</i>	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60</i> (Lovenox) <i>mg/0.6 ml</i>	2	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 10 mg/0.8 ml	5	NM; NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 2.5 mg/0.5 ml	2	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 5 mg/0.4 ml	5	NM; NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 7.5 mg/0.6 ml	5	NM; NDS; QL (18 per 30 days)
<i>heparin (porcine) injection cartridge</i> 5,000 unit/ml (1 ml)	2	HI
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	1	GC; HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	HI
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	HI
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	HI
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	GC
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS; QL (7 per 7 days)
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NM; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
Hematologic Agents, Miscellaneous		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NM; NDS
<i>protamine intravenous solution 10 mg/ml</i>	1	GC
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) <i>1,000 mg/10 ml (100 mg/ml)</i>	2	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	1	GC
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	GC
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	GC
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	1	GC; HI
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly (Catapres-TTS-1) 0.1 mg/24 hr</i>	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly (Catapres-TTS-2) 0.2 mg/24 hr</i>	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly (Catapres-TTS-3) 0.3 mg/24 hr</i>	2	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NM; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	GC
<i>methyldopa oral tablet 250 mg, 500 mg</i>	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	1	GC
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	
Angiotensin II Receptor Antagonists		
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG	3	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	6	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	6	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	6	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	6	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	6	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	6	
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	6	
<i>benazepril oral tablet 5 mg</i>	6	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	6	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	6	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	6	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	HI
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	6	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	6	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	6	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	6	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	6	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	
Antiarrhythmic Agents		
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	GC
<i>amiodarone oral tablet 400 mg</i> (Pacerone)	2	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	PA-HRM; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>lidocaine (pf) injection solution 10 mg/ml (1 %)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 200 mg</i> (amiodarone)	1	GC
<i>pacerone oral tablet 400 mg</i> (amiodarone)	2	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	GC
<i>procainamide intravenous syringe 100 mg/ml</i>	1	GC
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	GC
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	1	GC
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	1	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	1	GC
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	GC
<i>labetalol intravenous solution 5 mg/ml</i>	1	GC; HI
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	1	GC; HI
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	1	GC
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	1	GC; HI
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>propranolol intravenous solution 1 mg/ml</i>	1	GC; HI
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>propranolol oral solution 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	1	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	1	GC
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	1	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	1	GC
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	1	GC; HI
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule, extended release 24 hr 420 mg</i> (Tiadylt ER)	1	GC
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	1	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	GC
<i>diltiazem hcl oral tablet 90 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>dilt-xr oral capsule,ext.rel 24h</i> (diltiazem hcl) <i>degradable 120 mg, 180 mg, 240 mg</i>	1	GC
<i>taztia xt oral capsule,extended</i> (diltiazem hcl) <i>release 24 hr 120 mg, 180 mg, 240</i> <i>mg, 300 mg, 360 mg</i>	1	GC
<i>tiadylt er oral capsule,extended</i> (diltiazem hcl) <i>release 24 hr 120 mg, 180 mg, 240</i> <i>mg, 300 mg, 360 mg, 420 mg</i>	1	GC
<i>verapamil intravenous syringe 2.5</i> <i>mg/ml</i>	1	GC; HI
<i>verapamil oral capsule, 24 hr er</i> (Verelan PM) <i>pellet ct 100 mg, 200 mg, 300 mg</i>	2	
<i>verapamil oral capsule,ext rel.</i> (Verelan) <i>pellets 24 hr 120 mg, 180 mg, 240</i> <i>mg</i>	1	GC
<i>verapamil oral capsule,ext rel.</i> (Verelan) <i>pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40</i> <i>mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended</i> (Calan SR) <i>release 120 mg, 180 mg, 240 mg</i>	1	GC
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125</i> (digoxin) <i>mg), 250 mcg (0.25 mg)</i>	1	GC
<i>digox oral tablet 125 mcg (0.125</i> (digoxin) <i>mg), 250 mcg (0.25 mg)</i>	1	GC
<i>digoxin 250 mcg tablet 250 mcg</i> (Digitek) <i>(0.25 mg)</i>	1	GC
<i>digoxin injection syringe 250 mcg/ml</i> <i>(0.25 mg/ml)</i>	1	GC
<i>digoxin oral tablet 125 mcg (0.125</i> (Digitek) <i>mg), 250 mcg (0.25 mg)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	1	GC; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	1	GC; QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	GC
<i>hydralazine injection solution 20 mg/ml</i>	1	GC; HI
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NM; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i> (Ranexa)	2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i> (Ranexa)	2	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	5	PA; NM; NDS; QL (18 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NM; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (120 per 30 days)
Dihydropyridines		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	6	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	6	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	6	
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	1	GC
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	1	GC
Diuretics		
<i>amiloride oral tablet 5 mg</i>	1	GC
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	GC
<i>bumetanide injection solution 0.25 mg/ml</i>	2	HI
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	1	GC; HI
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	GC
<i>furosemide injection solution 10 mg/ml</i>	1	GC
<i>furosemide injection syringe 10 mg/ml</i>	1	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NM; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	GC
<i>toremide oral tablet 10 mg, 100 mg, 5 mg</i>	1	GC
<i>toremide oral tablet 20 mg</i> (Soanz)	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	GC
Dyslipidemics		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	6	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	2	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	
<i>colestipol oral packet 5 gram</i> (Colestid)	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	1	GC; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	1	GC
<i>fenofibrate nanocrystallized oral tablet 160 mg</i>	1	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	1	GC
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NM; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NM; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	2	
<i>niacin oral tablet extended release 24 hr 1,000 mg</i> (Niaspan Extended-Release)	2	
<i>niacin oral tablet extended release 24 hr 500 mg</i>	1	GC
<i>niacin oral tablet extended release 24 hr 750 mg</i>	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	1	GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	6	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	6	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame)	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	6	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Zocor)	6	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	6	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM (icosapent ethyl)	2	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	2	QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
<i>epplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	
KERENDIA ORAL TABLET 10 MG, 20 MG	3	PA; QL (30 per 30 days)
Vasodilators		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	GC
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	1	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i> (nitroglycerin)	1	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	GC; HI
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i> (Nitro-Dur)	1	GC
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	2	PA BvD
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	1	PA; GC; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg</i> (Focalin)	2	QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 5 mg</i> (Focalin)	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)	2	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 5 mg</i> (Zenzedi)	2	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i> (Zenzedi)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	1	GC; QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release (drlec) 120 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release (drlec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule, delayed release (drlec) 240 mg</i> (Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	1	GC
GILENYA ORAL CAPSULE 0.25 MG	5	PA; NM; NDS; QL (30 per 30 days)
GILENYA ORAL CAPSULE 0.5 MG (fingolimod)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NM; NDS; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	1	GC; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	1	GC
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	4	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i> (Ritalin LA)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	1	GC; QL (90 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	5	PA; NM; NDS; QL (2800 per 28 days)
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG	5	PA; NM; NDS; QL (30 per 30 days)
tetrabenazine oral tablet 12.5 mg, 25 mg (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
Contraceptives		
Contraceptives		
afirmelle oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estradiol)	1	GC
altavera (28) oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estradiol)	1	GC
alyacen 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol)	1	GC
alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	GC
amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7) (1 norgest/e.estradiol- e.estradiol)	1	GC; QL (91 per 84 days)
apri oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol)	1	GC
aranelle (28) oral tablet 0.5/1/0.5- 35 mg-mcg	1	GC
ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7) (1 norgest/e.estradiol- e.estradiol)	1	GC; QL (91 per 84 days)
aubra eq oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estradiol)	1	GC
aurovela 1.5/30 (21) oral tablet 1.5- 30 mg-mcg (norethindrone ac-eth estradiol)	1	GC
aurovela 1/20 (21) oral tablet 1-20 mg-mcg (norethindrone ac-eth estradiol)	1	GC
aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) (norethindrone- e.estradiol-iron)	1	GC
aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) (norethindrone- e.estradiol-iron)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		1	GC
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		1	GC
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>caziant (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>		1	GC
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	GC
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	GC
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	GC
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	GC
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estradiol)	1	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>desog-e.estradiol/estradiol oral tablet 0.15-0.02 mgx21/0.01 mg x 5</i>	(Azurette (28))	1	GC
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	1	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	1	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	1	GC
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	GC
ELLA ORAL TABLET 30 MG		4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estradiol triphasic)	1	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	1	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	1	GC
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	4	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>hailey oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	GC; QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	GC; QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	GC
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>kalliga oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	GC
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	GC
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	GC
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	GC
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>l norgestle.estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	(LoJaimiess)	1	GC; QL (91 per 84 days)
<i>l norgestle.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	1	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	GC
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>levonest (28) oral tablet 50-30 (6)/175-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	1	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Altavera (28))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	1	GC; QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	1	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	GC
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	GC
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	GC
<i>luteru (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	GC
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	1	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	1	GC
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Merzee)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tri-Legest Fe)	1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla)	1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri Femynor)	1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Estarylla)	1	GC
<i>norlyda oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		1	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		1	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	GC
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	GC
<i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	1	GC
<i>orsythia oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	1	GC
<i>philith oral tablet 0.4-35 mg-mcg</i>	1	GC
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	1	GC
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>	1	GC
<i>pirmella oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	1	GC
<i>portia 28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	1	GC
<i>previfem oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	1	GC
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	1	GC
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)	1	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	1	GC
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad)	1	GC; QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	1	GC
<i>sronyx oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)	1	GC
<i>syeda oral tablet 3-0.03 mg</i> (drospirenone-ethinyl estradiol)	1	GC
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) 11mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	1	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	GC
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>tulana oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	GC
<i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
<i>velivet triphasic regimen (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>		1	GC
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	GC
<i>vienna oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	GC
<i>violele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	GC
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	GC
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		1	GC
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	GC
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>		1	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>		2	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>		2	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	GC
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	GC
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2	
Dental And Oral Agents			
Dental And Oral Agents			
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1	GC
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	GC
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	GC
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1	GC
<i>oralone dental paste 0.1 %</i>	(triamcinolone acetone)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)	1	GC
<i>perio gard mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	2	
<i>sf 5000 plus dental cream 1.1 %</i> (fluoride (sodium))	1	GC
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Fluoridex Sensitivity Relief)	1	GC
<i>triamcinolone acetamide dental paste 0.1 %</i> (Oralene)	1	GC
Dermatological Agents		
Dermatological Agents, Other		
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	1	GC
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	QL (30 per 30 days)
ALCOHOL 70% SWABS (Alcohol Pads)	1	GC
ALCOHOL PADS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED (alcohol swabs)	1	GC
<i>ammonium lactate topical cream 12 %</i>	1	GC
<i>ammonium lactate topical lotion 12 %</i> (Skin Treatment)	1	GC
BD SINGLE USE SWAB (alcohol swabs)	1	GC
<i>calcipotriene scalp solution 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	2	QL (120 per 30 days)
CARETOUCH ALCOHOL 70% PREP PAD (alcohol swabs)	1	GC
CURITY ALCOHOL PREPS 2 PLY, MEDIUM (alcohol swabs)	1	GC
DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY COMFORT ALCOHOL (alcohol swabs) 70% PAD	1	GC
EASY TOUCH ALCOHOL 70% (alcohol swabs) PADS GAMMA-STERILIZED	1	GC
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
HEB INCONTROL ALCOHOL (alcohol swabs) 70% PADS	1	GC
<i>imiquimod topical cream in packet 5 %</i>	1	GC; QL (24 per 30 days)
IV ANTISEPTIC WIPES (alcohol swabs)	1	GC
KENDALL ALCOHOL 70% (alcohol swabs) PREP PAD	1	GC
KLISYRI TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS; QL (180 per 30 days)
<i>podofilox topical solution 0.5 %</i>	1	GC
PRO COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	GC
PURE COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	GC
RA ISOPROPYL ALCOHOL (alcohol swabs) 70% WIPES	1	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
SURE COMFORT ALCOHOL (alcohol swabs) PREP PADS	1	GC
SURE-PREP ALCOHOL PREP (alcohol swabs) PADS	1	GC
TRUE COMFORT ALCOHOL (alcohol swabs) 70% PADS	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TRUE COMFORT PRO ALCOHOL PADS	(alcohol swabs)	1	GC
ULTILET ALCOHOL STERL SWAB	(alcohol swabs)	1	GC
VALCHLOR TOPICAL GEL 0.016 %		5	NM; NDS
WEBCOL ALCOHOL PREPS 20'S,LARGE	(alcohol swabs)	1	GC
zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg	(isotretinoin)	1	GC
Dermatological Antibacterials			
<i>clindamycin phosphate topical solution 1 %</i>	(Cleocin T)	1	GC; QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i>	(Clindacin ETZ)	1	GC
<i>ery pads topical swab 2 %</i>	(erythromycin with ethanol)	2	
<i>erythromycin with ethanol topical gel 2 %</i>	(Erygel)	2	QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>		1	GC; QL (180 per 30 days)
<i>gentamicin topical cream 0.1 %</i>		2	QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>		2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i>	(Rosadan)	2	
<i>metronidazole topical gel 0.75 %</i>	(Rosadan)	1	GC
<i>metronidazole topical gel 1 %</i>	(Metrogel)	2	
<i>metronidazole topical lotion 0.75 %</i>	(MetroLotion)	2	
<i>mupirocin topical ointment 2 %</i>	(Centany)	1	GC; QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>		1	GC
<i>rosadan topical cream 0.75 %</i>	(metronidazole)	2	
<i>selenium sulfide topical lotion 2.5 %</i>		1	GC
<i>silver sulfadiazine topical cream 1 %</i>	(SSD)	1	GC
<i>ssd topical cream 1 %</i>	(silver sulfadiazine)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>sulfacetamide sodium (acne) topical (Klaron) suspension 10 %</i>	2	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 % (hydrocortisone)</i>	1	GC
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	1	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	1	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	1	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	1	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	1	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 % (Diprolene augmented)</i>	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	1	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>desoximetasone topical cream 0.25 % (Topicort)</i>	2	QL (120 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	1	GC
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-e topical cream 0.05 %</i> (fluocinonide-emollient)	2	
<i>fluticasone propionate topical cream 0.05 %</i>	1	GC
<i>fluticasone propionate topical ointment 0.005 %</i>	1	GC
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream 2.5 %</i>	1	GC
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	GC
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	1	GC
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>mometasone topical cream 0.1 %</i>	1	GC
<i>mometasone topical ointment 0.1 %</i>	1	GC
<i>mometasone topical solution 0.1 %</i>	1	GC
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	1	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	1	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>tacrolimus topical ointment 0.03 %</i> , (Protopic) <i>0.1 %</i>	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %</i> , <i>0.5 %</i> (Triderm)	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %</i> , <i>0.1 %</i>	1	GC
<i>triamcinolone acetonide topical ointment 0.025 %</i> , <i>0.1 %</i> , <i>0.5 %</i>	1	GC
Dermatological Retinoids		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	
<i>adapalene topical gel 0.1 %</i> (Differin)	1	GC
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	2	
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical cream 0.05 %</i> , <i>0.1 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	2	PA
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	
<i>permethrin topical cream 5 %</i> (Elimite)	1	GC
Devices		
Devices		
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic)	1	GC
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	1	GC
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE- USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 1	GC
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100) 1	GC
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic) 1	GC
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic) 1	GC
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic) 1	GC
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic) 1	GC
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"	1	GC
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"	1	GC
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	1	GC
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"	1	GC
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	1	GC
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety) 1	GC
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	1	GC
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	1	GC
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	1	GC
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	1	GC
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	1	GC
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	1	GC
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8" (insulin syringe-needle u-100)	1	GC
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	1	GC
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	1	GC
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	GC
BD INSULIN SYRINGE 1 ML W/O NEEDLE 1 ML (insulin syringe needleless)	1	GC
BD LUER-LOK SYRINGE 1 ML 1 ML (BD Insulin Syringe Slip Tip)	1	GC
BD NANO 2 GEN PEN NDL 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	GC
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	1	GC
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	1	GC
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	1	GC
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	1	GC
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	1	GC
BD SAFETYGLIDE NEEDLE NEEDLE 27 X 5/8 "	1	GC
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	1	GC
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	1	GC
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	1	GC
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	1	GC
BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4"	1	GC
BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16"	1	GC
BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32"	1	GC
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	1	GC
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	1	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	GC
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	1	GC
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	1	GC
BORDERED GAUZE 2"X2" 2 X (gauze bandage) 2 "	1	GC
CAREFINE PEN NEEDLE (pen needle, diabetic) 12.7MM 29G 29 GAUGE X 1/2"	1	GC
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	1	GC
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	1	GC
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	1	GC
CAREFINE PEN NEEDLE 8MM (pen needle, diabetic) 30G 30 GAUGE X 5/16"	1	GC
CAREFINE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	1	GC
CAREFINE PEN NEEDLES (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	1	GC
CAREONE SYR 0.3 ML (Advocate Syringes) 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	1	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 29G 12MM 29 GAUGE X 1/2"	1	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	1	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	1	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	1	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16"	1	GC
CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"	1	GC
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16	1	GC
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16" (pen needle, diabetic)	1	GC
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32" (pen needle, diabetic)	1	GC
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4" (pen needle, diabetic)	1	GC
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		1	GC
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 GC
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 GC
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 GC
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 GC
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 GC
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 GC
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 GC
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		1 GC
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		1 GC
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"		1 GC
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1 GC
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1 GC
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1 GC
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1 GC
COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1 GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	1	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 32G 8MM 32 GAUGE X 5/16"	1	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33G 6MM 33 GAUGE X 1/4"	1	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32"	1	GC
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	1	GC
CURAD GAUZE PADS 2" X 2" 2 (gauze bandage) X 2 "	1	GC
CURITY GAUZE SPONGES (12 (gauze bandage) PLY)-200/BAG 2 X 2 "	1	GC
CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 "	1	GC
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	GC
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	GC
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	GC
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	1	GC
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	1	GC
DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 u-100) GAUGE X 1/2"	1	GC
DROPLET INS 0.3 ML (insulin syringe-needle 30GX12.5MM 0.3 ML 30 u-100) GAUGE X 1/2"	1	GC
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	1	GC
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	1	GC
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	1	GC
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	1	GC
DROPLET INS SYR 0.3 ML (insulin syringe-needle 30GX8MM 0.3 ML 30 GAUGE X u-100) 5/16"	1	GC
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64"	1	GC
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX8MM 0.3 ML 31 GAUGE X u-100) 5/16"	1	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 29GX12.5MM 1 ML 29 GAUGE u-100) X 1/2"	1	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 30GX12.5MM 1 ML 30 GAUGE u-100) X 1/2"	1	GC
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"	1	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 30GX8MM 1 ML 30 GAUGE X u-100) 5/16"	1	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64"	1	GC
DROPLET INS SYR 1 ML (insulin syringe-needle 31GX8MM 1 ML 31 GAUGE X u-100) 5/16"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"	1	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	1	GC
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	1	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 30GX5/16" 30 GAUGE X 5/16"	1	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	1	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	1	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	1	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	1	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16"	1	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/16" 32 GAUGE X 5/16"	1	GC
DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	1	GC
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	1	GC
DROPSAFE PEN NEEDLE (pen needle, diabetic, safety) 31GX3/16" 31 GAUGE X 3/16"	1	GC
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	1	GC
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"	1	GC
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"	1	GC
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	GC
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	GC
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	GC
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	1	GC
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	1	GC
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)	1	GC
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	1	GC
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	GC
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	GC
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	GC
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	1	GC
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	1	GC
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	1	GC
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	1	GC
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	1	GC
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	1	GC
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	1	GC
EASY TOUCH INSULIN SYR (insulin syringe-needle 0.3 ML 0.3 ML 30 GAUGE X u-100) 5/16", 0.3 ML 31 GAUGE X 5/16"	1	GC
EASY TOUCH INSULIN SYR (insulin syringe-needle 0.5 ML 0.5 ML 30 GAUGE X u-100) 5/16", 0.5 ML 31 GAUGE X 5/16"	1	GC
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML 1 ML 30 GAUGE X 5/16, 1 u-100) ML 31 GAUGE X 5/16	1	GC
EASY TOUCH INSULIN SYR 1 (insulin syringe-needle ML RETRACTABLE 1 ML 30 u-100) GAUGE X 1/2"	1	GC
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	1	GC
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	1	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	1	GC
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	1	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	1	GC
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	1	GC
EASY TOUCH LUER LOK (insulin syringe INSUL 1 ML 1 ML needleless)	1	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	1	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 30GX5/16 30 GAUGE X 5/16"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4"	1	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16 31 GAUGE X 3/16"	1	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16 31 GAUGE X 5/16"	1	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	1	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16 32 GAUGE X 3/16"	1	GC
EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32 32 GAUGE X 5/32"	1	GC
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	1	GC
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	1	GC
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	1	GC
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	1	GC
EASY TOUCH SYR 0.5 ML 28G (insulin syringe-needle 12.7MM 1/2 ML 28 GAUGE X u-100) 1/2"	1	GC
EASY TOUCH SYR 0.5 ML 29G (insulin syringe-needle 12.7MM 0.5 ML 29 GAUGE X u-100) 1/2"	1	GC
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"	1	GC
EASY TOUCH SYR 1 ML 28G (insulin syringe-needle 12.7MM 1 ML 28 GAUGE X 1/2" u-100)	1	GC
EASY TOUCH SYR 1 ML 29G (insulin syringe-needle 12.7MM 1 ML 29 GAUGE X 1/2" u-100)	1	GC
EASY TOUCH UNI-SLIP SYR 1 (insulin syringe ML 1 ML needleless)	1	GC
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30 (Ultra Comfort Insulin Syringe)	1	GC
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE (Lite Touch Insulin Syringe)	1	GC
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16" (Lite Touch Insulin Syringe)	1	GC
EXEL INSULIN SYRINGE 27G-1 ML 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16" (Advocate Syringes)	1	GC
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE 1 ML 31 GAUGE X 5/16 (Advocate Syringes)	1	GC
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16" (pen needle, diabetic)	1	GC
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE (Lite Touch Insulin Syringe)	1	GC
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC
GAUZE PAD TOPICAL BANDAGE 2 X 2 " (gauze bandage)	1	GC
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	1	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	1	GC
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		1	GC
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	1	GC
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	1	GC
HEALTHY ACCENTS PENTIP (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	1	GC
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"	1	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	1	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	1	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 5MM 31G 31 GAUGE X 3/16"	1	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4"	1	GC
INCONTROL PEN NEEDLE (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16"	1	GC
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN SYR 0.3 ML (Advocate Syringes) 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	1	GC
INSULIN SYR 0.3 ML (UltiCare Insulin Syr(half unit)) 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	1	GC
INSULIN SYRIN 0.3 ML (Comfort EZ Insulin Syringe) 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2"	1	GC
INSULIN SYRIN 0.5 ML (Comfort EZ Insulin Syringe) 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	1	GC
INSULIN SYRIN 0.5 ML (Advocate Syringes) 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	GC
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16" (Advocate Syringes)	1	GC
INSULIN SYRINGE 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)	1	GC
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE (insulin syringe-needle u-100)	1	GC
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	1	GC
INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe-needle u-100)	1	GC
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	1	GC
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	1	GC
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2" (BD Eclipse Luer-Lok)	1	GC
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16" (Advocate Syringes)	1	GC
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	1	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Utileit Insulin Syringe)	1	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Advocate Syringes)	1	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Lite Touch Insulin Syringe)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
LISCO SPONGES 100/BAG 2 X 2 "		1	GC
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	1	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	1	GC
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		1	GC
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 GC
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 GC
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 GC
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 GC
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 GC
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 GC
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 GC
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 GC
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1 GC
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1 GC
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		1 GC
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		1 GC
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 X 1/2"		1 GC
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		1 GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	1	GC
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	1	GC
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"	1	GC
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"	1	GC
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	1	GC
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	GC
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic)	1	GC
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (1st Tier Unifine Pentips)	1	GC
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" (CareFine Pen Needle)	1	GC
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (BD Ultra-Fine Micro Pen Needle)	1	GC
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" (Comfort EZ Pen Needles)	1	GC
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (Advocate Pen Needle)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	1	GC
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	1	GC
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	1	GC
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) 1 ML	(insulin syringes (disposable))	1	GC
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		1	GC
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
NOVOFINE 30 NEEDLE		1	GC
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		1	GC
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		1	GC
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		3	
OMNIPOD CLASSIC PDM KIT(GEN 3)		3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE		3	
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE		3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)		3	QL (1 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	
PC UNIFINE PENTIPS 8MM (pen needle, diabetic) NEEDLE SHORT 31 GAUGE X 5/16"	1	GC
PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic) GAUGE X 5/16"	1	GC
PEN NEEDLE 30G X 8MM 30 (AboutTime Pen Needle) GAUGE X 5/16"	1	GC
PEN NEEDLE, DIABETIC (1st Tier Unifine Needle) NEEDLE 29 GAUGE X 1/2" Pentips Plus)	1	GC
PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2"	1	GC
PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32"	1	GC
PEN NEEDLES 6MM 31G (1st Tier Unifine 31GX6MM, STRL 31 GAUGE X Pentips) 1/4"	1	GC
PEN NEEDLES 8MM 31G (pen needle, diabetic) 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	1	GC
PENTIPS PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	1	GC
PENTIPS PEN NEEDLE (pen needle, diabetic) 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	1	GC
PENTIPS PEN NEEDLE (pen needle, diabetic) 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	1	GC
PENTIPS PEN NEEDLE 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	1	GC
PENTIPS PEN NEEDLE (pen needle, diabetic) 32GX5/32" 4MM 32 GAUGE X 5/32"	1	GC
PENTIPS PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PIP PEN NEEDLE 31G X 5MM (pen needle, diabetic) 31 GAUGE X 3/16"	1	GC
PIP PEN NEEDLE 32G X 4MM (pen needle, diabetic) 32 GAUGE X 5/32"	1	GC
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	1	GC
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	1	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	1	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	1	GC
PRO COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	1	GC
PRO COMFORT 1 ML 30GX1/2" (insulin syringe-needle 1 ML 30 GAUGE X 1/2" u-100)	1	GC
PRO COMFORT 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X u-100) 5/16"	1	GC
PRO COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	1	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	1	GC
PRO COMFORT PEN NDL 32G (pen needle, diabetic) X 1/4" 32 GAUGE X 1/4"	1	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32"	1	GC
PRO COMFORT PEN NDL (pen needle, diabetic) 5MM 32G 32 GAUGE X 3/16"	1	GC
PRODIGY INS SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X u-100) 1/2"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PRODIGY SYRNG 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	1	GC
PRODIGY SYRNGE 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	1	GC
PURE COMFORT PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	1	GC
PURE COMFORT PEN NDL (pen needle, diabetic) 32G 5MM 32 GAUGE X 3/16"	1	GC
PURE COMFORT PEN NDL (pen needle, diabetic) 32G 6MM 32 GAUGE X 1/4"	1	GC
PURE COMFORT PEN NDL (pen needle, diabetic) 32G 8MM 32 GAUGE X 5/16"	1	GC
RELI ON 31G X 1/4" NEEDLES (pen needle, diabetic) 31 GAUGE X 1/4"	1	GC
RELION INS SYR 0.3 ML (BD Veo Insulin 31GX6MM 0.3 ML 31 GAUGE X 15/64" Syringe UF)	1	GC
RELION INS SYR 0.5 ML (BD Veo Insulin 31GX6MM 1/2 ML 31 GAUGE X 15/64" Syringe UF)	1	GC
RELION INS SYR 1 ML (BD Veo Insulin 31GX15/64" 1 ML 31 GAUGE X 15/64" Syringe UF)	1	GC
RELI-ON INSULIN 0.5 ML SYR (Lite Touch Insulin 1/2 ML 29 Syringe)	1	GC
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"	1	GC
RELION MINI PEN 31G X 1/4" (pen needle, diabetic) NDL 31 GAUGE X 1/4"	1	GC
RELION PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"	1	GC
RELION PEN NEEDLES (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	1	GC
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	1	GC
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	1	GC
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	1	GC
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	1	GC
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	1	GC
SAFETY PEN NEEDLE 5MM X (pen needle, diabetic, 31G 31 GAUGE X 3/16" safety)	1	GC
SECURES SAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	1	GC
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	1	GC
SM STERILE PADS 2" X 2" (gauze bandage) 2"X2", STERILE 2 X 2 "	1	GC
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	1	GC
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	1	GC
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	GC
NEEDLES, INSULIN DISP., (insulin syringe-needle SAFETY u-100)	1	GC
SURE COMFORT 0.5 ML (insulin syringe-needle SYRINGE 0.5 ML 30 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
SURE COMFORT 31G PEN NEEDLE 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	GC
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	GC
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	GC
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
SURE COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
SURE COMFORT PEN NDL 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
SURE COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SURE-FINE PEN NEEDLES (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	1	GC
SURE-JECT INSU SYR U100 0.3 (insulin syringe-needle ML 0.3 ML 29 GAUGE X 1/2", u-100) 0.3 ML 30 GAUGE X 5/16"	1	GC
SURE-JECT INSU SYR U100 0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", u-100) 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	1	GC
SURE-JECT INSU SYR U100 1 (insulin syringe-needle ML 1 ML 28 GAUGE X 1/2" u-100)	1	GC
SURE-JECT INSUL SYR U100 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16	1	GC
SURE-JECT INSULIN (insulin syringe-needle SYRINGE 1 ML 1 ML 31 u-100) GAUGE X 5/16	1	GC
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	1	GC
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"	1	GC
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	1	GC
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	1	GC
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	1	GC
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"	1	GC
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	1	GC
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	1	GC
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	1	GC
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	1	GC
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	1	GC
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	1	GC
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	GC
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	GC
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	GC
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	1	GC
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" (pen needle, diabetic)	1	GC
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	1	GC
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (Advocate Syringes)	1	GC
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TERUMO INS SYRINGE U100-1 (Thinpro Insulin Syringe) ML 1 ML 30 GAUGE X 3/8"	1	GC
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8" (insulin syringe-needle u-100)	1	GC
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8" (insulin syringe-needle u-100)	1	GC
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8" (insulin syringe-needle u-100)	1	GC
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	1	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" (insulin syringe-needle u-100)	1	GC
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	1	GC
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8" (insulin syringe-needle u-100)	1	GC
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	1	GC
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	GC
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	1	GC
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	1	GC
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	1	GC
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	1	GC
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	1	GC
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	1	GC
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	1	GC
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	1	GC
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	1	GC
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	1	GC
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	1	GC
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	1	GC
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	1	GC
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	1	GC
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	1	GC
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	1	GC
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	1	GC
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	1	GC
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	1	GC
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	1	GC
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULT CFT 0.3 ML 30GX5/16" (1/2) 1/2 UNIT 0.3 ML 30 GAUGE X 5/16"		1	GC
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	1	GC
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	GC
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	GC
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	GC
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTICARE PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	1	GC
ULTICARE PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	1	GC
ULTICARE PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	1	GC
ULTICARE PEN NEEDLES (pen needle, diabetic) 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	1	GC
ULTICARE PEN NEEDLES (pen needle, diabetic) 6MM 32G 32 GAUGE X 1/4"	1	GC
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	1	GC
ULTICARE SAFE PEN NDL 8MM 30G 30 GAUGE X 5/16"	1	GC
ULTICARE SYR 0.3 ML (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2"	1	GC
ULTICARE SYR 0.3 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.3 ML u-100) 31 GAUGE X 5/16"	1	GC
ULTICARE SYR 0.5 ML (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2"	1	GC
ULTICARE SYR 0.5 ML (insulin syringe-needle 31GX5/16" SHORT NDL 0.5 ML u-100) 31 GAUGE X 5/16"	1	GC
ULTICARE SYR 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16"	1	GC
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	1	GC
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	1	GC
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	1	GC
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	1	GC
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	1	GC
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	1	GC
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	1	GC
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	1	GC
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	1	GC
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	1	GC
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	1	GC
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.3 ML 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	1	GC
ULTILET INSULIN SYRINGE (insulin syringe-needle 0.5 ML 0.5 ML 29 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	1	GC
ULTILET INSULIN SYRINGE 1 (insulin syringe-needle ML 1 ML 29 GAUGE X 1/2", 1 u-100) ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	1	GC
ULTILET PEN NEEDLE 29 GAUGE	1	GC
ULTILET PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	1	GC
ULTRA COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	1	GC
ULTRA COMFORT 0.5 ML (insulin syringe-needle 28GX1/2" CONVERTS TO 29G u-100) 1/2 ML 28 GAUGE X 1/2"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)	1	GC
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	GC
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	1	GC
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	1	GC
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	1	GC
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	1	GC
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	1	GC
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	1	GC
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	1	GC
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	1	GC
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	1	GC
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name		Drug Tier	Requirements/Limits
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	GC
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	GC
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	GC
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	1	GC
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	1	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2"	1	GC
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	1	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	1	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16"	1	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16"	1	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	1	GC
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	1	GC
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"	1	GC
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"	1	GC
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	1	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 5MM 31 GAUGE X 3/16"	1	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 6MM 31 GAUGE X 1/4"	1	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 31G 8MM 31 GAUGE X 5/16"	1	GC
UNIFINE ULTRA PEN NDL (pen needle, diabetic) 32G 4MM 32 GAUGE X 5/32"	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
VANISHPOINT 0.5 ML (insulin syringe-needle 30GX1/2" SY OUTER 0.5 ML 30 u-100) GAUGE X 1/2"	1	GC
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	1	GC
VANISHPOINT U-100 29X1/2 (insulin syringe-needle SYR 1 ML 29 GAUGE X 1/2" u-100)	1	GC
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	1	GC
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	1	GC
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	1	GC
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	1	GC
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	GC
V-GO 20 DEVICE	3	
V-GO 30 DEVICE	3	
V-GO 40 DEVICE	3	
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; HI; NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; HI; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; HI; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; HI; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NM; HI; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
<i>javygtor oral tablet, soluble 100 mg</i> (sapropterin)	5	NM; NDS
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NM; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; HI; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
REVCOVI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000-105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000-24,000 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	4	
<i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i>	1	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	GC
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	GC
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	1	GC
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NM; NDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	1	GC; QL (30 per 28 days)	
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	1	GC; QL (15 per 10 days)	
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	2		
<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	(Eye Allergy Itch-Redness Rlf)	1	GC
<i>olopatadine ophthalmic (eye) drops 0.2 %</i>	(Clear Eyes Once Daily Allergy)	2	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	(Alcaine)	1	GC
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NM; NDS	
Eye, Ear, Nose, Throat Anti-Infectives Agents			
<i>acetic acid otic (ear) solution 2 %</i>	1	GC	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2		
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(Polycin)	1	GC
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	(sulfacetamide sodium)	1	GC
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	(Ciloxan)	1	GC
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	(Ciprodex)	2	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>		1	GC; QL (3.5 per 4 days)
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	(gentamicin)	1	GC
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>		1	GC
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	1	GC
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	1	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	1	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	1	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	1	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	1	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc)	1	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin)	1	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	1	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>polycin ophthalmic (eye) ointment</i> (bacitracin-polymyxin 500-10,000 unit/gram b)	1	GC
<i>polymyxin b sulf-trimethoprim</i> (Polytrim) <i>ophthalmic (eye) drops 10,000 unit-</i> <i>1 mg/ml</i>	1	GC
<i>sulfacetamide sodium ophthalmic</i> <i>(eye) drops 10 %</i>	1	GC
<i>sulfacetamide sodium ophthalmic</i> <i>(eye) ointment 10 %</i>	1	GC
<i>sulfacetamide-prednisolone</i> <i>ophthalmic (eye) drops 10 %-0.23</i> <i>% (0.25 %)</i>	1	GC
<i>tobramycin ophthalmic (eye) drops</i> (Tobrex) <i>0.3 %</i>	1	GC
<i>tobramycin-dexamethasone</i> (TobraDex) <i>ophthalmic (eye) drops,suspension</i> <i>0.3-0.1 %</i>	2	
<i>trifluridine ophthalmic (eye) drops</i> <i>1 %</i>	2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>cyclosporine ophthalmic (eye)</i> (Restasis) <i>dropperette 0.05 %</i>	1	GC; QL (60 per 30 days)
<i>dexamethasone sodium phosphate</i> <i>ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye)</i> <i>drops 0.1 %</i>	1	GC
<i>difluprednate ophthalmic (eye)</i> (Durezol) <i>drops 0.05 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	1	GC; QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	GC
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	1	GC; QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	2	
<i>mometasone nasal spray,non-aerosol 50 mcglactuation</i>	2	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	1	GC
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 %	3	QL (60 per 30 days)
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 % (cyclosporine)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	1	GC
<i>esomeprazole magnesium oral capsule, delayed release (drlec) 20 mg</i> (Nexium)	1	GC; QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release (drlec) 40 mg</i> (Nexium)	1	GC; QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)	2	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	2	ST; QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	1	GC; HI
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	1	GC; HI
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	GC; HI
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	1	GC; HI
<i>famotidine intravenous solution 10 mg/ml</i>	1	GC; HI
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	GC
<i>lansoprazole oral capsule, delayed release (drlec) 15 mg</i> (Prevacid 24Hr)	2	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release (drlec) 30 mg</i> (Prevacid)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	1	GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>	1	GC
<i>omeprazole oral capsule, delayed release (drlec) 10 mg, 20 mg, 40 mg</i>	1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	2	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	2	HI
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i> (Protonix)	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i> (Protonix)	1	GC; QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i> (AcipHex)	1	GC; QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	1	GC
Gastrointestinal Agents, Other		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)	5	NM; NDS
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	1	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>	1	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	1	GC
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	2	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	1	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	1	GC
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	1	GC
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	1	GC
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	1	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	1	GC
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	1	GC; HI
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	1	GC; HI
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	NM; NDS
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	2	
<i>sodium polystyrene sulfonate oral powder</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 300 mg</i>	1	GC
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)	1	GC
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	1	GC
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	1	GC
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	1	GC
<i>peg-electrolyte soln oral recon soln 420 gram</i>	1	GC
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	3	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM (sodium,potassium,mag sulfates)	3	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i> (peg-electrolyte soln)	1	GC
Phosphate Binders		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	1	GC
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	1	GC
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	5	NM; NDS
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg</i>	2	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	1	GC
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	1	GC
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	1	GC
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	1	GC
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	1	GC
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	
<i>tropium oral tablet 20 mg</i>	2	
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	GC; QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	GC
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	GC
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG	5	PA; NM; NDS
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NM; NDS
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>clovique oral capsule 250 mg</i> (trientine)	5	PA; NM; NDS; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu)	5	PA; NM; NDS
<i>deferasirox oral tablet 90 mg</i> (Jadenu)	2	PA
<i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade)	1	PA; GC
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade)	5	PA; NM; NDS
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox)	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram</i>	2	PA
<i>deferoxamine injection recon soln 500 mg</i> (Desferal)	2	PA
FERRIPROX 1,000 MG TAB(2X/DAY) 1,000 MG (deferiprone)	5	PA; NM; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
FERRIPROX ORAL TABLET 1,000 MG (deferiprone)	5	PA; NM; NDS
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	5	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NM; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg</i> (Oxandrin)	1	GC
<i>oxandrolone oral tablet 2.5 mg</i> (Oxandrin)	2	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	1	PA; GC
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	1	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	2	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>dotti transdermal patch semiweekly</i> (estradiol) 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG	3	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	PA-HRM; GC; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly</i> (Dotti) 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly</i> (Climara) 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	2	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz)	2	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	PA-HRM; AGE (Max 64 Years)
<i>lyllana transdermal patch semiweekly</i> (estradiol) 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	2	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	2	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg</i> (Fyavolv)	2	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>norethindrone ac-eth estradiol oral tablet 1-5 mg-mcg</i> (Fyavolv)	1	PA-HRM; GC; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET (conjugated estrogens) 0.625 MG, 1.25 MG	3	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	GC
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	2	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100 mg</i>	1	GC
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	2	
<i>dexamethasone 0.5 mg/5 ml liq 0.5 mg/5 ml</i>	1	GC
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	1	GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	1	GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC; HI
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml</i>	1	GC; HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>dexamethasone sodium phosphate injection solution 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	1	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	GC
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	1	GC
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	1	GC
<i>methylprednisolone oral tablet 32 mg</i>	1	GC
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	1	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	1	GC
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	2	
<i>prednisolone 15 mg/5 ml soln dlf 15 mg/5 ml (3 mg/ml)</i>	1	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	GC
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	1	GC
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	5	NM; NDS
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NM; NDS; QL (35 per 28 days)
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	2	
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	1	GC
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NM; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	
<i>octreotide acetate injection syringe</i> <i>100 mcg/ml (1 ml), 50 mcg/ml (1</i> <i>ml), 500 mcg/ml (1 ml)</i>	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORLISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORLISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NM; NDS; QL (0.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NM; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NM; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS
Progestins		
<i>hydroxyprogesterone cap(ppres)</i> (Makena) <i>intramuscular oil 250 mg/ml</i>	5	NM; NDS
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i>	1	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>syringe 150 mg/ml</i>	1	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10</i> (Provera) <i>mg, 2.5 mg, 5 mg</i>	1	GC
<i>megestrol oral suspension 400 mg/10</i> <i>ml (40 mg/ml)</i>	1	PA-HRM; GC; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5</i> (Aygestin) <i>mg</i>	1	GC
<i>progesterone intramuscular oil 50</i> <i>mg/ml</i>	1	GC
<i>progesterone micronized oral</i> (Prometrium) <i>capsule 100 mg, 200 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	GC
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	GC
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	1	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	1	GC
Immunological Agents		
Immunological Agents		
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	PA BvD; GC
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD; GC
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	2	PA BvD
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	2	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet</i> 0.25 mg	2	PA BvD
<i>everolimus (immunosuppressive)</i> (Zortress) <i>oral tablet</i> 0.5 mg, 0.75 mg, 1 mg	5	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NM; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	1	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	2	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	1	GC
<i>mycophenolate mofetil (hcl)</i> (CellCept Intravenous) <i>intravenous recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral capsule</i> (CellCept) <i>250 mg</i>	1	PA BvD; GC
<i>mycophenolate mofetil oral</i> (CellCept) <i>suspension for reconstitution 200</i> <i>mg/ml</i>	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet</i> (CellCept) <i>500 mg</i>	1	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RASUVO (PF) SUBCUTANEOUS AUTO- INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NM; NDS
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>tacrolimus oral capsule 0.5 mg</i> (Prograf)	1	PA BvD; GC
<i>tacrolimus oral capsule 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; HI; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	6	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	6	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	6	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	6	
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	6	QL (3 per 365 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	6	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	6	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	6	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	6	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	6	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	6	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML	6	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	6	PA BvD
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4- 4.2- 3.3CCID50/0.5ML	6	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	6	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	6	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	6	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	6	(tetanus-diphtheria toxoids-td)
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	6	QL (0.75 per 365 days)
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	6	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	6	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	6	(typhoid vi polysacch vaccine)
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	6	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	6	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	6	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	6	
Inflammatory Bowel Disease		
Agents		
Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg</i>	(Lotronex)	2
<i>alosetron oral tablet 1 mg</i>	(Lotronex)	5
<i>balsalazide oral capsule 750 mg</i>	(Colazal)	2
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>		2
DIPENTUM ORAL CAPSULE 250 MG		5
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	(Cortenema)	4
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>	(Delzicol)	2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i> (Apriso)	2	
<i>mesalamine oral tablet,delayed release (drlec) 1.2 gram</i> (Lialda)	2	
<i>mesalamine oral tablet,delayed release (drlec) 800 mg</i> (Asacol HD)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	2	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	GC
<i>sulfasalazine oral tablet,delayed release (drlec) 500 mg</i> (Azulfidine EN-tabs)	4	
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/lactuation</i>	2	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	HI
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	1	GC
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	2	QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i> (Sensipar)	5	NM; NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NM; NDS; QL (120 per 30 days)
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2)	5	PA; NM; NDS; QL (2.34 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	1	GC; QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemlar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i> (Atelvia)	2	QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>zoledronic acid-mannitol-water</i> (Reclast) <i>intravenous piggyback 5 mg/100 ml</i>	2	QL (100 per 300 days)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	NM; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	GC
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	GC
<i>hydroxyzine pamoate oral capsule</i> (Vistaril) <i>25 mg, 50 mg</i>	1	GC
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	HI
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	HI
<i>leucovorin calcium oral tablet 10 mg, 5 mg</i>	1	GC
<i>leucovorin calcium oral tablet 15 mg, 25 mg</i>	2	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	1	GC
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	4	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	5	NM; NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	HI
MESNEX ORAL TABLET 400 MG	5	NM; NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NM; NDS
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet 30 mg</i>	2	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	1	GC
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % (brinzolamide)	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	3	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 % (brimonidine-timolol)	3	
<i>dorzolamide ophthalmic (eye) drops 2 %</i> (Trusopt)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	1	GC
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 4 %</i>	1	GC
<i>pilocarpine hcl ophthalmic (eye) drops 2 %</i> (Isopto Carpine)	1	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timoptic)	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE)	4	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	2	QL (2.5 per 25 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	1	GC; HI
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	4	HI
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	HI
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	HI

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	HI
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	HI
<i>klor-con m10 oral tablet,er</i> (potassium chloride) <i>particles/crystals 10 meq</i>	1	GC
<i>klor-con m15 oral tablet,er</i> (potassium chloride) <i>particles/crystals 15 meq</i>	1	GC
<i>klor-con m20 oral tablet,er</i> (potassium chloride) <i>particles/crystals 20 meq</i>	1	GC
<i>magnesium sulfate in d5w</i> <i>intravenous piggyback 1 gram/100</i> <i>ml</i>	1	GC; HI
<i>magnesium sulfate in water</i> <i>intravenous parenteral solution 20</i> <i>gram/500 ml (4 %), 40 gram/1,000</i> <i>ml (4 %)</i>	1	PA BvD; GC; HI
<i>magnesium sulfate in water</i> <i>intravenous piggyback 2 gram/50 ml</i> <i>(4 %), 4 gram/100 ml (4 %), 4</i> <i>gram/50 ml (8 %)</i>	1	PA BvD; GC; HI
<i>magnesium sulfate injection syringe</i> <i>4 meq/ml</i>	1	PA BvD; GC; HI
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	HI
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	HI
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	HI
<i>potassium chloride intravenous</i> <i>solution 2 meq/ml, 2 meq/ml (20 ml)</i>	1	PA BvD; GC; HI
<i>potassium chloride oral capsule,</i> <i>extended release 10 meq, 8 meq</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet extended release 10 meq, 20 meq</i> (K-Tab)	1	GC
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	1	GC
<i>potassium chloride oral tablet, er particles/crystals 10 meq</i> (Klor-Con M10)	1	GC
<i>potassium chloride oral tablet, er particles/crystals 15 meq</i> (Klor-Con M15)	1	GC
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i> (Klor-Con M20)	1	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	1	GC; HI
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	1	GC; HI
<i>sodium chloride 0.9 % injection solution</i>	1	GC; HI
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	1	GC; HI
<i>sodium chloride 0.9% solution mini-bag, single use</i>	1	GC; HI
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE (fluticasone propion-salmeterol)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115- 21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION (fluticasone furoate- BLISTER WITH DEVICE 100-25 vilanterol) MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for (Pulmicort) nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	2	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension for (Pulmicort) nebulization 1 mg/2 ml</i>	2	PA BvD; QL (60 per 30 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION (fluticasone HFA AEROSOL INHALER 110 propionate) MCG/ACTUATION	3	QL (12 per 30 days)
FLOVENT HFA INHALATION (fluticasone HFA AEROSOL INHALER 220 propionate) MCG/ACTUATION	3	QL (24 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION (fluticasone propionate)	3	QL (21.2 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION (budesonide-formoterol)	3	QL (30.6 per 30 days)
Antileukotrienes		
montelukast oral tablet 10 mg (Singulair)	1	GC
montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)	1	GC
zafirlukast oral tablet 10 mg, 20 mg (Accolate)	2	
Bronchodilators		
albuterol 5 mg/ml solution 5 mg/ml	1	PA BvD; GC; QL (120 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (Proventil HFA)	1	GC; QL (17 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)	1	GC; QL (13.4 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)	1	GC; QL (36 per 30 days)
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/3 ml (0.083 %)	1	PA BvD; GC; QL (360 per 30 days)
albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml	1	PA BvD; GC; QL (120 per 30 days)
albuterol sulfate oral syrup 2 mg/5 ml	1	GC
albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD; GC; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	1	PA BvD; GC; QL (540 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution 200 mg/ml (20%)</i> (Acetadote)	2	
<i>acetylcysteine solution 100 mg/ml (10%), 200 mg/ml (20%)</i>	2	PA BvD
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
DALIRESP ORAL TABLET 250 MCG (roflumilast)	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG (roflumilast)	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; NM; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150- 188 MG, 75-94 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100- 125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NM; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NM; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NM; NDS; QL (90 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV 1,000 MG (+/-)/20 ML	5	PA BvD; NM; HI; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; HI; NDS
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	1	GC; QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC
<i>chlorzoxazone oral tablet 250 mg</i>	5	PA-HRM; NM; NDS; QL (120 per 30 days); AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 500 mg</i>	1	PA-HRM; GC; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; GC; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	1	PA-HRM; GC; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i> (dantrolene)	1	GC; HI
<i>tizanidine oral tablet 2 mg</i>	1	GC
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	GC
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	PA; GC; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS; QL (150 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	1	PA; GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>modafinil oral tablet 200 mg</i> (Provigil)	1	PA; GC; QL (60 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	GC; QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i> (Flolan)	5	PA; NM; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	1	PA; GC; QL (90 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	2	PA; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG (bosentan)	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
Vitamins And Minerals		
Vitamins And Minerals		
<i>bal-care dha combo pack 27-1-430 mg</i>	1	GC
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	1	GC
<i>calcium pnv oral capsule 28-1-250 mg</i>	1	GC
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	1	GC
<i>completenate tablet chew 29 mg iron- 1 mg</i>	1	GC
<i>dothelle dha oral capsule 35-1-200 mg</i>	1	GC
<i>extra-virt plus dha oral capsule 29 mg iron-1.25 mg-55 mg</i>	1	GC
<i>folivane-ob capsule 85-1 mg</i>	1	GC
<i>hemenatal ob + dha oral combo pack 28 mg iron-6 mg iron-1 mg</i>	1	GC
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	1	GC
<i>marnatal-f capsule 60 mg iron-1 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>m-natal plus tablet 27 mg iron- 1 mg (pnv,calcium 72-iron-folic acid)</i>	1	GC
<i>mynatal advance oral tablet 90-1-50 mg</i>	1	GC
<i>mynatal capsule 65 mg iron- 1 mg</i>	1	GC
<i>mynatal oral tablet 90-1-50 mg</i>	1	GC
<i>mynatal plus captab 65 mg iron- 1 mg</i>	1	GC
<i>mynatal-z captab 65 mg iron- 1 mg</i>	1	GC
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	1	GC
<i>newgen tablet 32-1,000 mg-mcg</i>	1	GC
<i>niva-plus tablet 27 mg iron- 1 mg</i>	1	GC
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	1	GC
<i>o-cal prenatal tablet 15 mg iron-1,000 mcg</i>	1	GC
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>	1	GC
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	1	GC
<i>pnv-ferrous fumarate-docu-fa oral tablet 29 mg iron- 1 mg-25 mg</i>	1	GC
<i>pnv-omega softgel 28-1-300 mg</i>	1	GC
<i>pnv-vp-u oral capsule 106.5-1 mg</i>	1	GC
<i>pr natal 400 combo pack 29-1-400 mg</i>	1	GC
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	1	GC
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	1	GC
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	1	GC
<i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits	
<i>prenaisance oral capsule 29-1.25-55-325 mg</i>	1	GC	
<i>prenaisance plus oral capsule 28-1-50-250 mg</i>	1	GC	
<i>prenatabs fa tablet 29-1 mg</i>	1	GC	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	1	GC	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	1	GC	
<i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i>	1	GC	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	(pnv,calcium 72-iron,carb-folic)	1	GC
<i>prenatal plus tablet (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	GC
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	GC
<i>prenatal-u capsule 106.5-1 mg</i>	1	GC	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	GC
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>	1	GC	
<i>purefe ob plus capsule 106 mg iron- 1 mg</i>	1	GC	
<i>purefe plus capsule 106 mg iron- 1 mg</i>	1	GC	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	1	GC	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	1	GC	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	1	GC	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	1	GC	
<i>taron-c dha capsule 35-1-200 mg</i>	1	GC	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	1	GC	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>triveen-duo dha combo pack 29-1-400 mg</i>	1	GC
<i>triveen-prx rnf oral capsule 26-1.2-55-300 mg</i>	1	GC
<i>vena-bal dha oral combo pack, tablet and cap, dr 27-1-430 mg</i>	1	GC
<i>vinate care chewable tablet 40 mg iron- 1 mg</i>	1	GC
<i>vinate gt oral tablet 90-1-50 mg</i>	1	GC
<i>vinate ii oral tablet 29 mg iron- 1 mg</i>	1	GC
<i>vinate ultra oral tablet 90-1-50 mg</i>	1	GC
<i>virt-c dha softgel (rx) 35-1-200 mg</i>	1	GC
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>	1	GC
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	1	GC
<i>virt-pn oral tablet 27-1 mg</i>	1	GC
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	1	GC
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	1	GC
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	1	GC
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	1	GC
<i>viva dha oral capsule 28 mg iron-1 mg -200 mg</i>	1	GC
<i>vol-nate oral tablet 28 mg iron- 1 mg</i>	1	GC
<i>vp-ch plus oral capsule 29 mg iron-1 mg -50 mg-265 mg</i>	1	GC
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	1	GC
<i>vp-pnv-dha softgel (rx) 28 mg iron-1 mg-200 mg</i>	1	GC
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	1	GC
<i>zatean-pn plus softgel 28-1-300 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

Drug Name	Drug Tier	Requirements/Limits
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document.

INDEX

1ST TIER UNIFINE PENTIPS.....	111, 112	ADVAIR HFA.....	192	ALUNBRIG.....	19
1ST TIER UNIFINE PENTIPS PLUS.....	112	ADVOCATE PEN NEEDLE	113	<i>alyacen 1/35 (28)</i>	96
<i>abacavir</i>	66	ADVOCATE SYRINGES	112, 113	<i>alyacen 7/7/7 (28)</i>	96
<i>abacavir-lamivudine</i>	66	<i>afirmelle</i>	96	<i>alymSYS</i>	19
<i>abacavir-lamivudine- zidovudine</i>	66	<i>a-hydrocort</i>	168	<i>alyq</i>	198
ABELCET.....	50	AIMOVIG.....		<i>amabelz</i>	166
<i>abiraterone</i>	19	AUTOINJECTOR.....	53	<i>amantadine hcl</i>	58
ABOUTTIME PEN NEEDLE.....	112	AJOVY AUTOINJECTOR....	53	AMBISOME.....	50
ABRAXANE.....	19	AJOVY SYRINGE.....	53	<i>ambrisentan</i>	198
<i>acamprosate</i>	8	AKYNZEO (FOSNETUPITANT).....	55, 56	<i>amethia</i>	96
<i>acarbose</i>	45	AKYNZEO (NETUPITANT).....	56	<i>amiloride</i>	88
<i>accutane</i>	106	<i>ala-cort</i>	109	<i>amiloride-hydrochlorothiazide</i> ..	88
<i>acebutolol</i>	84	<i>albendazole</i>	57	AMINOSYN II 15 %.....	78
<i>acetaminophen-codeine</i>	3	<i>albuterol sulfate</i>	193	AMINOSYN-PF 7 % (SULFITE-FREE).....	78
<i>acetazolamide</i>	188	<i>alclometasone</i>	109	<i>amiodarone</i>	83
<i>acetazolamide sodium</i>	188	ALCOHOL PADS.....	106	<i>amitriptyline</i>	42
<i>acetic acid</i>	156	ALCOHOL PREP PADS....	107	<i>amlodipine</i>	87
<i>acetylcysteine</i>	195	ALCOHOL PREP SWABS..	106	<i>amlodipine-benazepril</i>	87
<i>acitretin</i>	106	ALCOHOL SWABS.....	106	<i>amlodipine-valsartan</i>	87
ACTHAR.....	170	ALCOHOL WIPES.....	107	<i>ammonium lactate</i>	106
ACTHIB (PF).....	178	ALDURAZYME.....	153	<i>amoxapine</i>	42
ACTIMMUNE.....	186	ALECENSA.....	19	<i>amoxicillin</i>	16
<i>acyclovir</i>	73, 106	<i>alendronate</i>	184	<i>amoxicillin-pot clavulanate</i>	16
<i>acyclovir sodium</i>	73	<i>alfuzosin</i>	164	<i>amphotericin b</i>	50
ADACEL(TDAP ADOLESN/ADULT)(PF)....	178	ALIMTA.....	19	<i>amphotericin b liposome</i>	50
ADAKVEO.....	77	ALIQOPA.....	19	<i>ampicillin</i>	16
<i>adapalene</i>	111	<i>aliskiren</i>	91	<i>ampicillin sodium</i>	16
ADCETRIS.....	19	<i>allopurinol</i>	52	<i>ampicillin-sulbactam</i>	16
<i>adefovir</i>	73	<i>alose tron</i>	183	ANADROL-50.....	166
ADEMPAS.....	198	ALPHAGAN P.....	188	<i>anagrelide</i>	77
<i>adriamycin</i>	19	<i>alprazolam</i>	10	<i>anastrozole</i>	20
<i>adrucil</i>	19	ALREX.....	158	ANORO ELLIPTA.....	193
ADVAIR DISKUS.....	191	<i>altavera (28)</i>	96	<i>apomorphine</i>	58
		ALTRENO.....	111	<i>apraclonidine</i>	155
				<i>aprepitant</i>	56
				APRETUDE.....	66
				<i>apri</i>	96

APTIOM.....	36	AVONEX.....	92	BD SAFETYGLIDE	
APTIVUS.....	66	<i>ayuna</i>	97	NEEDLE.....	115
APTIVUS (WITH VITAMIN		AYVAKIT.....	20	BD SAFETYGLIDE	
E).....	66	<i>azacitidine</i>	20	SYRINGE.....	115
<i>aranelle (28)</i>	96	<i>azathioprine</i>	173	BD ULTRA-FINE MICRO	
ARCALYST.....	173	<i>azathioprine sodium</i>	173	PEN NEEDLE.....	115
<i>aripiprazole</i>	60	<i>azelastine</i>	155	BD ULTRA-FINE MINI	
ARISTADA.....	61	<i>azithromycin</i>	14, 15	PEN NEEDLE.....	115
ARISTADA INITIO.....	60	AZOPT.....	188	BD ULTRA-FINE NANO	
<i>armodafinil</i>	197	<i>aztreonam</i>	15	PEN NEEDLE.....	115
ARNUITY ELLIPTA.....	192	<i>azurette (28)</i>	97	BD ULTRA-FINE ORIG	
<i>arsenic trioxide</i>	20	<i>bacitracin</i>	156	PEN NEEDLE.....	115
<i>asenapine maleate</i>	61	<i>bacitracin-polymyxin b</i>	156	BD ULTRA-FINE SHORT	
<i>ashlyna</i>	96	<i>baclofen</i>	197	PEN NEEDLE.....	115
ASPARLAS.....	20	<i>bal-care dha</i>	199	BD VEO INSULIN SYR	
<i>aspirin-dipyridamole</i>	77	<i>bal-care dha essential</i>	199	(HALF UNIT).....	115
ASSURE ID DUO-SHIELD	113	<i>balsalazide</i>	183	BD VEO INSULIN	
ASSURE ID INSULIN		BALVERSA.....	20	SYRINGE UF.....	115, 116
SAFETY.....	113	<i>balziva (28)</i>	97	<i>bekyree (28)</i>	97
ASSURE ID PEN NEEDLE	113	BAVENCIO.....	20	BELEODAQ.....	20
<i>atazanavir</i>	66	BAXDELA.....	17	BELSOMRA.....	197
<i>atenolol</i>	84	BCG VACCINE, LIVE (PF)	178	<i>benazepril</i>	82
<i>atenolol-chlorthalidone</i>	84	BD ALCOHOL SWABS.....	106	<i>benazepril-hydrochlorothiazide</i>	82
<i>atomoxetine</i>	92	BD AUTOSHIELD DUO		BENDEKA.....	20
<i>atorvastatin</i>	89	PEN NEEDLE.....	113	BENLYSTA.....	173
<i>atovaquone</i>	57	BD ECLIPSE LUER-LOK...	114	<i>benztropine</i>	58
<i>atovaquone-proguanil</i>	57	BD INSULIN SYRINGE.....	114	BESPONSА.....	20
<i>atropine</i>	155	BD INSULIN SYRINGE		BESREMI.....	173
ATROVENT HFA.....	194	(HALF UNIT).....	114	<i>betaine</i>	186
AUBAGIO.....	92	BD INSULIN SYRINGE		<i>betamethasone acet,sod phos..</i>	168
<i>aubra eq</i>	96	SLIP TIP.....	114	<i>betamethasone dipropionate...</i>	109
<i>aurovela 1.5/30 (21)</i>	96	BD INSULIN SYRINGE U-		<i>betamethasone valerate</i>	109
<i>aurovela 1/20 (21)</i>	96	500.....	114	<i>betamethasone, augmented</i>	109
<i>aurovela 24 fe</i>	96	BD INSULIN SYRINGE		BETASERON.....	92
<i>aurovela fe 1.5/30 (28)</i>	96	ULTRA-FINE.....	114	<i>betaxolol</i>	84
<i>aurovela fe 1-20 (28)</i>	97	BD NANO 2ND GEN PEN		<i>bethanechol chloride</i>	164
AUSTEDO.....	92	NEEDLE.....	114	<i>bexarotene</i>	20
AUVELITY.....	42	BD SAFETYGLIDE		BEXSERO.....	178
AVASTIN.....	20	INSULIN SYRINGE....	114, 115	<i>bicalutamide</i>	20
<i>aviane</i>	97			BICILLIN L-A.....	16

BIKTARVY.....	66	CABOMETYX.....	21	<i>cefepime</i>	13
<i>bisoprolol fumarate</i>	84	<i>cabotegravir</i>	67	<i>cefixime</i>	13
<i>bisoprolol-hydrochlorothiazide</i>	84	<i>caffeine citrate</i>	92	<i>cefotaxime</i>	13
BLENREP.....	20	<i>calcipotriene</i>	106	<i>cefoxitin</i>	13, 14
<i>bleomycin</i>	20	<i>calcitonin (salmon)</i>	184	<i>cefoxitin in dextrose, iso-osm</i> ...	13
<i>bleph-10</i>	156	<i>calcitriol</i>	184	<i>cefpodoxime</i>	14
BLINCYTO.....	21	<i>calcium acetate (phosphat</i>		<i>cefprozil</i>	14
<i>blisovi 24 fe</i>	97	<i>bind)</i>	163	<i>ceftazidime</i>	14
<i>blisovi fe 1.5/30 (28)</i>	97	<i>calcium chloride</i>	189	<i>ceftriaxone</i>	14
<i>blisovi fe 1/20 (28)</i>	97	<i>calcium pnv</i>	199	<i>cefuroxime axetil</i>	14
BOOSTRIX TDAP.....	179	CALQUENCE.....	21	<i>cefuroxime sodium</i>	14
BORDERED GAUZE.....	116	CALQUENCE		<i>celecoxib</i>	6
<i>bortezomib</i>	21	(ACALABRUTINIB MAL)...	21	CELONTIN.....	37
BORTEZOMIB.....	21	<i>camila</i>	97	<i>cephalexin</i>	14
BOSULIF.....	21	CAPLYTA.....	61	CERDELGA.....	153
BRAFTOVI.....	21	CAPRELSA.....	21	CEREZYME.....	153
BREO ELLIPTA.....	192	<i>captopril</i>	82	CHANTIX CONTINUING	
BREZTRI AEROSPHERE..	194	<i>carbamazepine</i>	36, 37	MONTH BOX.....	9
<i>briellyn</i>	97	<i>carbidopa-levodopa</i>	58, 59	<i>chateal eq (28)</i>	97
BRILINTA.....	78	<i>carbidopa-levodopa-</i>		<i>chloramphenicol sod succinate</i> ..	11
<i>brimonidine</i>	188	<i>entacapone</i>	59	<i>chlordiazepoxide hcl</i>	10
<i>brimonidine-timolol</i>	188	CAREFINE PEN NEEDLE	116	<i>chlorhexidine gluconate</i>	105
BRIVIACT.....	36	CARETOUCH ALCOHOL		<i>chloroquine phosphate</i>	57, 58
<i>bromocriptine</i>	58	PREP PAD.....	106	<i>chlorothiazide sodium</i>	88
BROMSITE.....	158	CARETOUCH INSULIN		<i>chlorpromazine</i>	61
BRONCHITOL.....	195	SYRINGE.....	117	<i>chlorthalidone</i>	88
BRUKINSA.....	21	CARETOUCH PEN		<i>chlorzoxazone</i>	197
<i>budesonide</i>	183, 192	NEEDLE.....	116	<i>cholestyramine (with sugar)</i>	89
<i>bumetanide</i>	88	<i>carglumic acid</i>	161	<i>cholestyramine light</i>	89
<i>buprenorphine hcl</i>	3, 8	<i>carteolol</i>	188	<i>ciclopirox</i>	50
<i>buprenorphine-naloxone</i>	8	<i>cartia xt</i>	85	<i>cilostazol</i>	78
<i>bupropion hcl</i>	42	<i>carvedilol</i>	84	CIMDUO.....	67
<i>bupropion hcl (smoking deter)</i> ...	8	<i>casprofungin</i>	50	<i>cimetidine hcl</i>	160
<i>buspironone</i>	186	CAYSTON.....	15	<i>cinacalcet</i>	184
<i>butalbital-acetaminophen-caff</i>	3	<i>caziant (28)</i>	97	CINQAIR.....	195
<i>butalbital-aspirin-caffeine</i>	3	<i>cefaclor</i>	13	CINRYZE.....	75
BYNFEZIA.....	170	<i>cefadroxil</i>	13	<i>ciprofloxacin</i>	17
CABENUVA.....	67	<i>cefazolin</i>	13	<i>ciprofloxacin hcl</i>	17, 156
<i>cabergoline</i>	58	<i>cefazolin in dextrose (iso-os)</i> ...	13	<i>ciprofloxacin in 5 % dextrose</i> ...	17
CABLIVI.....	77	<i>cefdinir</i>	13	<i>ciprofloxacin-dexamethasone</i> ..	156

<i>citalopram</i>	42, 43	<i>clomipramine</i>	43	CRIXIVAN.....	67
<i>clarithromycin</i>	15	<i>clonazepam</i>	10	<i>cromolyn</i>	155, 161, 195
CLENPIQ.....	163	<i>clonidine</i>	80	<i>cryselle (28)</i>	97
CLICKFINE PEN NEEDLE		<i>clonidine hcl</i>	80	CURAD GAUZE PAD.....	120
.....	117	<i>clopidogrel</i>	78	CURITY ALCOHOL	
<i>clindamycin hcl</i>	11	<i>clorazepate dipotassium</i>	10	SWABS.....	106
<i>clindamycin in 5 % dextrose</i>	11	<i>clotrimazole</i>	50, 51	CURITY GAUZE.....	120
<i>clindamycin phosphate</i>	12, 53, 108	<i>clotrimazole-betamethasone</i>	51	<i>cyclafem 1/35 (28)</i>	97
CLINIMIX 5%/D15W		<i>clovique</i>	165	<i>cyclafem 7/7/7 (28)</i>	97
SULFITE FREE.....	78	<i>clozapine</i>	61, 62	<i>cyclobenzaprine</i>	197
CLINIMIX 4.25%/D10W		<i>c-nate dha</i>	199	<i>cyclopentolate</i>	155
SULF FREE.....	78	COARTEM.....	58	<i>cyclophosphamide</i>	22
CLINIMIX 4.25%/D5W		<i>codeine sulfate</i>	3	CYCLOPHOSPHAMIDE.....	22
SULFIT FREE.....	78	<i>colchicine</i>	52	<i>cyclosporine</i>	158, 173, 174
CLINIMIX 5%-		<i>colesevelam</i>	89	<i>cyclosporine modified</i>	173, 174
D20W(SULFITE-FREE).....	78	<i>colestipol</i>	89	<i>cyproheptadine</i>	52
CLINIMIX 6%-D5W		<i>colistin (colistimethate na)</i>	12	CYRAMZA.....	22
(SULFITE-FREE).....	78	COMBIGAN.....	188	<i>cyred eq</i>	97
CLINIMIX 8%-		COMBIVENT RESPIMAT.....	194	CYSTARAN.....	155
D10W(SULFITE-FREE).....	79	COMETRIQ.....	21	<i>d5 % and 0.9 % sodium</i>	
CLINIMIX 8%-		COMFORT EZ INSULIN		<i>chloride</i>	189
D14W(SULFITE-FREE).....	79	SYRINGE.....	117, 118, 119	<i>d5 %-0.45 % sodium chloride</i> ..	189
CLINIMIX E 2.75%/D5W		COMFORT EZ PEN		<i>dalfampridine</i>	92
SULF FREE.....	79	NEEDLES.....	118	DALIRESP.....	195
CLINIMIX E 4.25%/D10W		COMFORT TOUCH PEN		<i>danazol</i>	166
SUL FREE.....	79	NEEDLE.....	119, 120	<i>dantrolene</i>	197
CLINIMIX E 4.25%/D5W		COMPLERA.....	67	DANYELZA.....	22
SULF FREE.....	79	<i>completenate</i>	199	<i>dapsone</i>	55
CLINIMIX E 5%/D15W		<i>compro</i>	56	DAPTACEL (DTAP	
SULFIT FREE.....	79	<i>constulose</i>	161	PEDIATRIC) (PF).....	179
CLINIMIX E 5%/D20W		COPAXONE.....	92	<i>daptomycin</i>	12
SULFIT FREE.....	79	COPIKTRA.....	21	DARZALEX.....	22
CLINIMIX E 8%-D10W		CORLANOR.....	86	DARZALEX FASPRO.....	22
SULFITEFREE.....	79	CORTROPHIN GEL.....	170	<i>dasetta 1/35 (28)</i>	97
CLINIMIX E 8%-D14W		COSENTYX.....	173	<i>dasetta 7/7/7 (28)</i>	97
SULFITEFREE.....	79	COSENTYX (2 SYRINGES)		DAURISMO.....	22
<i>clobazam</i>	37	173	<i>daysee</i>	98
<i>clobetasol</i>	109	COSENTYX PEN (2 PENS)		<i>deblitane</i>	98
<i>clobetasol-emollient</i>	109	COTELLIC.....	22	<i>decitabine</i>	22
<i>clofarabine</i>	21	CREON.....	153	<i>deferasirox</i>	165

<i>deferiprone</i>	165	<i>digox</i>	86	DROPLET PEN NEEDLE..	122
<i>deferoxamine</i>	165	<i>digoxin</i>	86	DROPSAFE ALCOHOL	
DELSTRIGO.....	67	<i>dihydroergotamine</i>	53, 54	PREP PADS.....	106
DENGVAXIA (PF).....	179	<i>diltiazem hcl</i>	85	DROPSAFE PEN NEEDLE	122
<i>denta 5000 plus</i>	105	<i>dilt-xr</i>	86	<i>drospirenone-ethinyl estradiol</i> ...	98
<i>dentagel</i>	105	<i>dimenhydrinate</i>	56	DROXIA.....	77
DERMACEA.....	120	<i>dimethyl fumarate</i>	93	<i>droxidopa</i>	81
DERMACEA NON-		DIPENTUM.....	183	DUAVEE.....	167
WOVEN.....	120	<i>diphenhydramine hcl</i>	52, 53	<i>duloxetine</i>	43
DESCOVY.....	67	<i>diphenoxylate-atropine</i>	161	DUPIXENT PEN.....	174
<i>desipramine</i>	43	<i>dipyridamole</i>	78	DUPIXENT SYRINGE.....	174
<i>desmopressin</i>	170	<i>disopyramide phosphate</i>	83	<i>dutasteride</i>	164
<i>desog-e.estradiolle.estradiol</i>	98	<i>disulfiram</i>	9	EASY COMFORT	
<i>desogestrel-ethinyl estradiol</i>	98	<i>divalproex</i>	37	ALCOHOL PAD.....	107
<i>desoximetasone</i>	109	<i>dofetilide</i>	83	EASY COMFORT	
<i>desvenlafaxine succinate</i>	43	<i>donepezil</i>	41	INSULIN SYRINGE....	122, 123
<i>dexamethasone</i>	168	DOPTELET (10 TAB PACK)	75	EASY COMFORT PEN	
<i>dexamethasone sodium phos</i>		DOPTELET (15 TAB PACK)	75	NEEDLES.....	123
(<i>pf</i>).....	168	DOPTELET (30 TAB PACK)	75	EASY GLIDE INSULIN	
<i>dexamethasone sodium</i>		<i>dorzolamide</i>	188	SYRINGE.....	124
<i>phosphate</i>	158, 168, 169	<i>dorzolamide-timolol</i>	189	EASY GLIDE PEN	
<i>dexmethylphenidate</i>	92	<i>dothelle dha</i>	199	NEEDLE.....	124
<i>dextroamphetamine sulfate</i>	93	<i>dotti</i>	167	EASY TOUCH.....	125, 126
<i>dextroamphetamine-</i>		DOVATO.....	67	EASY TOUCH ALCOHOL	
<i>amphetamine</i>	93	<i>doxazosin</i>	80	PREP PADS.....	107
<i>dextrose 10 % in water (d10w)</i>	79	<i>doxepin</i>	43	EASY TOUCH FLIPLOCK	
<i>dextrose 5 % in water (d5w)</i>	80	<i>doxorubicin</i>	22	INSULIN.....	125
DIACOMIT.....	37	<i>doxorubicin, peg-liposomal</i>	22	EASY TOUCH FLIPLOCK	
<i>diazepam</i>	10, 37	<i>doxy-100</i>	18	SYRINGE.....	124
<i>diazepam intensol</i>	10	<i>doxycycline hyclate</i>	18	EASY TOUCH INSULIN	
<i>diazoxide</i>	186	<i>doxycycline monohydrate</i>	18	SAFETY SYR.....	124
<i>diclofenac epolamine</i>	6	DRIZALMA SPRINKLE.....	43	EASY TOUCH INSULIN	
<i>diclofenac potassium</i>	6	<i>dronabinol</i>	56	SYRINGE.....	124, 125, 126
<i>diclofenac sodium</i>	6, 158	<i>droperidol</i>	56	EASY TOUCH LUER	
<i>dicloxacillin</i>	16	DROPLET INSULIN		LOCK INSULIN.....	125
<i>dicyclomine</i>	161	SYR(HALF UNIT).....	120, 121	EASY TOUCH PEN	
<i>didanosine</i>	67	DROPLET INSULIN		NEEDLE.....	125
DIFICID.....	15	SYRINGE.....	120, 121	EASY TOUCH SAFETY	
<i>difluprednate</i>	158	DROPLET MICRON PEN		PEN NEEDLE.....	126
<i>digitek</i>	86	NEEDLE.....	122		

EASY TOUCH	ENBREL MINI.....	174	<i>estradiol</i>	167
SHEATHLOCK INSULIN	ENBREL SURECLICK.....	174	<i>estradiol valerate</i>	167
.....	ENDARI.....	186	<i>estradiol-norethindrone acet ...</i>	167
EASY TOUCH UNI-SLIP... 126	<i>endocet</i>	3	<i>eszopiclone</i>	197
<i>econazole</i>	ENGERIX-B (PF).....	179	<i>ethambutol</i>	55
EDARBI.....	ENGERIX-B PEDIATRIC		<i>ethosuximide</i>	37
EDARBYCLOR.....	(PF).....	179	<i>ethynodiol diac-eth estradiol</i>	98
EDURANT.....	ENHERTU.....	23	<i>etodolac</i>	6
<i>efavirenz</i>	<i>enoxaparin</i>	74	<i>etonogestrel-ethinyl estradiol</i>	98
<i>efavirenz-emtricitabin-tenofov</i> ..	<i>enpresse</i>	98	ETOPOPHOS.....	23
<i>efavirenz-lamivu-tenofov disop</i> ..	<i>enskyce</i>	98	<i>etoposide</i>	23
EGRIFTA SV.....	<i>entacapone</i>	59	<i>etravirine</i>	68
ELAPRASE.....	<i>entecavir</i>	73	EUCRISA.....	109
ELIGARD.....	ENTRESTO.....	81	EVENITY.....	184
ELIGARD (3 MONTH).....	<i>enulose</i>	161	<i>everolimus (antineoplastic)</i>	23
ELIGARD (4 MONTH).....	EPCLUSA.....	72	<i>everolimus</i>	
ELIGARD (6 MONTH).....	EPIDIOLEX.....	37	<i>(immunosuppressive)</i>	174
<i>elinst</i>	<i>epinastine</i>	155	EVOTAZ.....	68
ELIQUIS.....	<i>epinephrine</i>	87	EVRYSDI.....	186
ELIQUIS DVT-PE TREAT	<i>epitol</i>	37	EXEL INSULIN.....	127
30D START.....	EPIVIR HBV.....	68	<i>exemestane</i>	23
ELITEK.....	<i>eplerenone</i>	91	EXKIVITY.....	23
ELLA.....	<i>epoprostenol (glycine)</i>	198	EXONDYS-51.....	186
ELMIRON.....	EPRONTIA.....	37	<i>extra-virt plus dha</i>	199
<i>eluryng</i>	ERBITUX.....	23	EYSUVIS.....	159
EMCYT.....	<i>ergoloid</i>	41	<i>ezetimibe</i>	89
EMEND.....	ERIVEDGE.....	23	FABRAZYME.....	154
EMFLAZA.....	ERLEADA.....	23	<i>falmina (28)</i>	98
EMGALITY PEN.....	<i>erlotinib</i>	23	<i>famciclovir</i>	73
EMGALITY SYRINGE.....	<i>errin</i>	98	<i>famotidine</i>	160
<i>emoquette</i>	<i>ertapenem</i>	15	<i>famotidine (pf)</i>	160
EMPLICITI.....	<i>ery pads</i>	108	<i>famotidine (pf)-nacl (iso-os)</i>	160
EMSAM.....	<i>erythromycin</i>	15, 156	FANAPT.....	62
<i>emtricitabine</i>	<i>erythromycin ethylsuccinate</i>	15	FARXIGA.....	45
<i>emtricitabine-tenofovir (tdf)</i>	<i>erythromycin with ethanol</i>	108	FARYDAK.....	23
EMTRIVA.....	ESBRIET.....	195	FASENRA.....	195
<i>enalapril maleate</i>	<i>escitalopram oxalate</i>	43	FASENRA PEN.....	195
<i>enalaprilat</i>	<i>esomeprazole magnesium</i>	160	<i>febuxostat</i>	52
<i>enalapril-hydrochlorothiazide</i> ...	<i>esomeprazole sodium</i>	160	<i>felbamate</i>	37, 38
ENBREL.....	<i>estarylla</i>	98	FEMRING.....	167

<i>femynor</i>	99	<i>flurbiprofen sodium</i>	159	<i>gemfibrozil</i>	89
<i>fenofibrate</i>	89	<i>flutamide</i>	24	<i>generlac</i>	161
<i>fenofibrate micronized</i>	89	<i>fluticasone propionate</i>	110, 159	<i>gengraf</i>	175
<i>fenofibrate nanocrystallized</i>	89	<i>fluvoxamine</i>	44	<i>gentak</i>	156
<i>fentanyl</i>	3, 4	<i>folivane-ob</i>	199	<i>gentamicin</i>	11, 108, 156
<i>fentanyl citrate</i>	3	<i>fomepizole</i>	186	<i>gentamicin sulfate (ped) (pf)</i> ...	11
FERRIPROX.....	165	<i>fondaparinux</i>	74	<i>gentamicin sulfate (pf)</i>	11
FERRIPROX (2 TIMES A DAY).....	165	FORTEO.....	185	GENVOYA.....	68
<i>fesoterodine</i>	164	<i>fosamprenavir</i>	68	GILENYA.....	93
FETZIMA.....	43	<i>fosaprepitant</i>	56	GILOTRIF.....	24
FIASP FLEXTOUCH U-100 INSULIN.....	47	<i>foscarnet</i>	71	GIVLAARI.....	77
FIASP PENFILL U-100 INSULIN.....	48	<i>fosinopril</i>	82	<i>glatiramer</i>	93
FIASP U-100 INSULIN.....	48	<i>fosphenytoin</i>	38	<i>glatopa</i>	93
<i>finasteride</i>	164	FOTIVDA.....	24	<i>glimepiride</i>	49
FINTEPLA.....	38	FREESTYLE PRECISION..	127	<i>glipizide</i>	50
FIRVANQ.....	12	FULPHILA.....	75	<i>glipizide-metformin</i>	50
FLEBOGAMMA DIF.....	174	<i>fulvestrant</i>	24	<i>glyburide</i>	50
<i>flecainide</i>	83	<i>furosemide</i>	88	<i>glyburide micronized</i>	50
FLOVENT DISKUS.....	192	FUZEON.....	68	<i>glyburide-metformin</i>	50
FLOVENT HFA.....	192, 193	<i>fyavolv</i>	167	<i>glycopyrrolate</i>	161
<i>floxuridine</i>	24	FYCOMPA.....	38	<i>glydo</i>	7
<i>fluconazole</i>	51	<i>gabapentin</i>	38	GLYXAMBI.....	45
<i>fluconazole in nacl (iso-osm)</i> ...	51	GALAFOLD.....	154	<i>granisetron (pf)</i>	56
<i>flucytosine</i>	51	<i>galantamine</i>	41, 42	<i>granisetron hcl</i>	56
<i>fludrocortisone</i>	169	GAMIFANT.....	174	<i>griseofulvin microsize</i>	51
<i>flumazenil</i>	93	GAMMAGARD LIQUID...	174	<i>guanfacine</i>	81, 94
<i>flunisolide</i>	159	GAMMAGARD S-D (IGA < 1 MCG/ML).....	175	GVOKE.....	186
<i>fluocinolone</i>	109, 110	GAMMAPLEX.....	175	GVOKE HYPOPEN 2- PACK.....	186
<i>fluocinonide</i>	110	GAMMAPLEX (WITH SORBITOL).....	175	GVOKE PFS 1-PACK SYRINGE.....	186
<i>fluocinonide-e</i>	110	<i>ganciclovir sodium</i>	73	HAEGARDA.....	75
<i>fluoride (sodium)</i>	105	GARDASIL 9 (PF).....	179	<i>hailey</i>	99
<i>fluorometholone</i>	159	GATTEX 30-VIAL.....	161	<i>hailey 24 fe</i>	99
<i>fluorouracil</i>	24, 107	GAUZE PAD.....	127	<i>hailey fe 1.5/30 (28)</i>	99
<i>flouxetine</i>	44	<i>gavilyte-c</i>	163	<i>hailey fe 1/20 (28)</i>	99
<i>fluphenazine decanoate</i>	62	<i>gavilyte-g</i>	163	<i>halobetasol propionate</i>	110
<i>fluphenazine hcl</i>	62	<i>gavilyte-n</i>	163	<i>haloperidol</i>	62
<i>flurbiprofen</i>	7	GAVRETO.....	24	<i>haloperidol decanoate</i>	62
		GAZYVA.....	24	<i>haloperidol lactate</i>	62

HARVONI.....	72	<i>hydrochlorothiazide</i>	88	INCRELEX.....	170
HAVRIX (PF).....	179	<i>hydrocodone-acetaminophen</i>	4	<i>indapamide</i>	88
HEALTHWISE INSULIN		<i>hydrocodone-ibuprofen</i>	4	<i>indomethacin</i>	7
SYRINGE.....	128	<i>hydrocortisone</i>	110, 169, 183	INFANRIX (DTAP) (PF)....	180
HEALTHWISE PEN		<i>hydromorphone</i>	4	INLYTA.....	25
NEEDLE.....	128	<i>hydromorphone (pf)</i>	4	INPEN (FOR HUMALOG)	
HEALTHY ACCENTS		<i>hydroxychloroquine</i>	58	BLUE.....	129
UNIFINE PENTIP.....	128, 129	<i>hydroxyprogesterone</i>		INPEN (NOVOLOG OR	
<i>heather</i>	99	<i>cap (ppres)</i>	172	FIASP) BLUE.....	129
<i>hemenatal ob + dha</i>	199	<i>hydroxyurea</i>	24	INQOVI.....	25
<i>heparin (porcine)</i>	74, 75	<i>hydroxyzine hcl</i>	53	INREBIC.....	25
<i>heparin, porcine (pf)</i>	75	<i>hydroxyzine pamoate</i>	186	INSULIN SYR/NDL U100	
HEPATAMINE 8%.....	80	HYQVIA.....	176	HALF MARK.....	129
HERCEPTIN.....	24	<i>ibandronate</i>	185	INSULIN SYRINGE.....	114
HERCEPTIN HYLECTA.....	24	IBRANCE.....	24	INSULIN SYRINGE	
HERZUMA.....	24	<i>ibu</i>	7	MICROFINE.....	114
HETLIOZ.....	197	<i>ibuprofen</i>	7	INSULIN SYRINGE	
HETLIOZ LQ.....	197	<i>icatibant</i>	87	NEEDLELESS.....	114
HIBERIX (PF).....	179	<i>iclevia</i>	99	INSULIN SYRINGE-	
HUMIRA.....	175	ICLUSIG.....	24	NEEDLE U-100	
HUMIRA PEN.....	175	IDHIFA.....	24	114, 116, 127, 129, 130, 138, 142,	
HUMIRA PEN CROHNS-		<i>ifosfamide</i>	24	143	
UC-HS START.....	175	ILARIS (PF).....	176	INSUPEN.....	131
HUMIRA PEN PSOR-		ILEVRO.....	159	INTELENCE.....	68
UVEITS-ADOL HS.....	175	<i>imatinib</i>	25	INTRALIPID.....	80
HUMIRA(CF).....	176	IMBRUVICA.....	25	INTRON A.....	72, 73
HUMIRA(CF) PEDI		IMFINZI.....	25	<i>introvale</i>	99
CROHNS STARTER.....	175	<i>imipenem-cilastatin</i>	15	INVEGA HAFYERA.....	62, 63
HUMIRA(CF) PEN.....	176	<i>imipramine hcl</i>	44	INVEGA SUSTENNA.....	63
HUMIRA(CF) PEN		<i>imiquimod</i>	107	INVEGA TRINZA.....	63
CROHNS-UC-HS.....	175	IMLYGIC.....	25	INVELTYS.....	159
HUMIRA(CF) PEN		IMOVAX RABIES		INVIRASE.....	68
PEDIATRIC UC.....	175	VACCINE (PF).....	180	IPOL.....	180
HUMIRA(CF) PEN PSOR-		IMPAVIDO.....	58	<i>ipratropium bromide</i>	156, 194
UV-ADOL HS.....	175	INBRIJA.....	59	<i>ipratropium-albuterol</i>	194
HUMULIN R U-500		<i>incassia</i>	99	<i>irbesartan</i>	81
(CONC) INSULIN.....	48	INCONTROL ALCOHOL		<i>irbesartan-hydrochlorothiazide</i>	81
HUMULIN R U-500		PADS.....	107	IRESSA.....	25
(CONC) KWIKPEN.....	48	INCONTROL PEN		ISENTRESS.....	68
<i>hydralazine</i>	87	NEEDLE.....	129	ISENTRESS HD.....	68

<i>isibloom</i>	99	<i>kelnor 1-50 (28)</i>	100	<i>larin 1.5/30 (21)</i>	100
ISOLYTE S PH 7.4.....	190	KERENDIA.....	91	<i>larin 1/20 (21)</i>	100
ISOLYTE-P IN 5 %		KESIMPTA PEN.....	94	<i>larin 24 fe</i>	100
DEXTROSE.....	190	<i>ketoconazole</i>	51	<i>larin fe 1.5/30 (28)</i>	100
ISOLYTE-S.....	189	<i>ketorolac</i>	7, 159	<i>larin fe 1/20 (28)</i>	100
<i>isoniazid</i>	55	KEVEYIS.....	186	<i>larissia</i>	100
<i>isosorbide dinitrate</i>	91	KEYTRUDA.....	26	<i>latanoprost</i>	189
<i>isosorbide mononitrate</i>	91	KIMMTRAK.....	26	LATUDA.....	63
<i>isosorbide-hydralazine</i>	91	KINRIX (PF).....	180	LAZANDA.....	4
<i>itraconazole</i>	51	<i>kionex (with sorbitol)</i>	162	<i>leflunomide</i>	176
IV PREP WIPES.....	107	KISQALI.....	26	<i>lenalidomide</i>	26
<i>ivermectin</i>	58	KISQALI FEMARA CO-		LENVIMA.....	27
IXEMPRA.....	25	PACK.....	26	<i>lessina</i>	100
IXIARO (PF).....	180	KLISYRI.....	107	<i>letrozole</i>	27
<i>jaimiess</i>	99	<i>klor-con m10</i>	190	<i>leucovorin calcium</i>	187
JAKAFI.....	25	<i>klor-con m15</i>	190	LEUKERAN.....	27
<i>jantoven</i>	75	<i>klor-con m20</i>	190	LEUKINE.....	76
JARDIANCE.....	46	KLOXXADO.....	9	<i>leuprolide</i>	27
<i>jasmiel (28)</i>	99	KORLYM.....	46	<i>levetiracetam</i>	38, 39
<i>javygtor</i>	154	KOSELUGO.....	26	<i>levobunolol</i>	189
JEMPERLI.....	25	<i>kosher prenatal plus iron</i>	199	<i>levocarnitine</i>	187
<i>jencycla</i>	99	KRINTAFEL.....	58	<i>levocarnitine (with sugar)</i>	187
JENTADUETO.....	46	KRYSTEXXA.....	154	<i>levocetirizine</i>	53
JENTADUETO XR.....	46	<i>kurvelo (28)</i>	100	<i>levofloxacin</i>	17, 18, 156
<i>jinteli</i>	167	KYNMOBI.....	59	<i>levofloxacin in d5w</i>	17
<i>juleber</i>	99	KYPROLIS.....	26	<i>levoleucovorin calcium</i>	187
JULUCA.....	68	<i>l norgestle.estradiol-e.estrad...</i>	100	<i>levonest (28)</i>	100
<i>junel 1.5/30 (21)</i>	99	<i>labetalol</i>	84	<i>levonorgestrel-ethinyl estrad</i>	
<i>junel 1/20 (21)</i>	99	<i>lacosamide</i>	38	100, 101
<i>junel fe 1.5/30 (28)</i>	99	<i>lactulose</i>	162	<i>levonorg-eth estrad triphasic...</i>	101
<i>junel fe 1/20 (28)</i>	99	<i>lagevrio (eua)</i>	73	<i>levora-28</i>	101
<i>junel fe 24</i>	100	<i>lamivudine</i>	68	<i>levothyroxine</i>	173
JUXTAPID.....	90	<i>lamivudine-zidovudine</i>	68	LEXIVA.....	69
JYNARQUE.....	88	<i>lamotrigine</i>	38	LIBTAYO.....	27
<i>kalliga</i>	100	<i>lanreotide</i>	170	<i>lidocaine</i>	8
KALYDECO.....	195	<i>lansoprazole</i>	160	<i>lidocaine (pf)</i>	7, 8, 83
KANJINTI.....	26	LANTUS SOLOSTAR U-100		<i>lidocaine hcl</i>	8
KANUMA.....	154	INSULIN.....	48	<i>lidocaine viscous</i>	8
<i>kariva (28)</i>	100	LANTUS U-100 INSULIN....	48	<i>lidocaine-prilocaine</i>	8
<i>kelnor 1/35 (28)</i>	100	<i>lapatinib</i>	26	<i>lillow (28)</i>	101

<i>linezolid</i>	12	LUPRON DEPOT (4 MONTH).....	27	MAVENCLAD (9 TABLET PACK).....	94
<i>linezolid in dextrose 5%</i>	12	LUPRON DEPOT (6 MONTH).....	27	MAXICOMFORT II PEN NEEDLE.....	133
<i>linezolid-0.9% sodium chloride</i> ..	12	LUPRON DEPOT-PED.....	171	MAXICOMFORT INSULIN SYRINGE.....	133
LINZESS.....	162	LUPRON DEPOT-PED (3 MONTH).....	170	MAXI-COMFORT INSULIN SYRINGE.....	133
<i>liothyronine</i>	173	<i>lutera (28)</i>	101	MAXICOMFORT SAFETY PEN NEEDLE.....	133
LISCO.....	131	LYBALVI.....	63	MAYZENT.....	94
<i>lisinopril</i>	82	<i>lyleq</i>	101	MAYZENT STARTER(FOR 1MG MAINT).....	94
<i>lisinopril-hydrochlorothiazide</i> ..	82	<i>lyllana</i>	167	MAYZENT STARTER(FOR 2MG MAINT).....	94
LITE TOUCH INSULIN PEN NEEDLES.....	131	LYNPARZA.....	27	<i>meclizine</i>	56
LITE TOUCH INSULIN SYRINGE.....	131, 132	LYSODREN.....	28	<i>medroxyprogesterone</i>	172
<i>lithium carbonate</i>	94	<i>lyza</i>	101	<i>mefenamic acid</i>	7
LIVALO.....	90	MAGELLAN INSULIN SAFETY SYRNG.....	132, 133	<i>mefloquine</i>	58
<i>lojaimiess</i>	101	MAGELLAN SYRINGE.....	132	<i>megestrol</i>	28, 172
LOKELMA.....	162	<i>magnesium sulfate</i>	190	MEKINIST.....	28
LONSURF.....	27	<i>magnesium sulfate in d5w</i>	190	MEKTOVI.....	28
<i>loperamide</i>	162	<i>magnesium sulfate in water</i>	190	<i>meloxicam</i>	7
<i>lopinavir-ritonavir</i>	69	<i>malathion</i>	111	<i>memantine</i>	42
<i>lorazepam</i>	10, 11	<i>maprotiline</i>	44	MENACTRA (PF).....	180
LORBRENA.....	27	<i>maraviroc</i>	69	MENQUADFI (PF).....	180
<i>loryna (28)</i>	101	MARGENZA.....	28	MENVEO A-C-Y-W-135-DIP (PF).....	180
<i>losartan</i>	81	<i>marlissa (28)</i>	101	MEPSEVII.....	154
<i>losartan-hydrochlorothiazide</i>	81	<i>marnatal-f</i>	199	<i>mercaptopurine</i>	28
LOTEMAX.....	159	MARPLAN.....	44	<i>meropenem</i>	15
LOTEMAX SM.....	159	MATULANE.....	28	<i>meropenem-0.9% sodium chloride</i>	15
<i>loteprednol etabonate</i>	159	MAVENCLAD (10 TABLET PACK).....	94	<i>merzee</i>	101
<i>lovastatin</i>	90	MAVENCLAD (4 TABLET PACK).....	94	<i>mesalamine</i>	183, 184
<i>low-ogestrel (28)</i>	101	MAVENCLAD (5 TABLET PACK).....	94	<i>mesna</i>	187
<i>loxapine succinate</i>	63	MAVENCLAD (6 TABLET PACK).....	94	MESNEX.....	187
<i>lo-zumandimine (28)</i>	101	MAVENCLAD (7 TABLET PACK).....	94	<i>metaproterenol</i>	194
<i>lubiprostone</i>	162	MAVENCLAD (8 TABLET PACK).....	94		
LUCEMYRA.....	9				
LUMAKRAS.....	27				
LUMIGAN.....	189				
LUMOXITI.....	27				
LUPRON DEPOT.....	170				
LUPRON DEPOT (3 MONTH).....	27, 170				

<i>metformin</i>	46	MITIGARE.....	52	NAGLAZYME.....	154
<i>methadone</i>	4	<i>mitoxantrone</i>	28	<i>naloxone</i>	9
<i>methadose</i>	4	M-M-R II (PF).....	180	<i>naltrexone</i>	9
<i>methenamine hippurate</i>	12	<i>m-natal plus</i>	200	NAMZARIC.....	42
<i>methimazole</i>	173	<i>modafinil</i>	197, 198	<i>naproxen</i>	7
<i>methocarbamol</i>	197	<i>molindone</i>	64	NARCAN.....	9
<i>methotrexate sodium</i>	28	<i>mometasone</i>	110, 159	NATACYN.....	157
<i>methotrexate sodium (pf)</i>	28	<i>mondoxyne nl</i>	19	NATPARA.....	185
<i>methoxsalen</i>	107	MONJUVI.....	28	NAYZILAM.....	39
<i>methscopolamine</i>	162	MONOJECT INSULIN		<i>neбиволol</i>	84
<i>methyldopa</i>	81	SAFETY SYRING.....	134, 135	<i>necon 0.5/35 (28)</i>	101
<i>methylphenidate hcl</i>	95	MONOJECT INSULIN		<i>nefazodone</i>	44
<i>methylprednisolone</i>	169	SYRINGE.....	134, 135	<i>neomycin</i>	11
<i>methylprednisolone acetate</i>	169	MONOJECT SYRINGE.....	134	<i>neomycin-bacitracin-poly-hc</i> ...	157
<i>methylprednisolone sodium</i>		MONOJECT ULTRA		<i>neomycin-bacitracin-</i>	
<i>succ</i>	169	COMFORT INSULIN.....	149	<i>polymyxin</i>	157
<i>metipranolol</i>	189	<i>mono-lynyah</i>	101	<i>neomycin-polymyxin b gu</i>	108
<i>metoclopramide hcl</i>	162	<i>montelukast</i>	193	<i>neomycin-polymyxin b-</i>	
<i>metolazone</i>	89	<i>morphine</i>	4, 5	<i>dexameth</i>	157
<i>metoprolol succinate</i>	84	MORPHINE.....	5	<i>neomycin-polymyxin-</i>	
<i>metoprolol ta-hydrochlorothiaz</i>	84	<i>morphine concentrate</i>	4	<i>gramicidin</i>	157
<i>metoprolol tartrate</i>	84	MOVANTIK.....	162	<i>neomycin-polymyxin-hc</i>	157
<i>metronidazole</i>	12, 53, 108	<i>moxifloxacin</i>	18, 157	<i>neo-polycin</i>	157
<i>metronidazole in nacl (iso-os)</i> ..	12	MOZOBIL.....	76	<i>neo-polycin hc</i>	157
<i>metyrosine</i>	87	MULPLETA.....	76	NEPHRAMINE 5.4 %.....	80
<i>mexiletine</i>	83	MULTAQ.....	83	NERLYNX.....	28
<i>miconazole-3</i>	51	<i>mupirocin</i>	108	NEULASTA.....	76
MICRODOT INSULIN PEN		MVASI.....	28	NEULASTA ONPRO.....	76
NEEDLE.....	133	<i>mycophenolate mofetil</i>	176	NEUPRO.....	59
<i>microgestin fe 1/20 (28)</i>	101	<i>mycophenolate mofetil (hcl)</i> ...	176	<i>nevirapine</i>	69
<i>midodrine</i>	81	MYLOTARG.....	28	<i>newgen</i>	200
<i>miglustat</i>	154	<i>mynatal</i>	200	NEXLETOL.....	90
<i>mili</i>	101	<i>mynatal advance</i>	200	NEXLIZET.....	90
<i>mimvey</i>	167	<i>mynatal plus</i>	200	<i>niacin</i>	90
MINI ULTRA-THIN II.....	134	<i>mynatal-z</i>	200	<i>nicardipine</i>	87
<i>minitran</i>	91	<i>mynate 90 plus</i>	200	NICOTROL.....	9
<i>minocycline</i>	19	MYRBETRIQ.....	164	<i>nifedipine</i>	87, 88
<i>minoxidil</i>	91	<i>nabumetone</i>	7	<i>nikki (28)</i>	102
<i>mirtazapine</i>	44	<i>nafcillin</i>	17	<i>nilutamide</i>	28
<i>misoprostol</i>	161	<i>nafcillin in dextrose iso-osm</i>	16, 17	NINLARO.....	28

<i>nitazoxanide</i>	58	NOVOLOG FLEXPEN U-100 INSULIN.....	49	<i>olopatadine</i>	156
<i>nitisinone</i>	154	NOVOLOG MIX 70-30 U-100 INSULN.....	49	<i>omega-3 acid ethyl esters</i>	90
<i>nitrofurantoin macrocrystal</i>	12	NOVOLOG MIX 70-30FLEXPEN U-100.....	49	<i>omeprazole</i>	161
<i>nitrofurantoin monohydlm-cryst</i>	12	NOVOLOG PENFILL U-100 INSULIN.....	49	<i>omeprazole-sodium bicarbonate</i>	161
<i>nitroglycerin</i>	91, 92	NOVOLOG U-100 INSULIN ASPART.....	49	OMNIPOD 5 G6 INTRO KIT (GEN 5).....	135
NITYR.....	154	NOVOTWIST.....	135	OMNIPOD 5 G6 PODS (GEN 5).....	135
<i>niva-plus</i>	200	NOXAFIL.....	51	OMNIPOD CLASSIC PDM KIT(GEN 3).....	135
NIVESTYM.....	76	NUBEQA.....	29	OMNIPOD CLASSIC PODS (GEN 3).....	135
<i>nizatidine</i>	161	NUCALA.....	196	OMNIPOD DASH INTRO KIT (GEN 4).....	135
NORDITROPIN FLEXPRO.....	171	NULOJIX.....	176	OMNIPOD DASH PDM KIT (GEN 4).....	135
<i>norethindrone (contraceptive)</i>	102	NUPLAZID.....	64	OMNIPOD DASH PODS (GEN 4).....	136
<i>norethindrone acetate</i>	172	NURTEC ODT.....	54	ONCASPAR.....	29
<i>norethindrone ac-eth estradiol</i>	102, 167, 168	NUTRILIPID.....	80	<i>ondansetron</i>	57
<i>norethindrone-e.estradiol-iron</i>	102	<i>nyamyc</i>	51	<i>ondansetron hcl</i>	57
<i>norgestimate-ethinyl estradiol</i>	102	<i>nylia 1/35 (28)</i>	102	<i>ondansetron hcl (pf)</i>	56, 57
<i>norlyda</i>	102	<i>nylia 7/7/7 (28)</i>	103	ONIVYDE.....	29
NORMOSOL-M IN 5% DEXTROSE.....	190	<i>nymyo</i>	103	ONTRUZANT.....	29
<i>nortrel 0.5/35 (28)</i>	102	<i>nystatin</i>	51, 52	ONUREG.....	29
<i>nortrel 1/35 (21)</i>	102	<i>nystop</i>	52	OPDIVO.....	29
<i>nortrel 1/35 (28)</i>	102	NYVEPRIA.....	76	OPDUALAG.....	29
<i>nortrel 7/7/7 (28)</i>	102	<i>obstetrix dha</i>	200	OPSUMIT.....	198
<i>nortriptyline</i>	44	<i>o-cal prenatal</i>	200	<i>oralone</i>	105
NORVIR.....	69	OCALEIVA.....	162	ORFADIN.....	154
NOVOFINE 30.....	135	OCREVUS.....	95	ORGOVYX.....	171
NOVOFINE 32.....	135	OCTAGAM.....	176	ORLISSA.....	171
NOVOFINE PLUS.....	135	<i>octreotide acetate</i>	171	ORKAMBI.....	196
NOVOLIN 70/30 U-100 INSULIN.....	48	ODEFSEY.....	69	ORLADEYO.....	76
NOVOLIN 70-30 FLEXPEN U-100.....	48	ODOMZO.....	29	<i>orsythia</i>	103
NOVOLIN N FLEXPEN.....	48	OFEV.....	196	<i>oseltamivir</i>	71
NOVOLIN N NPH U-100 INSULIN.....	48	<i>ofloxacin</i>	157	OSMOLEX ER.....	59, 60
NOVOLIN R FLEXPEN.....	48	OGIVRI.....	29	<i>oxandrolone</i>	166
NOVOLIN R REGULAR U-100 INSULN.....	49	<i>olanzapine</i>	64	<i>oxcarbazepine</i>	39
		<i>olmesartan</i>	81		
		<i>olmesartan-hydrochlorothiazide</i>	81		

OXLUMO.....	187	PENTIPS.....	136	<i>polycin</i>	158
OXTELLAR XR.....	39	<i>pentoxifylline</i>	78	<i>polymyxin b sulfate</i>	12
<i>oxybutynin chloride</i>	164	PEPAXTO.....	29	<i>polymyxin b sulf-trimethoprim</i>	158
<i>oxycodone</i>	5	<i>perindopril erbumine</i>	82	POMALYST.....	30
<i>oxycodone-acetaminophen</i>	5	<i>perio gard</i>	106	<i>portia 28</i>	103
<i>oxycodone-aspirin</i>	5	<i>permethrin</i>	111	PORTRAZZA.....	30
OXYCONTIN.....	5	<i>perphenazine</i>	64	<i>posaconazole</i>	52
OZEMPIC.....	46	<i>perphenazine-amitriptyline</i>	44	<i>potassium chloride</i>	190, 191
<i>pacerone</i>	83	PERSERIS.....	64	<i>potassium chloride-0.45 % nacl</i>	191
<i>paclitaxel protein-bound</i>	29	<i>pfizerpen-g</i>	17	<i>potassium citrate</i>	191
PADCEV.....	29	<i>phenelzine</i>	44	<i>pr natal 400</i>	200
<i>paliperidone</i>	64	<i>phenobarbital</i>	39	<i>pr natal 400 ec</i>	200
PALYNZIQ.....	154	<i>phenylephrine hcl</i>	81	<i>pr natal 430</i>	200
PANRETIN.....	107	<i>phenytoin</i>	39	<i>pr natal 430 ec</i>	200
<i>pantoprazole</i>	161	<i>phenytoin sodium</i>	39	PRALUENT PEN.....	90
<i>paricalcitol</i>	185	<i>phenytoin sodium extended</i>	39	<i>pramipexole</i>	60
<i>paroex oral rinse</i>	106	PHESGO.....	30	<i>prasugrel</i>	78
<i>paromomycin</i>	58	<i>philith</i>	103	<i>pravastatin</i>	90
<i>paroxetine hcl</i>	44	PHOSLYRA.....	163	<i>prazosin</i>	81
PAXLOVID (EUA).....	71	PIFELTRO.....	69	<i>prednicarbate</i>	110
PEDIARIX (PF).....	180	<i>pilocarpine hcl</i>	106, 189	<i>prednisolone</i>	169
PEDVAX HIB (PF).....	181	<i>pimecrolimus</i>	110	<i>prednisolone acetate</i>	159
<i>peg 3350-electrolytes</i>	163	<i>pimozide</i>	64	<i>prednisolone sodium phosphate</i>	159, 169
PEGASYS.....	73	<i>pimotrea (28)</i>	103	<i>prednisone</i>	169, 170
<i>peg-electrolyte soln</i>	163	<i>pioglitazone</i>	46	<i>pregabalin</i>	39, 40
PEGINTRON.....	73	PIP PEN NEEDLE.....	137	PREHEVBRIO (PF).....	181
PEMAZYRE.....	29	<i>piperacillin-tazobactam</i>	17	PREMARIN.....	168
<i>pemetrexed</i>	29	PIQRAY.....	30	PREMPHASE.....	168
<i>pemetrexed disodium</i>	29	<i>pirfenidone</i>	196	PREMPRO.....	168
PEN NEEDLE.....	127, 136, 138	<i>pirmella</i>	103	<i>prenal true</i>	200
PEN NEEDLE, DIABETIC	119, 133, 134, 136, 138	PLASMA-LYTE 148.....	190	<i>renaissance</i>	201
PEN NEEDLE, DIABETIC, SAFETY.....	139	PLASMA-LYTE A.....	190	<i>renaissance plus</i>	201
<i>penicillamine</i>	165	PLEGRIDY.....	95	<i>renatabs fa</i>	201
<i>penicillin g potassium</i>	17	<i>pnv 29-1</i>	200	<i>prenatal 19</i>	201
<i>penicillin g procaine</i>	17	<i>pnv-dha + docusate</i>	200	<i>prenatal 19 (with docusate)</i>	201
<i>penicillin v potassium</i>	17	<i>pnv-ferrous fumarate-docu-fa</i>	200	<i>prenatal low iron</i>	201
PENTACEL (PF).....	181	<i>pnv-omega</i>	200	<i>prenatal plus</i>	201
<i>pentamidine</i>	58	<i>pnv-vp-u</i>	200	<i>prenatal plus (calcium carb)</i>	201
		<i>podofilox</i>	107		
		POLIVY.....	30		

<i>prenatal vitamin plus low iron</i>	201	PROLEUKIN.....	30	RASUVO (PF).....	177
<i>prenatal-u</i>	201	PROLIA.....	185	RAVICTI.....	162
<i>preplus</i>	201	PROMACTA.....	76	RAYALDEE.....	185
<i>pretab</i>	201	<i>promethazine</i>	53, 57	<i>reclipsen (28)</i>	103
PRETOMANID.....	55	<i>promethegan</i>	57	RECOMBIVAX HB (PF)	
<i>prevalite</i>	90	<i>propafenone</i>	83	181, 182
PREVENT DROPSAFE		<i>proparacaine</i>	156	RECTIV.....	187
PEN NEEDLE.....	137	<i>propranolol</i>	85	RELENZA DISKHALER.....	72
<i>previfem</i>	103	<i>propranolol-hydrochlorothiazid</i>	85	RELEUKO.....	76, 77
PREVYMIS.....	71, 72	<i>propylthiouracil</i>	173	RELION NEEDLES.....	138
PREZCOBIX.....	69	PROQUAD (PF).....	181	RELION PEN NEEDLES.....	138
PREZISTA.....	69	PROSOL 20 %.....	80	<i>repaglinide</i>	46
PRIFTIN.....	55	<i>protamine</i>	77	REPATHA PUSHTRONEX.....	90
PRIMAQUINE.....	58	<i>protriptyline</i>	44	REPATHA SURECLICK.....	90
<i>primidone</i>	40	PULMOZYME.....	154	REPATHA SYRINGE.....	91
PRIORIX (PF).....	181	PURE COMFORT		RESTASIS.....	159
PRIVIGEN.....	176	ALCOHOL PADS.....	107	RESTASIS MULTIDOSE.....	159
PRO COMFORT		PURE COMFORT PEN		RETACRIT.....	77
ALCOHOL PADS.....	107	NEEDLE.....	138	RETEVMO.....	30
PRO COMFORT INSULIN		<i>purefe ob plus</i>	201	RETROVIR.....	69
SYRINGE.....	137	<i>purefe plus</i>	201	REVCOVI.....	154
PRO COMFORT PEN		PURIXAN.....	30	REVLIMID.....	30
NEEDLE.....	137	<i>pyrazinamide</i>	55	<i>revonto</i>	197
<i>probenecid</i>	52	<i>pyridostigmine bromide</i>	187	REXULTI.....	64
<i>probenecid-colchicine</i>	52	<i>pyrimethamine</i>	58	REYATAZ.....	69
<i>procainamide</i>	83	QINLOCK.....	30	REZUROCK.....	177
PROCALAMINE 3%.....	80	QUADRACEL (PF).....	181	RHOPRESSA.....	189
<i>prochlorperazine</i>	57	<i>quetiapine</i>	64	RIABNI.....	30
<i>prochlorperazine edisylate</i>	57	<i>quinapril</i>	82	<i>ribavirin</i>	73
<i>prochlorperazine maleate</i>	57	<i>quinapril-hydrochlorothiazide</i> ...	83	RIDAURA.....	177
<i>procto-med hc</i>	110	<i>quinidine sulfate</i>	83	<i>rifabutin</i>	55
<i>proctosol hc</i>	110	<i>quinine sulfate</i>	58	<i>rifampin</i>	55
<i>proctozone-hc</i>	110	QULIPTA.....	54	<i>rilpivirine</i>	70
PRODIGY INSULIN		RABAVERT (PF).....	181	<i>riluzole</i>	95
SYRINGE.....	137, 138	<i>rabeprazole</i>	161	<i>rimantadine</i>	72
<i>progesterone</i>	172	RADICAVA.....	95	RINVOQ.....	177
<i>progesterone micronized</i>	172	<i>raloxifene</i>	168	<i>risedronate</i>	185
PROGRAF.....	176	<i>ramipril</i>	83	RISPERDAL CONSTA.....	65
PROLASTIN-C.....	196	<i>ranolazine</i>	87	<i>risperidone</i>	65
PROLENSA.....	159	<i>rasagiline</i>	60	<i>ritonavir</i>	70

RITUXAN.....	31	SELZENTRY.....	70	<i>sorafenib</i>	31
RITUXAN HYCELA.....	30	<i>se-natal 19 chewable</i>	201	<i>sorine</i>	85
<i>rivastigmine</i>	42	SEREVENT DISKUS.....	194	<i>sotalol</i>	85
<i>rivastigmine tartrate</i>	42	SEROSTIM.....	171	<i>sotalol af</i>	85
<i>rizatriptan</i>	54	<i>sertraline</i>	44	SPIRIVA RESPIMAT.....	194
<i>r-natal ob</i>	201	<i>setlakin</i>	103	SPIRIVA WITH	
ROCKLATAN.....	189	<i>sevelamer carbonate</i>	164	HANDIHALER.....	194
<i>roflumilast</i>	196	<i>sevelamer hcl</i>	164	<i>spironolactone</i>	89
<i>ropinirole</i>	60	<i>sf 5000 plus</i>	106	SPRAVATO.....	45
<i>rosadan</i>	108	<i>sharobel</i>	103	<i>sprintec (28)</i>	103
<i>rosuvastatin</i>	91	SHINGRIX (PF).....	182	SPRITAM.....	40
ROTARIX.....	182	SIGNIFOR.....	171	SPRYCEL.....	31
ROTATEQ VACCINE.....	182	SIKLOS.....	77	<i>sps (with sorbitol)</i>	163
ROZLYTREK.....	31	<i>sildenafil (pulm.hypertension)</i>	198	<i>sronyx</i>	103
RUBRACA.....	31	<i>silver sulfadiazine</i>	108	<i>ssd</i>	108
<i>rufinamide</i>	40	SIMBRINZA.....	189	<i>stavudine</i>	70
RUKOBIA.....	70	<i>simliya (28)</i>	103	STELARA.....	177
RUXIENCE.....	31	<i>simpesse</i>	103	STERILE PADS.....	139
RYBELSUS.....	46	<i>simvastatin</i>	91	STIOLTO RESPIMAT.....	194
RYBREVANT.....	31	<i>sirolimus</i>	177	STIVARGA.....	31
RYDAPT.....	31	SIRTURO.....	55	STRENSIQ.....	155
SAFESNAP INSULIN		SKY SAFETY PEN		<i>streptomycin</i>	11
SYRINGE.....	138, 139	NEEDLE.....	139	STRIBILD.....	70
SAFETY PEN NEEDLE.....	139	SKYRIZI.....	177	STRIVERDI RESPIMAT....	194
<i>sajazir</i>	87	<i>sodium chloride 0.45 %</i>	191	SUBLOCADE.....	9
SANDOSTATIN LAR		<i>sodium chloride 0.9 %</i>	191	<i>subvenite</i>	40
DEPOT.....	171	<i>sodium fluoride-pot nitrate</i>	106	<i>sucralfate</i>	161
SANTYL.....	107	<i>sodium phenylbutyrate</i>	162	<i>sulfacetamide sodium</i>	158
<i>sapropterin</i>	154	<i>sodium polystyrene (sorb free)</i>		<i>sulfacetamide sodium (acne)</i> ..	109
SARCLISA.....	31	162	<i>sulfacetamide-prednisolone</i>	158
SAVELLA.....	95	<i>sodium polystyrene sulfonate</i> ..	162	<i>sulfadiazine</i>	18
SCSEMBLIX.....	31	<i>sodium,potassium,mag sulfates</i>		<i>sulfamethoxazole-</i>	
<i>scopolamine base</i>	57	163	<i>trimethoprim</i>	18
SECUADO.....	65	SOLQUA 100/33.....	49	<i>sulfasalazine</i>	184
SECURESAFE PEN		SOLTAMOX.....	31	<i>sulindac</i>	7
NEEDLE.....	139	SOLU-CORTEF ACT-O-		<i>sumatriptan</i>	54
<i>select-ob</i>	201	VIAL (PF).....	170	<i>sumatriptan succinate</i>	54, 55
<i>select-ob (folic acid)</i>	201	SOMATULINE DEPOT		<i>sunitinib</i>	31
<i>selegiline hcl</i>	60	171, 172	SUNOSI.....	198
<i>selenium sulfide</i>	108	SOMAVERT.....	172	SUPPRELIN LA.....	172

SUPREP BOWEL PREP KIT.....	163	TALZENNA.....	32	TETANUS,DIPHThERIA	
SURE COMFORT ALCOHOL PREP PADS.....	107	<i>tamoxifen</i>	32	TOX PED(PF).....	182
SURE COMFORT INS. SYR. U-100.....	139	<i>tamsulosin</i>	164	<i>tetrabenazine</i>	96
SURE COMFORT INSULIN SYRINGE....	139, 140	<i>tarina 24 fe</i>	103	<i>tetracycline</i>	19
SURE COMFORT PEN NEEDLE.....	140	<i>tarina fe 1-20 eq (28)</i>	104	THALOMID.....	187
SURE COMFORT SAFETY PEN NEEDLE.....	139	<i>taron-c dha</i>	201	<i>theophylline</i>	195
SURE-FINE PEN NEEDLES.....	140, 141	<i>taron-prex prenatal-dha</i>	201	THINPRO INSULIN SYRINGE.....	143
SURE-JECT INSULIN SYRINGE.....	141	TASCENSO ODT.....	96	THIOLA EC.....	165
SURE-PREP ALCOHOL PREP PADS.....	107	TASIGNA.....	32	<i>thioridazine</i>	65
SUTAB.....	163	TAVALISSE.....	77	<i>thiotepa</i>	32
<i>syeda</i>	103	<i>tazarotene</i>	111	<i>thiothixene</i>	65
SYLVANT.....	31	TAZORAC.....	111	<i>tiadylt er</i>	86
SYMBICORT.....	193	<i>taztia xt</i>	86	<i>tiagabine</i>	40
SYMDEKO.....	196	TAZVERIK.....	32	TIBSOVO.....	32
SYMLINPEN 120.....	46	TDVAX.....	182	TICE BCG.....	32
SYMLINPEN 60.....	47	TECENTRIQ.....	32	TICOVAC.....	182
SYMPAZAN.....	40	TECHLITE INSULIN SYRINGE.....	142	<i>tigecycline</i>	19
SYMTUZA.....	70	TECHLITE INSULN SYR(HALF UNIT).....	141	<i>timolol maleate</i>	85, 189
SYNAGIS.....	72	TECHLITE PEN NEEDLE.....	142	<i>tiopronin</i>	165
SYNAREL.....	172	TEFLARO.....	14	TIVDAK.....	32
SYNERCID.....	12	<i>telmisartan</i>	81	TIVICAY.....	70
SYNJARDY.....	47	<i>temazepam</i>	11	TIVICAY PD.....	70
SYNJARDY XR.....	47	TEMIXYS.....	70	<i>tizanidine</i>	197
SYNRIBO.....	31	TEMODAR.....	32	TOBI PODHALER.....	11
TABLOID.....	31	TENIVAC (PF).....	182	<i>tobramycin</i>	11, 158
TABRECTA.....	32	<i>tenofovir disoproxil fumarate</i> ...	70	<i>tobramycin in 0.225 % nacl</i>	11
<i>tacrolimus</i>	111, 178	TEPEZZA.....	156	<i>tobramycin sulfate</i>	11
<i>tadalafil (pulm. hypertension)</i>	198	TEPMETKO.....	32	<i>tobramycin-dexamethasone</i>	158
TAFINLAR.....	32	<i>terazosin</i>	164	<i>tolterodine</i>	164
TAGRISSO.....	32	<i>terbinafine hcl</i>	52	TOPCARE CLICKFINE.....	143
TAKHZYRO.....	187	<i>terbutaline</i>	194	TOPCARE ULTRA COMFORT.....	144
		<i>terconazole</i>	53	<i>topiramate</i>	40
		TERUMO INSULIN SYRINGE.....	142, 143	<i>toposar</i>	32
		<i>testosterone</i>	166	<i>toremifene</i>	32
		<i>testosterone cypionate</i>	166	<i>torse mide</i>	89
		<i>testosterone enanthate</i>	166	TOTECT.....	188
				TOUJEO MAX U-300 SOLOSTAR.....	49

TOUJEO SOLOSTAR U-300	<i>tri-mili</i>	104	TYBOST.....	188
INSULIN.....	<i>trimipramine</i>	45	TYMLOS.....	185
TRACLEER.....	TRINTELLIX.....	45	TYPHIM VI.....	183
TRADJENTA.....	<i>tri-nymyo</i>	104	TYSABRI.....	178
<i>tramadol</i>	<i>tri-previfem (28)</i>	104	TYVASO.....	199
<i>tramadol-acetaminophen</i>	TRIPTODUR.....	172	UBRELVY.....	55
<i>trandolapril</i>	<i>tri-sprintec (28)</i>	104	UCERIS.....	184
<i>tranexamic acid</i>	TRIUMEQ.....	70	UDENYCA.....	77
<i>tranylcypromine</i>	TRIUMEQ PD.....	70	ULTICARE.....	146, 147
TRAVASOL 10 %.....	<i>triveen-duo dha</i>	202	ULTICARE INSULIN	
<i>travoprost</i>	<i>triveen-prx rnf</i>	202	SYRINGE.....	146
TRAZIMERA.....	<i>trivora (28)</i>	104	ULTICARE INSULN	
<i>trazodone</i>	<i>tri-vylibra</i>	104	SYR(HALF UNIT).....	146
TREANDA.....	<i>tri-vylibra lo</i>	104	ULTICARE PEN NEEDLE	
TRECTOR.....	TRIZIVIR.....	70	146, 147
TRELEGY ELLIPTA.....	TRODELVY.....	33	ULTICARE SAFETY PEN	
TRELSTAR.....	TROGARZO.....	71	NEEDLE.....	147
TREMFYA.....	TROPHAMINE 10 %.....	80	ULTIGUARD SAFEPACK-	
<i>treprostinil sodium</i>	<i>trosipium</i>	164	INSULIN SYR.....	147, 148
<i>tretinoin</i>	TRUE COMFORT		ULTIGUARD SAFEPACK-	
<i>tretinoin (antineoplastic)</i>	ALCOHOL PADS.....	107	PEN NEEDLE.....	147, 148
<i>tri femynor</i>	TRUE COMFORT		ULTILET ALCOHOL	
<i>triamcinolone acetoneide</i>	INSULIN SYRINGE.....	144	SWAB.....	108
.....	TRUE COMFORT PEN		ULTILET INSULIN	
<i>triamterene-hydrochlorothiazid</i>	NEEDLE.....	144, 145	SYRINGE.....	130, 148
<i>trientine</i>	TRUE COMFORT PRO		ULTILET PEN NEEDLE....	148
<i>tri-estarylla</i>	ALCOHOL PADS.....	108	ULTRA CMFT INS SYR	
<i>trifluoperazine</i>	TRUE COMFORT PRO INS		(HALF UNIT).....	127, 139, 146
<i>trifluridine</i>	SYRINGE.....	144, 145	ULTRA COMFORT	
<i>trihexyphenidyl</i>	TRUEPLUS INSULIN. 145, 146		INSULIN SYRINGE	
TRIJARDY XR.....	TRUEPLUS PEN NEEDLE 145		122, 128, 148, 149
TRIKAFTA.....	TRULICITY.....	47	ULTRA FLO INSUL	
<i>tri-legest fe</i>	TRUMENBA.....	182	SYR(HALF UNIT).....	149
<i>tri-linyah</i>	TRUSELTIQ.....	33	ULTRA FLO INSULIN	
<i>tri-lo-estarylla</i>	TRUXIMA.....	33	SYRINGE.....	149
<i>tri-lo-marzia</i>	TUKYSA.....	33	ULTRA FLO PEN NEEDLE	
<i>tri-lo-mili</i>	<i>tulana</i>	104	149
<i>tri-lo-sprintec</i>	TURALIO.....	33	ULTRA THIN PEN	
<i>trilyte with flavor packets</i>	TWINRIX (PF).....	182	NEEDLE.....	150
<i>trimethoprim</i>	<i>tyblume</i>	104		

ULTRACARE INSULIN	VAQTA (PF).....	183	<i>virt-c dha</i>	202
SYRINGE.....	<i>varenicline</i>	9	<i>virt-nate dha</i>	202
150	VARIVAX (PF).....	183	<i>virt-pn</i>	202
ULTRACARE PEN	VASCEPA.....	91	<i>virt-pn dha</i>	202
NEEDLE.....	VEKLURY.....	74	<i>virt-pn plus</i>	202
150	VELCADE.....	34	VISTOGARD.....	188
ULTRA-THIN II (SHORT)	<i>velivet triphasic regimen (28)</i> ..	105	<i>vitafol gummies</i>	202
INS SYR.....	VELPHORO.....	164	<i>vitafol nano</i>	202
151	VEMLIDY.....	71	<i>vitafol-ob+dha</i>	202
ULTRA-THIN II (SHORT)	<i>vena-bal dha</i>	202	VITRAKVI.....	34
PEN NDL.....	VENCLEXTA.....	34	<i>viva dha</i>	202
151	VENCLEXTA STARTING		VIZIMPRO.....	34
ULTRA-THIN II INS PEN	PACK.....	34	VOCABRIA.....	71
NEEDLES.....	<i>venlafaxine</i>	45	<i>vol-nate</i>	202
151	<i>venlafaxine besylate</i>	45	<i>volnea (28)</i>	105
UNIFINE PEN NEEDLE....	<i>verapamil</i>	86	VONJO.....	34
151	VERIFINE PEN NEEDLE..	153	<i>voriconazole</i>	52
UNIFINE PENTIPS	VERSACLOZ.....	65	VOSEVI.....	72
.....	VERSALON.....	153	VOTRIENT.....	34
136, 151, 152	VERZENIO.....	34	<i>vp-ch plus</i>	202
UNIFINE PENTIPS	<i>vestura (28)</i>	105	<i>vp-ch-pnv</i>	202
MAXFLOW.....	V-GO 20.....	153	<i>vp-pnv-dha</i>	202
152	V-GO 30.....	153	VPRIV.....	155
UNIFINE PENTIPS PLUS..	V-GO 40.....	153	VRAYLAR.....	65
152	VICTOZA.....	47	VUMERITY.....	96
UNIFINE PENTIPS PLUS	<i>vienna</i>	105	<i>vyfemla (28)</i>	105
MAXFLOW.....	<i>vigabatrin</i>	40, 41	<i>vylibra</i>	105
152	<i>vigadrone</i>	41	VYNDAMAX.....	87
UNIFINE SAFECONTROL	VIIBRYD.....	45	VYNDAQEL.....	87
152	<i>vilazodone</i>	45	VYXEOS.....	34
UNIFINE ULTRA PEN	VIMIZIM.....	155	<i>warfarin</i>	75
NEEDLE.....	VIMPAT.....	41	WEBCOL.....	108
152	<i>vinate care</i>	202	WELIREG.....	34
UNITUXIN.....	<i>vinate gt</i>	202	<i>wera (28)</i>	105
33	<i>vinate ii</i>	202	XADAGO.....	60
UPTRAVI.....	<i>vinate ultra</i>	202	XALKORI.....	34
199	<i>vinorelbine</i>	34	XARELTO.....	75
<i>ursodiol</i>	<i>viorele (28)</i>	105	XARELTO DVT-PE TREAT	
163	VIRACEPT.....	71	30D START.....	75
<i>valacyclovir</i>	VIREAD.....	71	XATMEP.....	34
73				
VALCHLOR.....				
108				
<i>valganciclovir</i>				
73				
<i>valproate sodium</i>				
40				
<i>valproic acid</i>				
40				
<i>valproic acid (as sodium salt)</i> ...				
40				
<i>valrubicin</i>				
33				
<i>valsartan</i>				
82				
<i>valsartan-hydrochlorothiazide</i> ..				
82				
VALTOCO.....				
40				
<i>vancomycin</i>				
13				
VANISHPOINT INSULIN				
SYRINGE.....				
153				
VANISHPOINT SYRINGE.				
153				

XCOPRI.....	41	ZELBORAF.....	35
XCOPRI MAINTENANCE PACK.....	41	<i>zenatane</i>	108
XCOPRI TITRATION PACK.....	41	ZENPEP.....	155
XELJANZ.....	178	ZEPZELCA.....	36
XELJANZ XR.....	178	<i>zidovudine</i>	71
XERMELO.....	163	<i>zingiber</i>	203
XGEVA.....	185	<i>ziprasidone hcl</i>	66
XHANCE.....	160	<i>ziprasidone mesylate</i>	66
XIFAXAN.....	13	ZIRABEV.....	36
XIGDUO XR.....	47	ZIRGAN.....	158
XIIDRA.....	160	ZOLADEX.....	36
XOFLUZA.....	72	<i>zoledronic acid</i>	185
XOLAIR.....	196, 197	<i>zoledronic acid-mannitol-water</i>	186
XOSPATA.....	34	ZOLINZA.....	36
XPOVIO.....	35	<i>zolpidem</i>	198
XTAMPZA ER.....	6	ZONISADE.....	41
XTANDI.....	35	<i>zonisamide</i>	41
<i>xulane</i>	105	ZORBTIVE.....	172
XULTOPHY 100/3.6.....	49	<i>zovia 1-35 (28)</i>	105
XURIDEN.....	188	ZTALMY.....	41
XYOSTED.....	166	ZTLIDO.....	8
XYREM.....	198	ZULRESSO.....	45
YERVOY.....	35	<i>zumandimine (28)</i>	105
YF-VAX (PF).....	183	ZYDELIG.....	36
YONDELIS.....	35	ZYKADIA.....	36
YONSA.....	35	ZYLET.....	158
<i>yuvafem</i>	168	ZYNLONTA.....	36
<i>zafemy</i>	105	ZYPREXA RELPREVV.....	66
<i>zafirlukast</i>	193		
<i>zaleplon</i>	198		
<i>zarah</i>	105		
ZARXIO.....	77		
<i>zatean-pn dha</i>	202		
<i>zatean-pn plus</i>	202		
ZEGALOGUE AUTOINJECTOR.....	188		
ZEGALOGUE SYRINGE...	188		
ZEJULA.....	35		

This formulary was updated on 11/22/2022.

For more recent information or other questions, please contact MDwise Medicare Member Services at 833-358-2140 or, for TTY users, 711. Our hours of operation are: April 1st through September 30th Monday through Friday, 8 a.m. to 8 p.m. and October 1st through March 31st seven days a week (except Thanksgiving and Christmas days), 8 a.m. to 8 p.m. or visit www.mdwise.org/medicare for additional information.



MDwise Medicare is an HMO/HMO-POS with a Medicare contract. Enrollment in MDwise Medicare depends on contract renewal.